編 番 PART NO. PI2N-I-7

PARTS CATALOG パーツカタログ

EXCENSION SERVICES

FOREWORD

- This parts catalog shows the components of EX120-2 Hydraulic Excavator.
 The numerical parts No. index is provided at the end of this parts catalog.
 In the parts index, a part No. with "*" mark shows a newly added part on the parts catalog.
- © This parts catalog includes parts information for both standard and regional specification models

Please refer to the identification note given in < > after the Group Name, or Part Name to distigush between standard and regional parts information as shown below:

Group Name (or Part Name) plus <STD>

: for Standard Specification Model

Group Name (or Part Name) plus <N. EUROPE>: for Northern European Specification models,

delivered to Finland, Sweden, and Norway

Group Name (or Part Name) plus no note : Applicable to all models

Example:

GAUGE PANEL (N. EUROPE>----This part is for machines delivered to Finland, Sweden, and Norway.

- This parts catalog contains the most recent information available at the time of printing, and the contents of the list are based on information in effect at that time and are subject to change without notice.
- ◎ The references in the parts catalog of "LEFT", "RIGHT", "FRONT" and "REAR" are identified as

The driver's seat is positioned 'LEFT' side, and the opposite side is 'RIGHT'.

The front-end attachments is at the 'FRONT'. The counterweight is attached at the 'REAR'.

For the undercarriage, the travel motor is at the "REAR", and the opposite is "FRONT".

- © For the engine parts, please refer to the parts catalog of ISUZU diesel engine 4BD1T issued separately.
- HOW TO ORDER PARTS

When ordering parts, Please specify the following items as shown in the following example.

	(EXAMPLE)		
(1) Model of Machine	(EX120-2)	}	Shown on NAME-PLATE provided on MAIN FRAME on the lower right side of CAB
(2) Machine Serial No.	(12N-30001)	J	on the lower right side of CAB
(3) Part No.	(A810165)	Ţ	Ordering Parts
(4) Part Name	(O-RING)	}	
(5) Q'ty	(2)		Ordering Q'ty

(6) Purchaser's Name and Address

2. HOW TO USE THIS PARTS CATALOG

- ·ITEM Item No. shows the reference No. on the machine illustration.
- ·PART NO. Part No. consists of a letter of the alphabet and numericals, or numericals only.
- PART NAME Components of an assembly part are shown with "." marks and are shown on the line, or lines, below the assembly part. Also, if the component with "." mark consists of further components part, these further components are shown by the marks "..".
- ·Q'TY Q'ty shows the quantity used for one machine, however quantity of components shows the quantity for one assembly part.
- ·SERVICE CODE Abbreviations in the column of service code have their own meaning as shown below.
 - W: The part with this abbreviation shows that the part requires some work on it before installing in the machine.
 - H: As the part with this abbreviation shows a precision part, please ask the authority for its repairing.
 - D: The part with this abbreviation is a component of an assembly and is not available independently. The assembly part containing this part should be orderd.
 - K: This means that the part is contained in the service parts kit.
 - R: The part with this abbreviation shows that the quantity of the part is changed depending upon the machine, such as an adjusting shim etcetera.
 - S: This part is specially provided as a service part, which was not provided in the machine before from shipping the factory.
 - Z: The part with this abbreviation related to the ENGINE.
 - OP: Optional parts

·SERIAL No.

- OS: Over-sized parts
- US: Under-sized parts

 (NOTE: Part with abbreviation 'OS' or 'US' is described on the line below the standard-sized part.)
- #: The part with this mark is newly added on that page of the equipment.

Applicable machine serial No. for the part is shown in this column.

Further, above this column, the applicable serial No. is shown for all parts described on that page.

Take this serial No. if the part is not mentioned its own applicable serial No. Take the serial No. which includes both of for the part and for all parts desclibed on the page if the part is mensioned its own applicable serial No.

If the abbreviation 'D' is described as headed letter instead of the serial No.

it means the producted date of the machine in which the parts are used.

(EXSAMPLE: D90/10-....producted on Octorber 1990 and after)

If the abbreviation "H" is described as headed letter, it means the serial No.

of equipment such as PUMP, MOTOR, CONTROL VALVE and etcetera.

If the abbreviation "F" is described as headed letter, it means the Front No.

of front-end attachments such as BUCKET, BOOM, ARM and etcetera.

·ICA ICA shows the interchangeability between the original and the improved parts.

Abbreviations used in this column are as follows.

- I: Part No. in the column of 'Replaceable part' can be used instead of this part but not vice versa.
- P: This must not be used for the machine. The part No. in the column "Replaceable part" should be used instead.
- T: Parts Nos. those in the column of 'Replaceable part' can be used as an assembly instead of this part.
- Y: This part and the part in the column of "Replaceable part" are interchangeable with each other.

·REPLACEABLE PART

Interchangeable parts Nos. and their required quantity are shown in this column.

NOTE: If interchangeable improved parts are provided for the parts which you may order, the improved parts classified as "I", "P", "T" or "Y" may be supplied.

目 次 CONTENTS




上 部 旋 回 体 UPPERSTRUCTURE



下 部 走 行 体 UNDERCARRIAGE



フロントアタッチメント FRONT-END ATTACHMENTS



ゴムクローラ関係部品 RUBBER CRAWLER PARTS



オプショナルパーツ OPTIONAL PARTS




エ 具 お よ び 予 備 品 TOOLS AND SPARE PARTS



ネームプレート NAME-PLATE




索 引 PARTS INDEX



上部旋回体 UPPERSTRUCTURE


フレーム Frame




フレーム FRAME

						30001-			
符号 ITEM	部品番号 PART NO.	部品名 PART NAME	PART NAME or CODE	数量 Q'TY	サービス コード S.C	適用号機 SERIAL NO.	互換性	代替部 REPLACEA PART 部品番号	
1 I L (V)	, ART NO.	I CITT INVINE		(SE))	S.C			PART NO.	奴里 Q'TY
00	5003263	フレーム;メイン	FRAME; MAIN	1		-38429			
00	5004373	フレーム;メイン	FRAME; MAIN	1	#	38430-			
A00	4306949	• プ ラグ	• PLUG	12					
07	4258592	カバー; ブーツ	COVER; BOOT	1					
10	A590914	ワツシヤ;スプ リング	WASHER; SPRING	2					
11	3057962	ストツハ゜	STOPPER	1					
12	4255799	カバー	COVER	1					
13	4161735	パ° ツキン	PACKING	1					
15	J901025	ボル ト	BOLT	2					
16	3050671	ピン	PIN	1					
17	A590110	ワツシヤ;プ レーン	WASHER; PLANE	2					
18	4098716	リング	RING	3					
22	4252331	シム 1.0	SHIM 1.0	4	R				
23	4252332	9.4 كار	SHIM 2.0	4	R				
24	3051616	ピン	PIN	2			ļ		
25	4106307	ピン	PIN	3				ļ	
26	J931890	ボル ト	BOLT	28					
31	J901435	ボルト	BOLT	2					
33	4201750	ブ ツシング ;ラバ -	BUSHING; RUBBER	2					
35	4509404	ブ ツシング ;ラバ ー	BUSHING; RUBBER	8			ļ		
36	4205136	ブ ツシング ;ラバ ー	BUSHING; RUBBER	1		-38429			
37	4198176	ブ ツシング ; ラバ ー	BUSHING; RUBBER	1					
38	94-2816	プ ツシング ; ラバ ー	BUSHING; RUBBER	1		3	Ì		
39	4264106	ブ ツシング ;ラバ ー	BUSHING; RUBBER	2		-38429			
39	4264106	プ ツシング ; ラバ ー	BUSHING; RUBBER	1	#	38430-	ļ		ļ
40	4276062	ブ ツシング ;ラバ ー	BUSHING; RUBBER	1					
41	4093813	ブ ツシング ;ラバ ー	BUSHING; RUBBER	1					
42	4202008	ブ ツシング ; ラバ ー	BUSHING; RUBBER	1					
43	94-2806	ブ ツシング ; ラバ ー	BUSHING; RUBBER	1					
44	4339947	ブ ツシング ; ラバ ー	BUSHING; RUBBER	1	#	38430-	ļ		
45	4340406	ラハ* ー	RUBBER	1	#	38430-			
46	4340407	ラハ* ー	RUBBER	1	#	38430-			
	-				1				

カウンタウェイト Counterweight






				30001-					
符号 ITEM	部品番号 PART NO.	部 品 名 PART NAME	PART NAME or CODE	数量 Q'TY	サービス コード S.C	適用号機 SERIAL NO.	互換性 ICA	代替部 REPLACEA PART 部品番号 PART NO.	品 BLE 数量 Q'TY
00	5003233	ウエイト; カウンタ	WEIGHT; COUNTER	1					_
01	J932720	ボル ト	BOLT	4					
02	4126485	ワツシヤ	WASHER	4					
03	4149678	キャツプ	CAP	2					
							1		
							 		
							ŀ		
				 			 		
							ĺ		
	Ì								

							-		
							ļ		
					ļ 		ļ <u>.</u>	 	
				ļ	ļ		ļ	ļ	ļ
		,							
			·						
									<u> </u>


エ ン ジ ン Engine



エンジン ENGINE

						30001-			
一 符号 ITEM	部品番号 PART NO.	部 品 名 PART NAME	PART NAME or CODE	数量 Q'TY	サービス コード S. C	適用号機 SERIAL NO.	互換性 ICA	代替部 REPLACEA PART 部品番号 PART NO.	数量
00	4251137	ェンジ ン 〈STD〉	ENGINE (STD)	1	Z				
00	4275449	エンジ ン 〈N.EUROPE〉	ENGINE <n.europe></n.europe>	1	z				
00A	4179863	•^* Nh; V	•BELT;V	1	Z				
00B	4183853	・フイルタ;オイル (メイン)	•FILTER;OIL (MAIN)	1	Z				
00C	4285642	・フイルタ;オイル (パイパス)	•FILTER;OIL (BYPASS)	1	Z				
00D	4285643	・フイルタ;フューエル	•FILTER; FUEL	1	Z				
00E	4164695	・スイツチ;レヘ・ル	•SWITCH; LEVEL	1	Z	i			
,		(オイルレヘ゛ルセンサ)	(OIL LEVEL SENSOR)						
00F	4201132	・スイツチ;プ レツシヤ	•SWITCH; PRESSURE	1	Z				
00G	4223444	・スイツチ;サーモ	·SWITCH; THERMOMETER	1	Z				
,		(オーバ・ーヒートワーニング・)	(OVER HEAT WARNING)				1		
01	8021976	ブ ラケツト	BRACKET	1				į	
02	8021977	プ ラケツト	BRACKET	1			ŀ		
03	M171022	ボルト;セムス	BOLT; SEMS	7					
04	A590910	ワツシヤ;スプ リング	WASHER; SPRING	1					
05	J952010	ナット	NUT	1			1		
07	4255652	ラバ -	RUBBER	2					
08	4086894	ワツシヤ	WASHER	2					
09	A590914	ワツシヤ;スプ リング	WASHER; SPRING	4					
10	J950014	ナット	NUT	4					
11	4177883	ラハ゛ー	RUBBER	4					
12	4169423	ストツハ゜	STOPPER	4					
13	4185675	ストツハ゜	STOPPER	2					
15	J931613	ボル ト	BOLT	1			1		
16	4176282	ボル ト	BOLT	1			1		
17	J951016	ナット	NUT	2			1		
18	J222016	ワツシヤ	WASHER	4			İ		
46	J011035	ホ [*] ルト;セムス	BOLT; SEMS	4					
47	J011030	ホ ルト;セムス	BOLT; SEMS	4					
49	4171509	ホース;ピニール	HOSE; VINYL	1			<u> </u>		
50	4190271	クリツプ	CLIP	1					
51	9737871	ブ ラケツト	BRACKET	1					
54	J021020	ボルト;セムス	BOLT; SEMS	1					
*********									<u></u>


ラジエータ



ラジ^{・エータ} RADIATOR


	30001-
符号 部品番号 部 品 名 or PART NAME 数量 サービスコード S. C	道用号機 按 REPLACEABLE PART PART SERIAL NO. 性 部品番号 数量 ICA PART NO. Q'TY
01-27 4274494 ラジェータ アツセン RADIATOR ASS'Y 1	
01 4285626 ・コア;ラジェータ ・CORE; RADIATOR 1	
02 4206676 ・ロット・ ・ROD 2	
03 4206679 ・ボルト;セムス ・BOLT; SEMS 4	
04 4206928 ・プラケ;ドレン ・PLUG; DRAIN 1	
05 4228160 ・‡ヤツブ ・CAP 1	
06 4285627 ・クーラ;オイル ・COOLER;OIL 1	
07 4228295 ・ガ・イト・; ファン ・GUIDE; FAN 1	
08 4285639 ・ボ・ルト;セムス ・BOLT; SEMS 8	
09 4204469 ・ガ・ート・; ファン ・GUARD; FAN 1	
10 4206128 ・ボルト;セムス ・BOLT; SEMS 3	
11 4285637 ・ハ° ツキン ・PACKING 2	
12 4285635 ・ハ° ツキン ・PACKING 1	
13 4285636 ・ハ° ツキン ・PACKING 2	
14 4285641 ・ホース ・HOSE 1	
16 4285633 ・ハ° ツキン ・PACKING 1	
17 428562B ・ネツト ・NET 1	
18 4206930 ・ボルト;ウイング ・BOLT;WING 2	
19 4206931 ・ワツシヤ ・WASHER 2	
20 4285629 ・プラケット ・BRACKET 1	-30914 I 4296417 1
20 4296417 ・プ ラケツト ・BRACKET 1	30915-
21 4285630 ・プラケツト ・BRACKET 1	-30914 I 4296418 1
21 4296418 ・プ・ラケツト ・BRACKET 1	30915-
22 4285640 ・ボルト;セムス ・BOLT; SEMS 6	
23 4285640 •ボルト;セムス •BOLT; SEMS 8	
24 4285634 ・ハ゜ツキン ・PACKING 2	
25 4285631 ・プラケツト ・BRACKET 1	-30914 I 4296419 1
25 4296419 ・プラケツト ・BRACKET 1	30915-
26 4285632 ・プラケツト ・BRACKET 1	-30914 I 4296420 1
26 4296420 ・プラケツト ・BRACKET 1	30915-
27 4285638 ・パッキン ・PACKING 2	
120 3052439 Z - STAY 1	
121 J901635 ポルト BOLT 2	
122 A590916 ワツシヤ;スプ・リング WASHER;SPRING 2	
123 J011230 赤 ルト;セムス BOLT; SEMS 4	
125 J222012 ワツシヤ WASHER 4	
126 3055716 ホース; ウオータ HOSE; WATER 1	
127 3050673 ホース; ウオータ HOSE; WATER 1	
130 4505385 クランプ ;ホース CLAMP ; HOSE 1	
131 4504198 クランプ・;ホース CLAMP; HOSE 3	

リザーブタンク Reserve Tank



						30001-			
符号 ITEM	部品番号 PART NO.	部 品 名 PART NAME	PART NAME or CODE	数量 Q'TY	サービス コード S. C	適用号機 SERIAL NO.	互換性 ICA	代替部 REPLACEA PART 部品番号 PART NO.	数量
01	4180555	クランプ	CLAMP	1					
22	J020820	ボ ルト;セムス	BOLT; SEMS	2					
23	4130139	タンク;ウオータ	TANK; WATER	1					
23A	4153251	・スイツチ;レヘ・ル	·SWITCH; LEVEL	1					
23B	4153250	・キャップ	•CAP	1					
25	4142844	 ホース; ピニール	HOSE; VINYL	1			†		
26	4276493	ホース;ウオータ	HOSE; WATER	1					
27	4508575	/ / クランプ゜;ホ−ス	CLAMP; HOSE	2					
			·				l		
							 		
							ŀ		
							ļ		
							ŀ		
						,			
•							<u> </u>		
		·							
				ļ	ļ		ļ		
				 	ļ		.		
				į					
			ļ						
			<u> </u>				<u> </u>		<u></u>


エアクリーナ Air Cleaner



Iア クリーナ AIR CLEANER

					30001-							
符号 ITEM	部品番号 PART NO.	部 品 名 PART NAME	PART NAME or CODE	数量 Q'TY	サービス コード S. C	適用号機 SERIAL NO.	互換性 ICA	代替部 REPLACEAI PART 部品番号 PART NO.	 数量			
00	4255653	クリーナ;エア アツセン	CLEANER; AIR ASS'Y	1			10, 1					
,		(スタンダ・ート・)	(STANDARD)									
00	4285645	クリーナ;エア アツセン	CLEANER; AIR ASS'Y	1	OP							
,		(オプ シヨン)	(OPTION)									
00A	4285619	٠ ١ ٧٧٧١	• ELEMENT	1								
00B	4285620	• ボ デ イ	•BODY	1			l					
00C	4206552	•/バ ルブ	•VALVE	1								
00D	4285621	・ナット;ウイング	•NUT; WING	1								
00E	4285622	・ハ゜ツキン	• PACKING	1								
00F	4148963	・インジ ケータ	· INDICATOR	1		-38310	1	4334759	1			
00F	4334759	・インジ ケータ	• INDICATOR	1	#	38311-	1					
00G	4209588	・エレメント (オプ シヨン)	·ELEMENT (OPTION)	1	OP		I	4247974	1			
00G	4247974	・エレメント (オプ シヨン)	·ELEMENT (OPTION)	1	OPS							
00H	4178406	・ナツト (オプ シヨン)	•NUT (OPTION)	1	OP		Ì					
100	4178404	・パ ツキン (オプ シヨン)	•PACKING (OPTION)	1	OP							
01	J011020	ホ゛ルト;セムス	BOLT; SEMS	3								
02	J020820	ボ ルト;セムス	BOLT; SEMS	3		-35517						
02	J020820	ボルト;セムス	BOLT; SEMS	2		35518-						
04	3058206	カバー	COVER	1		-35517	1	7027154	1			
04	7027154	カハ・ー	COVER	1		35518-						
05	4277491	ラバ -	RUBBER	1								
07	4215192	ホース;エア	HOSE; AIR	1		-36449	Y	4324881	1			
07	4324881	ホース;エア	HOSE;AIR	1		36450-						
08	8049173	パ イプ ;インレツト	PIPE; INLET	1								
09	3050674	ホース;エア	HOSE;AIR	1								
10	J011030	ボルト;セムス	BOLT; SEMS	4								
12	4504491	クランプ ;ホース	CLAMP; HOSE	1								
13	4507512	クランプ。;ホース	CLAMP; HOSE	2								
14	4507397	クランプ ;ホース	CLAMP; HOSE	1								
15	9735385	プ [*] ラケツト	BRACKET	1			ļ		ļ			
18	8050065	プ ラケツト	BRACKET	1								
20	J021025	ボルト;セムス	BOLT; SEMS	4								
									<u> </u>			
							L		<u> </u>			

マ フ ラ ー Muffler



Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com