
編 番 PART NO P14C-1-4

PARTS CATALOG パーツカタログ

Excavator



適用号機 78001~ Serial No. HTACH

FOREWORD

This parts catalog shows the components of EX200-3, EX200LC-3, EX200H-3 and EX200LCH-3 Hydraulic Excavator.

If a page where the parts of those machines are shown, the following indication is described on the top of the page.

<EXAMPLE>

INDICATION	APPLICABLE MODEL	
····(STD. TRACK)	EX200-3, EX200H	- 3
····(LC TRACK)	EX200LC-3, EX200L	CH-3
····<200, LC>	EX200-3, EX200L	.C-3
····<200H, LCH>	EX200H-3, EX200L	.CH-3

The numerical parts No. index is provided at the end of this parts catalog. In the parts index, a part No. with "*" mark shows a newly added part on the parts catalog.

This parts catalog includes parts information for both standard and regional specification models.

Please refer to the identification note given in < > after the Group Name, or Part Name to distigush between standard and regional parts information as shown below:

Group Name (or Part Name) plus (STD)

: for Standard Specification Model

Group Name (or Part Name) plus <USA>

: for Northern American Specification models,

delivered to the United States and Canada

Group Name (or Part Name) plus no note : Applicable to all models

Example:

RADIO (USA)----This part is for machines delivered to the United State and Canada.

- This parts catalog contains the most recent information available at the time of printing. and the contents of the list are based on information in effect at that time and are subject to change without notice.
- ◎ The references in the parts catalog of "LEFT", "RIGHT", "FRONT" and 'REAR" are identified as follows.

The driver's seat is positioned 'LEFT' side, and the opposite side is 'RIGHT'.

The front-end attachments is at the 'FRONT'. The counterweight is attached at the 'REAR'.

For the undercarriage, the travel motor is at the 'REAR', and the opposite is 'FRONT'.

- © For the engine parts, please refer to the parts catalog of ISUZU diesel engine 6BD1T issued separately.
- 1. HOW TO ORDER PARTS

When ordering parts, Please specify the following items as shown in the following example.

(1) Model of Machine	(EXAMPLE) (EX200-3)	Shown on NAME-PLATE provided on MAIN FRAME
(2) Machine Serial No.	(14C-78001)	on the lower right side of CAB
(3) Part No.	(A810165)	Ordering Parts
(4) Part Name	(O-RING)	J
(5) Q'ty	(2)	Ordering Q'ty

(6) Purchaser's Name and Address

2. HOW TO USE THIS PARTS CATALOG

·ITEM Item No. shows the reference No. on the machine illustration.

·PART NO. Part No. consists of a letter of the alphabet and numericals, or numericals only.

·PART NAME Components of an assembly part are shown with "·" marks and are shown on the line, or lines, below the assembly part. Also, if the component with "·" mark consists of further components part, these further components are shown by the marks "··".

·Q'TY Q'ty shows the quantity used for one machine, however quantity of components shows the quantity for one assembly part.

SERVICE CODE Abbreviations in the column of service code have their own meaning as shown below.

- W: The part with this abbreviation shows that the part requires some work on it before installing in the machine.
- H: As the part with this abbreviation shows a precision part, please ask the authority for its repairing.
- D: The part with this abbreviation is a component of an assembly and is not available independently. The assembly part containing this part should be orderd.
- K: This means that the part is contained in the service parts kit.
- R: The part with this abbreviation shows that the quantity of the part is changed depending upon the machine, such as an adjusting shim etcetera.
- S: This part is specially provided as a service part, which was not provided in the machine before from shipping the factory.
- Z: The part with this abbreviation related to the ENGINE.
- OP: Optional parts
- OS: Over-sized parts
- US: Under-sized parts

 (NOTE: Part with abbreviation "OS" or "US" is described on the line below the standard-sized part.)
- #: The part with this mark is newly added on that page of the equipment.

SERIAL No. Applicable machine serial No. for the part is shown in this column.

Further, above this column, the applicable serial No. is shown for all parts described on that page.

Take this serial No. if the part is not mentioned its own applicable serial No. Take the serial No. which includes both of for the part and for all parts desclibed on the page if the part is mensioned its own applicable serial No. If the abbreviation 'D' is described as headed letter instead of the serial No. it means the producted date of the machine in which the parts are used.

(EXSAMPLE: D94/01-···· producted on January 1994 and after)

If the abbreviation 'H' is described as headed letter, it means the serial No. of equipment such as PUMP, MOTOR, CONTROL VALVE and etcetera.

If the abbreviation "F" is described as headed letter, it means the Front No. of front-end attachments such as BUCKET, BOOM, ARM and etcetera.

- ·ICA ICA shows the interchangeability between the original and the improved parts.

 Abbreviations used in this column are as follows.
 - I: Part No. in the column of "Replaceable part" can be used instead of this part but not vice versa.
 - P: This must not be used for the machine. The part No. in the column "Replaceable part" should be used instead.
 - T: Parts Nos. those in the column of "Replaceable part" can be used as an assembly instead of this part.
 - Y: This part and the part in the column of "Replaceable part" are interchangeable with each other.

·REPLACEABLE PART

Interchangeable parts Nos. and their required quantity are shown in this column.

NOTE: If interchangeable improved parts are provided for the parts which you may order, the improved parts classified as "I", "P", "T" or "Y" may be supplied.

目 CONTENTS



上 部 旋 回 体 UPPERSTRUCTURE



下 部 走 行 体 UNDERCARRIAGE



フロントアタッチメント FRONT-END ATTACHMENTS



スーパーロングフロント RIVER MAINTENANCE FRONT



オプショナルパーツ OPTIONAL PARTS



エ 具 及 び 予 備 品 TOOLS AND SPARE PARTS





ネームプレート NAME-PLATE



索气 引 引 PARTS INDEX


目 CONTENTS





上部施回体 UPPERSTRUCTURE


フレーム FRAME




78001-

THE							78001-					
TEM	一一	部品番号	±1 □ 9	DADTNAME	数量	サービス	適用号機	互換				
00 5004262 フレーム:メイン < 200H、LCHン FRAME:MAIN < 200H、LCHン 1 1 1	ITEM	PART NO.	ap as 15	FART WANTE	Q'TY		SERIAL NO.	- 1		数量 QTY		
07	00	5004161	フレーム:メイン <200, LC>	FRAME; MAIN <200, LC>	1							
11	00	5004262	フレーム;メイン <200H, LCH>	FRAME; MAIN <200H, LCH>	1							
12	07	4258592	カハ・ー;ブ・ーツ	COVER; BOOT	1							
13	11	A590914	ワツシヤ;スプ゚リング	WASHER; SPRING	2							
14 J021025 π' h; tax BOLT; SEMS 2 20 4196104 t' > PIN 2 21 4098713 t' > PIN 2 22 4098712 Jyb' RING 2 24 4101280 js 3. 2 SHIM 3. 2 1 R 25 4142950 js 2. 3 SHIM 2. 3 1 R 26 4101281 js 1. 2 SHIM 1. 2 2 R 28 J932095 π' h BOLT 29 33 94-2816 j' yyb' ; jn' - BUSHING; RUBBER 1 34 4191977 j' yyb' ; jn' - BUSHING; RUBBER 1 35 4209294 j' yyb' ; jn' - BUSHING; RUBBER 1 41 4257181 j' yyb' ; jn' - BUSHING; RUBBER 1 42 4252218 j' yyb' ; jn' - BUSHING; RUBBER 1 43 425340 j' yyb' ; jn' - BUSHING; RUBBER 1 44 4259340 j' yyb' ; jn' - BUSHING; RUBBER 1 45 4255530 j' yyb' ; jn' - BUSHING; RUBBER 1 46 4201749 j' yyb' ; jn' - BUSHING; RUBBER 3 47 4114816 js 2. 3 SHIM 2. 3 2 R 48 4114817 js 1. 0 SHIM 2. 3 2 R 48 4114817 js 1. 0 SHIM 1. 0 2 R 59 4276215 j' yyb' ; jn' - BUSHING; RUBBER 2 50 4276215 j' yyb' ; jn' - BUSHING; RUBBER 1 51 4319253 j' yyb' ; jn' - BUSHING; RUBBER 1 52 4276215 j' yyb' ; jn' - BUSHING; RUBBER 1 53 4319252 j' yyb' ; jn' - BUSHING; RUBBER 1 54 4319253 j' yyb' ; jn' - BUSHING; RUBBER 1 55 4201986 j' yyb' ; jn' - BUSHING; RUBBER 1 56 4274282 kyn' STOPPER 1 57 4274282 kyn' STOPPER 1 58 J901435 π' h BOLT 2 60 3058025 t' y PIN 1	12	4255799	カハ˙ -	COVER	1				<u> </u>			
20	13	4161735	パツキン	PACKING	1					İ		
21	14	J021025	ボルト;セムス	BOLT; SEMS	2							
22 4098712 リング RING 2 1 RING 2 2 2 4 4101280	20	4196104	t'ン	PIN	2							
24 4101280	21	4098713	t° >	PIN	2							
25	22	4098712	リング	RING	2							
26	24	4101280	<i>9</i>	SHIM 3. 2	1	R						
28	25	4142950	<i>∌</i> ∆ 2. 3	SHIM 2. 3	1	R						
33 94-2816 プ プラング : ラハー BUSHING; RUBBER 1 34 4191977 プ プラング : ラハー BUSHING; RUBBER 1 35 4209294 プ ツラング : ラハー BUSHING; RUBBER 1 41 4257181 プ ツラング : ラハー BUSHING; RUBBER 1 42 4252218 プ ツラング : ラハー BUSHING; RUBBER 1 44 4259340 プ ツラング : ラハー BUSHING; RUBBER 1 45 4255530 プ ツラング : ラハー BUSHING; RUBBER 1 46 4201749 プ ツラング : ラハー BUSHING; RUBBER 3 47 4114816 シム 2.3 SHIM 2.3 2 R 48 4114817 シム 1.0 SHIM 1.0 2 R 52 4276215 プ ツラング : ラハー BUSHING; RUBBER 2 53 4319252 プ ツラング : ラハー BUSHING; RUBBER 1 54 4319253 プ ツラング : ラハー BUSHING; RUBBER 1 55 4201986 プ ツラング : ラハー BUSHING; RUBBER 1 56 4201986 プ ツラング : ラハー BUSHING; RUBBER 1 57 4274282 ストツハー BUSHING; RUBBER 1 58 J901435 ホート BOLT 2 60 3058025 ピン PIN 11	26	4101281	シム 1. 2	SHIM 1. 2	2	R						
34 4191977 プッシグ・ラバー BUSHING; RUBBER 1 1	28	J932095	** Nh	BOLT	29							
35	33	94-2816	ブ゛ヅシング゛; ラハ゛ー	BUSHING; RUBBER	1					<u></u>		
41	34	4191977	ブ ツシング ; ラバー	BUSHING; RUBBER	1							
42 4252218 プッシング・ラバー BUSHING; RUBBER 1 1 44 4259340 プッシング・ラバー BUSHING; RUBBER 1 1 45 4255530 ア・ツシング・ラバー BUSHING; RUBBER 2 46 4201749 プ・ツシング・ラバー BUSHING; RUBBER 3 3 47 4114816 シム 2.3 SHIM 2.3 2 R 48 4114817 シム 1.0 SHIM 1.0 2 R 7 ツシング・ラバー BUSHING; RUBBER 2 7 ツシング・ラバー BUSHING; RUBBER 2 7 ツシング・ラバー BUSHING; RUBBER 2 7 ツシング・ラバー BUSHING; RUBBER 1 54 4319253 プ・ツシング・ラバー BUSHING; RUBBER 1 55 4201986 プ・ツシング・ラバー BUSHING; RUBBER 1 57 4274282 ストツバー STOPPER 1 58 J901435 ボールト BOLT 2 60 3058025 ピン PIN 1 50LT	35	4209294	プツシンク゚;ラパー	BUSHING; RUBBER	1			l				
44 4259340 プ ツシング ; ラハー BUSHING; RUBBER 1 2 4255530 プ ツシング ; ラハー BUSHING; RUBBER 2 46 4201749 プ ツシング ; ラハー BUSHING; RUBBER 3 47 4114816 シム 2.3 SHIM 2.3 2 R 52 4276215 プ ツシング ; ラハー BUSHING; RUBBER 2 7 ツシング ; ラハー BUSHING; RUBBER 2 53 4319252 プ ツシング ; ラハー BUSHING; RUBBER 1 54 4319253 プ ツシング ; ラハー BUSHING; RUBBER 1 55 4201986 プ ツシング ; ラハー BUSHING; RUBBER 1 57 4274282 ストツハー STOPPER 1 58 J901435 ホルト BOLT 2 60 3058025 ピン PIN 10 80LT 1 80	41	4257181	プ ツシング ; ラバー	BUSHING; RUBBER	1							
45 4255530 プツシング・ラハー BUSHING; RUBBER 2 4201749 プツシング・ラハー BUSHING; RUBBER 3 47 4114816 シム 2.3 SHIM 2.3 2 R 48 4114817 シム 1.0 SHIM 1.0 2 R 52 4276215 プツシング・ラハー BUSHING; RUBBER 2 53 4319252 プツシング・ラハー BUSHING; RUBBER 1 54 4319253 プツシング・ラハー BUSHING; RUBBER 1 55 4201986 プツシング・ラハー BUSHING; RUBBER 1 57 4274282 ストツハー STOPPER 1 58 J901435 ホールト BOLT 2 60 3058025 ピン PIN 1 61 M222004 ホールト BOLT 1	42	4252218	ブ ツシング ;ラバー	BUSHING; RUBBER	1							
46 4201749 7* ッシック*; ラハ* - BUSHING; RUBBER 3 2 R 4114816 シム 2.3 SHIM 2.3 2 R 5414817 シム 1.0 SHIM 1.0 2 R 52 4276215 7* ッシック*; ラハ* - BUSHING; RUBBER 2 SHIM 1.0 SHIM	44	4259340	ブ゛ヅシング゛; ラハ゛ー	BUSHING; RUBBER	1				,	ļ		
47 4114816 シム 2. 3 SHIM 2. 3 2 R 48 4114817 シム 1. 0 SHIM 1. 0 2 R 52 4276215 プツシング・ラハー BUSHING; RUBBER 2 53 4319252 プツシング・ラハー BUSHING; RUBBER 1 54 4319253 プツシング・ラハー BUSHING; RUBBER 1 55 4201986 プツシング・ラハー BUSHING; RUBBER 1 57 4274282 ストツハ STOPPER 1 58 J901435 ホールト BOLT 2 60 3058025 ピン PIN 1 61 M222004 ホールト BOLT 1	45	4255530	ブ ツシング ; ラバ ー	BUSHING; RUBBER	2							
48 4114817 シム 1. 0 SHIM 1. 0 2 R 52 4276215 プツシング:ラバー BUSHING; RUBBER 2 53 4319252 プツシング:ラバー BUSHING; RUBBER 1 54 4319253 プツシング:ラバー BUSHING; RUBBER 1 55 4201986 プツシング:ラバー BUSHING; RUBBER 1 57 4274282 ストツハ° STOPPER 1 58 J901435 オールト BOLT 2 60 3058025 ピン PIN 1 61 M222004 オールト BOLT 1	46	4201749	ブ゛ヅシング゛; ラハ゛ー	BUSHING; RUBBER	3							
52 4276215 プツシング;ラパー BUSHING;RUBBER 2 53 4319252 プツシング;ラパー BUSHING;RUBBER 1 54 4319253 プツシング;ラパー BUSHING;RUBBER 1 55 4201986 プツシング;ラパー BUSHING;RUBBER 1 57 4274282 ストツハ° STOPPER 1 58 J901435 オ・ルト BOLT 2 60 3058025 ピ゜ン PIN 1 61 M222004 オ・ルト BOLT 1	47	4114816	シム 2. 3	SHIM 2. 3	2	-R						
53	48	4114817	୬ ሬ 1. 0	SHIM 1. 0	2	R						
54 4319253 プ・ツシング・ラハ・ー BUSHING; RUBBER 1 55 4201986 プ・ツシング・ラハ・ー BUSHING; RUBBER 1 57 4274282 ストツハ・ STOPPER 1 58 J901435 木・ルト BOLT 2 60 3058025 ピ・ン PIN 1 61 M222004 本・ルト BOLT 1	52	4276215	ブ ツシンク ; ラハ ー	BUSHING; RUBBER	2							
55 4201986 プツシンク゚;ラパー BUSHING;RUBBER 1 57 4274282 ストツハ° STOPPER 1 58 J901435 オ゚ルト BOLT 2 50 DIN 1 61 M222004 オ゚ルト BOLT 1 1	53	4319252	プ ツシング ; ラハ ー	BUSHING; RUBBER	1							
57 4274282 ストツハ° STOPPER 1 58 J901435 ボルト BOLT 2 50 BOLT 1 61 M222004 ボルト BOLT 1 50 B	54	4319253	ブ゛゚ヅシング゛; ラハ゛ー	BUSHING; RUBBER	1							
58 J901435 ポルト BOLT 2 60 3058025 ピン PIN 1 61 M222004 ポルト BOLT 1	55	4201986	ブ゛ッシンク゛; ラハ゛ー	BUSHING; RUBBER	1			1				
60 3058025 ピン PIN 1 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日	5 7	4274282	ストツハ゜	STOPPER	1							
61 M222004 本ルト BOLT 1	58	J901435	ポルト	BOLT	2							
	60	3058025	ピン	PIN	1							
62 J951020 77h NUT 2	61	M222004	** N	BOLT	1							
	62	J951020	ナット	NUT	2							
P14C-1-4						1				_]		

カウンタウェイト COUNTERWEIGHT






78001-

部品番号						 	78001-	T	化 瑟 车	· 👨
TIEM PART NO. PART NAME OTY S.C SERIAL NO. 性 部品番号 MEIGHT; COUNTER 1 CAUNTER 1 CAUNTER 1 CAUNTER 1 CAUNTER CAUN	符号	部品番号			数量	サーヒス	適用号機	垣換	REPLACE	ABLE
ICA PART NO. QT QT QT QT QT QT QT Q			部品名	PART NAME	1]-ド		性	部品番号	数量
Carrier Ca				WE A CALE - CALL				ICA	PART NO.	QTY
00 6014730 ウェイト: カウンタ 〈200H, LCH〉 〈200H, LCH〉 〈200H, LCH〉 〈200H, LCH〉 〈200H, LCH〉 〈4 〇1 J833022 本・ルト 〈200H, LCH〉 BOLT 〈200H, LCH〉 4 〇2 4126485 フッシャ 〈200, LC〉 WASHER 〈200, LC〉 4 〇2 4174859 フッシャ 〈200H, LCH〉 WASHER 〈200H, LCH〉 4 〇3 4139583 キャッフ 〈AP〉 〈200H, LCH〉 〈AP〉 〈200H, LCH〉 〈4 〇4 〇5 〇5 〇5 〇5 〇5 〇5 〇5 〇5 〇5 〇5 〇5 〇5 〇5	00	6011820] 1					
COOH, LCH> C		201 /700	i	· ·						
01 J932721 木・ルト <200、LC> BOLT <200、LC> 4 01 J833022 木・ルト <200H、LCH> BOLT <200H、LCH> 4 02 4126485 ワッシャ <200、LC> WASHER <200、LC> 4 02 4174859 ワッシャ <200H、LCH> WASHER <200H、LCH> 4 03 4139583 キャップ・ CAP 2	UU	6014730	i		'					
01 J833022 ボルト <200H, LCH> BOLT <200H, LCH> 4 02 4126485 ワッシャ <200, LC> WASHER <200, LC> 4 02 4174859 ワッシャ <200H, LCH> WASHER <200H, LCH> 4 03 4139583 キャッフ* CAP 2	01	1022721		· '	1					
02 4126485 ワッシャ <200, LC> WASHER <200, LC> 4 02 4174859 ワッシャ <200H, LCH> WASHER <200H, LCH> 4 03 4139583 キャップ CAP 2									<u> </u>	
02 4174859 ワッシャ <200H, LCH> WASHER <200H, LCH> 4 CAP 2			,							
03 4139583 キャツプ CAP 2			}		4					
		l l		i	2					
									+	1
									!	
					1					
P14C-1-4								L		

エ ン ジ ン ENGINE




エンシ[・]ン ENGINE

78001-

						78001-			
符号 ITEM	部品番号 PART NO.	部品名	PART NAME	数量 QTY	サービス コード S.C	適用号機 SERIAL NO.	互換性	代替部 REPLACE/ PART 部品番号	
				1		<u> </u>		PART NO.	
00	4248359	エンジ ン	ENGINE	1	Z				
00A	4206078	・ペルト; ファン (1=2ホン)	·BELT; FAN (1=2 PIECES)	1	Z				
00B	4283859	・フイルタ ; オイル (メイン)	·FILTER;OIL (MAIN)	1	Z				
00C	4283860	・フイルタ;オイル (パイパス)	·FILTER; OIL (BYPASS)	1	Z				
00D	4206080	・フイルタ ; フューエル	·FILTER;FUEL	1	Z	.,			
00E	4164695	・スイツチ;レヘ゛ル	·SWITCH; LEVEL	1	Z				
00F	4201132	・スイツチ;プ レツシヤ	·SWITCH; PRES.	1	Z				
00G	4149335	・スイツチ;サーモ	·SWITCH; THERMO	1	Z				
00H	4283858	・ジェネレータ	-GENERATOR	1	Z				
01	8021976	プ ラケツト	BRACKET	1					
02	8021977	プ ラケツト	BRACKET	1					
03	A590910	ワツシヤ;スプ゚リング゚	WASHER; SPRING	1					
04	J952010	ナット	NUT	1					
05	M171022	** Nh; tbx	BOLT; SEMS	7				,	
07	4123994	ラハ ー	RUBBER	2					
08	4114404	ワツシヤ	WASHER	2					
09	J950014	ナット	NUT	4					
10	4086894	ワツシヤ	WASHER	2					
11	4248362	ラ バ −	RUBBER	2					
12	A590918	ワツシヤ;スプリング	WASHER; SPRING	2					
13	4087197	ワツシヤ	WASHER	4					
14	J931865	ホルト	BOLT	2					
15	J931630	* ル ト	BOLT	4					
48	J011030	ホ ルト; セムス	BOLT; SEMS	5					
55	4206284	ホース;ヒ゛ニール	HOSE; VINYL	1					
	1.20020.	1	11000, 11112	·					
						-			
					·			†	-
									1
•••••					 				·
						D14C-1-4			

ラジエータ RADIATOR




ラジ[・]エータ RADIATOR

78001-

01-26 4307779							18001-			
TEM	符号	岩器品部	部品名	PART NAME	数量	サービスコード	適用号機		REPLACEA PART	BLE
01-26 4276157	ITEM	PART NO.			QTY	1 .	SERIAL NO.			
01 4287043 - ¬¬;¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬	01-26	4276157	ラシ・エータ アツセン 〈STD〉	RADIATOR ASS'Y (STD)	1					
02 4287044 ・の外・・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	01-26	4307779	ラシ・エータ アツセン 〈USA〉	RADIATOR ASS'Y (USA)	1					
03	01	4287043	・コ7 ; ラジ・エータ	· CORE; RADIATOR	1					
04 4206928 -プ・ラヴ・ド・レーン -PLUG:DRAIN 1 1	02	4287044	- ロット・	- ROD	2					
05 4228160	03	J020616	・ボルト;セムス	·BOLT; SEMS	4			İ		
05 422974	04	4206928	・プ・ラグ・;ドレーン	·PLUG; DRAIN	1					
06 4287045 ・ウラオイル ・COOLER:OIL 1 1	05	4228160	・キャップ <std></std>	·CAP <std></std>	1					
07	05	4229974	・キャツフ゜〈USA〉	·CAP (USA)	1					
008	06	4287045	・クーラ;オイル	·COOLER;OIL	1					
088	07	4287046	·ガイド;フアン	·GUIDE;FAN	1					
09 4287047 - が - ド : 777	08A	J010814	- ボルト ; セムス	·BOLT; SEMS	8			1	• • • • • • • • • • • • • • • • • • • •	
10	08B	A590108	・ワツシヤ;プ・レーン	·WASHER; PLANE	8		, i			
11 4287053 ・ハ・ツキン ・PACKING 1 1	09	4287047	・ガード;フアン	-GUARD; FAN	1					
12 4287054 -Λ' 7½γ -PACKING 2 13 4206927 -½-Λ -HOSE 1 14 4287048 -7' 5⊅γ -BRACKET 1 15 4287049 -7' 5⊅γ -BRACKET 1 16 J020816 -½ ¼ ½ ½ -BOLT; SEMS 8 17 J020816 -½ ¼ ½ ½ -BOLT; SEMS 6 18 4287055 -Λ' ½ γ -PACKING 2 19 4287052 -½γ -NET 1 20 4206930 -½ ¼ ⅓ ; Ó ; Ó γ γ γ γ -BOLT; WING 2 21 4206931 -7 γ γ γ γ -BRACKET 1 22 4287050 -7' 79γ -BRACKET 1 24 4287051 -7' 79γ -BRACKET 1 25 4287056 -Λ' ½ γ -PACKING 2 26 4287057 -Λ' ½ γ -PACKING 2 27 4287056 -Λ' ½ γ -PACKING 2 28 4287057 -Λ' ½ γ -PACKING 2 29 4287057 -Λ' ½ γ -PACKING 2 20 4287057 -Λ' ½ γ -PACKING 2 21 428606 -Λ' ½ γ -PACKING 2 22 4287057 -Λ' ½ γ -PACKING 1 23 AS90916 79γ γ -PACKING 1 24 J011235 ½ ¼ ¼ ½ Δ BOLT; SEMS 4 25 4287056 - Λ' ½ γ -PACKING 1 26 4287057 -Λ' ½ γ -PACKING 1 27 J011235 ¼ ¼ ½ ½ Λ - STAY 1 28 AS90916 79γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ	10	J010816	· ボ ルト ; セムス	·BOLT; SEMS	5	ļ				
13 4206927 ・ホース ・HOSE	11	4287053	・ハ゜ツキン	PACKING	1					
14 4287048 - プラガト - BRACKET 1 1	12	4287054	・ハ゜ツキン	- PACK ING	2			1	• • • • • • • • • • • • • • • • • • • •	
15 4287049 - プラグト - BRACKET 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13	4206927	・ホース	HOSE	1	İ				
16 J020816 ・ボルト:セムス ・BOLT; SEMS	14	4287048	・ブ・ラケット	-BRACKET	1					
17	15	4287049	・ブ・ラケツト	BRACKET	1					
18	16	J020816	・ホ ルト;セムス	·BOLT; SEMS	8					
19 4287052 ・ネット ・NET	17	J020816	・ホ・ルト;セムス	·BOLT; SEMS	6					
20 4206930 ・木・ トト;ウインケ・ ・BOLT;WING 2 2 2 2 3 4287050 ・フ・ラケット ・BRACKET 1 1 2 4287051 ・フ・ラケット ・BRACKET 1 1 2 4287056 ・ハ・ ツキン ・PACKING 2 2 2 4287056 ・ハ・ツキン ・PACKING 2 2 4287057 ・ハ・ツキン ・PACKING 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18	4287055	・ハ゜ツキン	· PACK ING	2					
21 4206931 ・ワッシャ ・WASHER 2 2	19	4287052	・ネット	·NET	1					
23 4287050 -プラケット ・BRACKET 1 24 4287051 ・プラケット ・BRACKET 1 25 4287056 ・ハ・ッキン ・PACKING 2 26 4287057 ・ハ・ッキン ・PACKING 1 117 J222012 ワッシャ WASHER 4 121 J011235 ホールト: セムス BOLT: SEMS 4 122 4248560 ステー STAY 1 123 A590916 ワッシャ: スプ・リング・WASHER: SPRING 3 124 J901635 ホールト BOLT 3 126 3048033 ホース: ウオータ HOSE: WATER 1 127 3050022 ホース: ウオータ HOSE: WATER 1 128 4504198 クランプ・: ホース CLAMP: HOSE 4 83707ー	20	4206930	・ ボ ルト ; ウイング	·BOLT;WING	2					
24 4287051 -プラケット -BRACKET 1 2 2 4287056 -ハッサン -PACKING 2 2 2 4287057 -ハッサン -PACKING 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21	4206931	・ワツシヤ	·WASHER	2					
25 4287056 ・ハ° ツキン ・PACKING 2 2	23	4287050	・ブ・ラケツト	·BRACKET	1					
26 4287057 ・ハ* ツキン ・PACKING 1 1 17 17222012 ワツシヤ WASHER 4 121 J011235 ホ・ルト: セムス BOLT; SEMS 4 122 4248560 ステー STAY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24	4287051	· プ ラケツト	·BRACKET	1					
117 J222012 ワッシャ WASHER 4	25	4287056	・ハ゜ツキン	· PACK ING	2					
121 J011235 木・ルト;セムス BOLT;SEMS 4	26	4287057	・ハ゜ツキン	· PACK ING	1					
122 4248560 ステー STAY 1 1 3 4590916 ワッシャ:スプ・リンク・ WASHER; SPRING 3 BOLT 3 HOSE; WATER 1 1 127 3050022 ホース:ウオータ HOSE; WATER 1 128 4504198 クランプ・:ホース CLAMP; HOSE 4 83707ー 4 83707ー	117	J222012	ワツシヤ	WASHER	4					
123 A590916 ワッシャ:スプ・リング・ WASHER:SPRING 3 124 J901635 ホート BOLT 3 3 126 3048033 ホース:ウオータ HOSE:WATER 1 127 3050022 ホース:ウオータ HOSE:WATER 1 128 4504198 クランプ・:ホース CLAMP:HOSE 4 83707ー Y 4357297 4 128 4357297 クランプ・:ホース CLAMP:HOSE 4 83707ー	121	J011235	ポルト;セムス	BOLT; SEMS	4			Ī		
124	122	4248560	ステー	STAY	1					
126 3048033 ホース;ウオータ HOSE; WATER 1 127 3050022 ホース;ウオータ HOSE; WATER 1 128 4504198 クランプ・;ホース CLAMP; HOSE 4 -83706 Y 4357297 4 128 4357297 クランプ・;ホース CLAMP; HOSE 4 83707-	123	A590916	ワツシヤ;スプ リング	WASHER; SPRING	3					
127 3050022 ホース;ウオータ HOSE; WATER 1 1 28 4504198 クランプ・;ホース CLAMP; HOSE 4 -83706 Y 4357297 4 128 4357297 クランプ・;ホース CLAMP; HOSE 4 83707-	124	J901635	ボルト	BOLT	3					
128 4504198 クランプ・;ホース CLAMP; HOSE 4 -83706 Y 4357297 4 128 4357297 クランプ・;ホース CLAMP; HOSE 4 83707-	126	3048033	ホース ; ウオータ	HOSE; WATER	1					
128 4357297 クランプ・;ホース CLAMP; HOSE 4 83707-	127	3050022	ホース;ウオータ	HOSE; WATER	1					
	128	4504198	クランプ°;ホ−ス	CLAMP; HOSE	4		-83706	Y	4357297	4
129 A590116 ワツシヤ;プ・レーン WASHER;PLANE 1	128	4357297	クランプ°;ホース	CLAMP; HOSE	4		83707-			
	129	A590116	ワツシヤ;プ レーン	WASHER; PLANE	1					

リザーブタンク RESERVE TANK




リザ・ーフ゛ タンク RESERVE TANK

78001-

						10001-			
符号	部品番号	部品名	PART NAME	i	サービス コード s .C	適用号機	互換性	代替部 REPLACEA PART 部品番号	BLE M暑
ITEM	PART NO.			QTY	s.c	SERIAL NO.	ICA	PART NO.	奴里 Q'TY
01	4130139	タンク ; ウオータ	TANK; WATER	1			\top		
01A	4153251	- スイツチ ; レヘ゜ル	-SWITCH; LEVEL	1					
0 1B	4153250	・キャップ	·CAP	1					
18	4180555	クランプ	CLAMP						
19	i		•	1					
	J020820	ボルト;セムス	BOLT; SEMS	2					
20	4142844	ホース;ヒ゛ニール	HOSE; VINYL	1					
21	4208073	ホース;ウオータ	HOSE; WATER	1					
22	4508575	クランプ°;ホース	CLAMP; HOSE	2					
								,	
				}					
				ļ				.	
							1		
			· ·						
						,			
***************************************									,
	·	,							
		·							
					1				
							İ		
***************************************	1						1		
 	<u> </u>		<u> </u>	1		D14C 1 4			

エアクリーナ AIR CLEANER




Iア クリーナ AIR CLEANER

78001-

						78001-			
符号 ITEM	部品番号 PART NO.	部品名	PART NAME	数量 QTY	サービス コード S.C	適用号機 SERIAL NO.	互換性 3	代替部 REPLACEA PART 部品番号	BLE 数量 Q'TY
00	4276158	クリーナ;エア アツセン	CLEANER; AIR ASS'Y	1			ICA	PART NO.	QH
00 A00	4287058	· * ; 1	-BODY	'1					
00A	4283861	・エレメント	·ELEMENT	1					
00C	4287059	· h/\ -	- COVER	1					
00D	4208275	· // // //	·VALVE	1			1		
00E	4224238	・インジ ケータ	·INDICATOR	1		•••••••••••	ļ		
00E	4324261	- 0-リング	· O-RING						
01	3055204	ブ・ラケット	BRACKET	1					
02	J021025	* Nh; tax	BOLT; SEMS	8	İ		l		
03	4271597	9° 01; 17	DUCT; AIR	1					
04	9736378	プ・ラケット フ・ラケット	BRACKET	1					
05	J021030	* Nh; tax	BOLT; SEMS	4					
06	4507397	カランプ。; ホース	CLAMP; HOSE	1					
07	9735834	プ・ラケット	BRACKET	1					
10	4271598	9° 01; I7	DUCT; AIR	1					
11	J021030	オ・ルト;セムス	BOLT; SEMS	2	ļ		· ····		
12	4507512	クランプ。;ホース	CLAMP; HOSE	2					
13	J900816	# Nh	BOLT	1					
14	A590908	ワッシャ;スプ リング	WASHER; SPRING	1					
15	M171022	# Mh; tax	BOLT; SEMS	'1					
16	A590110	リッシャ; プ レーン	WASHER; PLANE	1					
100	4287060	IVメント <200, LC>	ELEMENT <200, LC>	1	OP.				
100	4287060	IVメント 〈200H, LCH〉	ELEMENT (200H, LCH)	1	-				
100	1201000	17777 (20014 2017)	LLLMLII (LOON) LON						
					†:			ļ	
					1				†
	·								
					+		1		
					1				
								1	
						P1//C-1-/			


マ フ ラ ー MUFFLER



78001-

			78001-						
符号 ITEM	部品番号 PART NO.	部品名	PART NAME	1	サービスコード	適用号機 SERIAL NO.	互換性	代替部 REPLACEA PART 部品番号	品 BLE 数量
11 EW	PART NO.			Q I I	s.c	SERIAL NO.	ICA	PART NO.	QTY
01	4256163	マフラー	MUFFLER	1					
34	4252533	* Nh;U	BOLT;U	2					
35	J950010	ナット	NUT	8					
36	4253965	ታ	GASKET	1					
38	A590910	ワツシヤ;スプ゚リンク゚	WASHER; SPRING	. 4					
39	M521008	ナット	NUT	4					
40	4257014	クランプ	CLAMP	1					
41	M261260	ボルト	BOLT	2		-83706	Υ	J901240	2
41	J901240	** 1/h	BOLT	2		83707-			
43	J950012	ナット	NUT	2		-83706	Y	M520012	2
43	M520012	ナット	NUT	2		83707-			
44	4249788	チューブ	TUBE	1					
45	4508575	クランプ。;ホース	CLAMP; HOSE	1					
49	J011035	ポルト;セムス	BOLT; SEMS	3					
51	J222012	ワツシヤ	WASHER	4		-83706	Υ	A590912	2
51	A590912	ワツシヤ;スフ゜リンク゜	WASHER; SPRING	2		83707-			
53	7023241	パイプ;エキゾースト	PIPE; EXHAUST	1					
54	7024390	プ [・] ラケツト	BRACKET	1		-82745	Т .	7030422	1
			·					8063346	1
								4055311	2
54	7030422	プ [・] ラケツト	BRACKET	1		82746-	1		
55	4344303	クリツフ°	CLIP	1		78879-			
56	J011020	ポルト ;セムス	BOLT; SEMS	1		78879-			

燃料配管 FUEL PIPINGS



Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com