
Section: ENGINE Ref: 01.00.0

CRANKCASE


Notes: [ARGON 70] 1	
2	
2	
3	
4 0.007.1882.0/40 1 flange - X ARGON 50 4 0.007.7752.0/10 1 flange - X ARGON 60 - 70 5 2.1651.912.0 2 cylindrical plug 12x28 6 2.0432.255.7 2 stud bolt m 12 p.1.75-1.25x25 7 2.1651.917.0 1 cylindrical plug 12x40 8 2.1099.108.2 3 special nut m 10 p.1 9 2.1560.006.0 6 gasket 10.2 x 16 10 0.086.1550.2 3 sprayer nozzle 11 0.065.1160.3/20 3 valve 12 2.1539.047.0 1 special oil seal 26.7x1.78 13 2.3199.405.2 1 plug m 28 p.1.5 16 2.0432.003.7 9 stud bolt m 8 p.1.25 / p.1 x 20 19 2.1539.130.0/10 3 special oil seal 117.07x3.53 20 0.085.0050.6/10 1 gasket set - X ARGON 50 - 60 - FOR ENGINE MOUNTING 20 0.351.0050.6/10 1 gasket set - X ARGON 70 - FOR ENGINE MOUNTING 21 crankcase 22 * 2415 <= X ARGON 50 - * 2051 <= X ARGON 50 - * 2051 <= X ARGON 50 - * 2051 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0	
- X ARGON 50 4	
4 0.007.7752.0/10 1 flange - X ARGON 60 - 70 5 2.1651.912.0 2 cylindrical plug 12x28 6 2.0432.255.7 2 stud bolt m 12 p.1.75-1.25x25 7 2.1651.917.0 1 cylindrical plug 12x40 8 2.1099.108.2 3 special nut m 10 p.1 9 2.1560.006.0 6 gasket 10.2 x 16 10 0.086.1550.2 3 sprayer nozzle 11 0.065.1160.3/20 3 valve 12 2.1539.047.0 1 special oil seal 26.7x1.78 13 2.3199.405.2 1 plug m 28 p.1.5 16 2.0432.003.7 9 stud bolt m 8 p.1.25 / p.1 x 20 19 2.1539.130.0/10 3 special oil seal 117.07x3.53 20 0.085.0050.6/10 1 gasket set - X ARGON 50 - 60 - FOR ENGINE MOUNTING 20 0.351.0050.6/10 1 gasket set - X ARGON 70 - FOR ENGINE MOUNTING 21 crankcase *2415 <= X ARGON 50 *2051 <= X ARGON 50 *3925 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0	
- X ARGON 60 - 70 5	
6 2.0432.255.7 2 stud bolt m 12 p.1.75-1.25x25 7 2.1651.917.0 1 cylindrical plug 12x40 8 2.1099.108.2 3 special nut m 10 p.1 9 2.1560.006.0 6 gasket 10.2 x 16 10 0.086.1550.2 3 sprayer nozzle 11 0.065.1160.3/20 3 valve 12 2.1539.047.0 1 special oil seal 26.7x1.78 13 2.3199.405.2 1 plug m 28 p.1.5 16 2.0432.003.7 9 stud bolt m 8 p.1.25 / p.1 x 20 19 2.1539.130.0/10 3 special oil seal 117.07x3.53 20 0.085.0050.6/10 1 gasket set - X ARGON 50 - 60 - FOR ENGINE MOUNTING 20 0.351.0050.6/10 1 gasket set - X ARGON 70 - FOR ENGINE MOUNTING 21 crankcase 22 2415 <= X ARGON 50 23 3925 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0	
6 2.0432.255.7 2 stud bolt m 12 p.1.75-1.25x25 7 2.1651.917.0 1 cylindrical plug 12x40 8 2.1099.108.2 3 special nut m 10 p.1 9 2.1560.006.0 6 gasket 10.2 x 16 10 0.086.1550.2 3 sprayer nozzle 11 0.065.1160.3/20 3 valve 12 2.1539.047.0 1 special oil seal 26.7x1.78 13 2.3199.405.2 1 plug m 28 p.1.5 16 2.0432.003.7 9 stud bolt m 8 p.1.25 / p.1 x 20 19 2.1539.130.0/10 3 special oil seal 117.07x3.53 20 0.085.0050.6/10 1 gasket set - X ARGON 50 - 60 - FOR ENGINE MOUNTING 20 0.351.0050.6/10 1 gasket set - X ARGON 70 - FOR ENGINE MOUNTING 21 crankcase 22 2415 <= X ARGON 50 23 3925 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0	
7	
8	
9	
10	
11	
13	
13	
16	
19	
20 0.085.0050.6/10 1 gasket set - X ARGON 50 - 60 - FOR ENGINE MOUNTING 20 0.351.0050.6/10 1 gasket set - X ARGON 70 - FOR ENGINE MOUNTING 26 0.007.1150.6/10 1 crankcase * 2415 <= X ARGON 50 * 2051 <= X ARGON 60 * 3925 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0 27 0.065.1112.7 1 support	
20 0.351.0050.6/10 1 gasket set - X ARGON 70 - FOR ENGINE MOUNTING 26 0.007.1150.6/10 1 crankcase * 2415 <= X ARGON 50 * 2051 <= X ARGON 60 * 3925 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0 27 0.065.1112.7 1 support	
26 0.007.1150.6/10 1 crankcase * 2415 <= X ARGON 50 * 2051 <= X ARGON 60 * 3925 <= X ARGON 70 - N.1 - 085.1750.2/10 - 009.7871.0 27 0.065.1112.7 1 support	
27 0.065.1112.7 1 support	
11	
29 0.065.1116.3 1 support	
30 2.1699.165.0 1 bush 12.3x15x16	
31 0.066.1151.0 1 pin	
32 0.065.1141.0 1 special bushing 59X55X30	
33 0.065.1140.0 3 special bushing 59X55X20	
34 2.3179.012.0 1 plug 60	
35 2.3130.001.1 9 plug 1/8" gas	
36 2.3130.002.1 2 plug 1/4" gas	
37 2.3130.003.1 7 plug 3/8" gas	1 /2
38 2.3199.092.0 3 plug 8 x 12	1/2



Section: ENGINE

Ref: 01.00.0





-31-

35 38 36

0


26

30

29

43

2/2




Ref: 01.00.4

Section: ENGINE

TIMING CASE

Fig.	P/n	QTY	Name
Notes: [ARGON 70]			
1	0.007.1262.3/50	1	guard
2	0.007.1271.0/10	1	small column m 8 p.1.25 / $L = mm 60$
3	0.007.1272.0/10	2	small column m $8 \text{ p.1.25 / L} = \text{mm } 50$
5	2.1310.004.2	3	flat washer 8.4x17
7	2.0112.205.2	3	screw m 8 p.1.25 x 16




Section: ENGINE TIMING CASE

Ref: 01.00.7

Fig.	P/n	QTY	Name
Notes: [ARGON 7	70]		
1	0.065.1132.0/60	1	guard
2	0.065.1150.0/30	1	gasket
3	0.065.1152.0	1	gasket
4	0.065.1151.0	1	cover
5	2.1470.004.2	4	lock washer 8
6	2.0112.205.2	2	screw m 8 p.1.25 x 16
7	2.0432.003.7	2	stud bolt m 8 p.1.25 / p.1 x 20
8	2.1011.405.2	2	nut m 8 p.1
9	2.0312.208.2	8	screw m 8 p.1.25 x 25
10	2.1480.014.1	15	washer 8
11	2.0432.003.7	2	stud bolt m 8 p.1.25 / p.1 x 20
13	2.0312.214.1	3	screw m 8 p.1.25 x 40
14	2.1529.141.0	1	special oil seal
15	2.0312.219.2	4	screw m 8 p.1.25x65

1/1




Section: ENGINE

CRANKSHAFT

Ref: 01.00.10

Fig.	P/n	QTY	Name	
Notes: [ARGON 7	70]			
1	0.007.1554.0/20	1	crankshaft	
2	2.3130.001.1	3	plug 1/8" gas	
5	0.078.1220.3/30	3	engine connecting rod	
6	2.0399.213.0	6	screw m 12 p.1.25x61.5	
7	2.1559.114.0/10	3	special bushing	
8	2.1411.014.1	6	circlip 35	
9	0.078.1236.0	3	piston pin Ø $18 / Ø 35 / L = mm 86$	
10	2.1720.006.0	2	key 4x6.5	
11	0.085.1248.0/10	1	hub	
12	2.1589.189.0	3	shoulder ring mm 1.00	
13	2.0399.144.7/10	1	screw m 20 p.1.5x51	
14	2.1599.524.7	1	washer 21x60x12	
17	0.007.1330.0/30	1	pulley	
18	0.065.1254.0/20	1	gasket	
19	0.007.1711.0/10	1	cover	
20	2.1529.073.0	1	special oil seal 110x130x13	
21	2.0112.207.2	9	screw m 8 p 1.25 x 20	
22	2.1475.002.2	9	conical washer 8	
23	0.065.1225.0	6	con.rod half bushing STANDARD - $A = 28.75 \rightarrow 29.00$	
23	0.065.1225.7		con.rod half bushing - mm 0.25	
23	0.065.1225.8		con.rod half bushing - mm 0.50	
24	0.065.1215.0	4	main half bushing STANDARD	
24	0.065.1215.7		main half bushing - mm 0.25	
24	0.065.1215.8		main half bushing - mm 0.50	
25	0.065.1216.0	4	main half bushing	
25	0.065.1216.7		main half bushing - mm 0.25	
25	0.065.1216.8		main half bushing - mm 0.50	
26	0.065.1218.0	4	shim STANDARD	
26	0.065.1218.7		$shim + mm \ 0.10$	
26	0.065.1218.8		$shim + mm \ 0.15$	
27	0.086.0060.6/30	3	complete piston - X ARGON 50 - 60	
27	0.338.0060.6/20	3	complete piston	
		_	- X ARGON 70	
27	0.379.0060.6	3	complete piston	
			- X ARGON 50 - 60	
			- EXPORT U.S.A.	
27	0.381.0060.6	3	complete piston	
			- X ARGON 70	
			- EXPORT U.S.A.	1/
28	0.086.0052.6/10	1	piston ring set	



Section: ENGINE

Ref: 01.00.10


CRANKSHAFT


Fig.	P/n	QTY	Name
			WARCONICO (O
			- X ARGON 50 - 60
28	0.338.0052.6	1	piston ring set
			- X ARGON 70
29	2.0119.174.0/10	6	screw m 12 p.1.25x45
30	0.007.1616.3/10	1	flywheel
			- X ARGON 50
30	0.007.1617.3/10	1	flywheel
			- X ARGON 60 - 70
31	0.069.1242.0	1	crown wheel $Z = 121$
34	2.1652.915.0	1	cylindrical plug 12x35

Section: ENGINE

Ref: 01.00.13









Section: ENGINE

Ref: 01.00.16

CYLINDER HEAD

Fig.	P/n	QTY	Name
Notes:			
[ARGON 70]			
1	2.0399.130.2	3	screw m 8 x 30
			2798 <= X ARGON 50
			2362 <= X ARGON 60
			$() \leq X ARGON 70$
1	2.0399.130.2/10	3	screw m 8x36x44
			=> 2799 X ARGON 50
			=> 2363 X ARGON 60
			\Rightarrow () X ARGON 70
2	2.1569.170.0/10	3	gasket 8.2 x 14
3	0.007.1139.0/10	3	small cap
			* 2798 <= X ARGON 50
			* 2362 <= X ARGON 60
			* () <= X ARGON 70
-	2 1011 121 2		- N.1 2.0399.130.2/10
5	2.1011.421.2	6	nut m 10 p.1.25
6	2.0432.163.7	6	stud bolt m 10 p.1.5 / p.1.25 x 45
7	0.066.1430.0/10	3	support
8 9	0.066.1432.0	6 6	rocker arm
9 10	2.1599.432.0 2.1410.055.1	6	shoulder ring circlip 19
11	2.1410.033.1	2	nut m 8 p.1
12	0.021.1434.0	6	screw
13	0.074.1423.0	12	conical valve cotter
14	0.066.1425.0	6	cup
15	2.4019.287.0	6	spring
16	0.007.1122.0/10	3	bush $L = mm 6.4$
17	2.0432.161.7	3	stud bolt m 10 p.1.5 / p.1.25 x 40
18	0.065.1443.0/20	12	screw
19	0.085.0057.6		gasket set
			- FOR 1 CYLINDER VALVE GRINDING AND PISTON
			RINGS REPLACEMEN
20	2.0432.007.2	6	stud bolt m 8 p.1.25 / p.1 x 30
21	0.085.1450.0		head gasket mm 0.5 -A-
21	0.085.1451.0		head gasket mm 0.7 -B-
21	0.085.1452.0		head gasket mm 1.0 -C-
21	0.085.1453.0		head gasket mm 0.8 -D-
22	0.010.6022.0	3	exhaust valve mm 39.1 / Ø mm 9
			- X ARGON 70 -> () = B
22	0.066.1421.0	3	exhaust valve
			- X ARGON 50 - 60
			- X ARGON 70 () < - = A






Section: ENGINE Ref: 01.00.16

CYLINDER HEAD


Fig.	P/n	QTY	Name
23	0.010.6016.0	3	inlet valve mm 43.63 / Ø mm 9 - X ARGON 50 - 60
23	0.010.6017.0	3	inlet valve mm 43.63 / Ø mm 9 - X ARGON 70 -> () = B
23	0.081.1420.0	3	inlet valve Ø mm 9 - X ARGON 70 () <- = A
24	0.007.1110.3/50	3	engine head - X ARGON 50 - 60 - X ARGON 70 () <- = A
24	0.007.1359.3/50	3	engine head - X ARGON 70 -> () = B
25	0.066.1427.0	3	valve seat
26	0.078.1426.0	3	valve seat
27	0.007.1779.0/10	6	valve guide
28	0.066.1431.0	3	pin
29	2.1559.021.0/40	6	bushing 15x19x22
30	0.069.1450.0/30	1	tappet gasket
31	2.1519.117.0	6	special oil seal



Section: ENGINE LUBRICATION

Ref: 01.00.19

Fig.	P/n	QTY	Name
Notes: [ARGON 7	[0]		
1	0.007.0614.0/10	1	gasket
2	0.007.1422.0/40	1	oil sump
3	2.1560.054.0	1	gasket 21 x 26
4	2.3199.001.2	1	plug 1/2" gas
5	2.1470.004.2	22	lock washer 8
7	2.0112.226.2	7	screw m 8 p.1.25 x 85
8	2.0112.215.2	13	screw m 8 p.1.25 x 40
9	2.0112.411.2	4	screw m 12 p.1.75 x 30
10	2.1470.007.2	4	lock washer 12
11	2.0112.239.2	2	screw m 8 p.1.25 x 150
12	2.0112.720.1	4	screw m 18 p.2.5 x 55
13	2.1475.007.7	4	washer 18
14	0.008.8586.0/10	4	shim mm 0.20
15	0.008.8587.0/10	8	shim mm 0.50



Section: ENGINE Ref: 01.00.22

LUBRICATION

Fig.	P/n	QTY	Name
Notes:			
[ARGON 7	70]		
1	0.007.1425.3	1	tube
2	2.0112.205.2	1	screw m 8 p.1.25 x 16
3	2.1470.004.2	1	lock washer 8
4	2.0312.216.2	2	screw m 8 p.1.25x50
5	2.1310.004.2	2	flat washer 8.4x17
6	2.0399.125.2/10	2	screw m 8 x 55
7	0.007.1369.3	1	oil cooler
			- X ARGON 50
7	0.007.7319.3	1	oil cooler
			- X ARGON 60 - 70
8	2.1539.048.0	2	special oil seal 20.35x1.78
9	0.044.1567.0	1	oil filter element
			- X ARGON 50 - 60
9	2.4419.340.0	1	oil filter element
			- X ARGON 70
10	2.1539.065.0	2	special oil seal 8.73 x 1.78
11	0.085.1513.2/20	1	dipstick
12	2.1011.105.2	1	nut m 8 p.1.25
13	2.1470.004.2	1	lock washer 8
14	0.065.1538.0	1	flange
15	2.1539.040.0	1	special oil seal 21.82 x 3.53
16	2.3339.307.0	1	pipe fitting m 22 p.1.5-3/4"
17	2.1560.008.0	2	gasket 12.2 x 18
			- X ARGON 50 - 60
18	2.3339.448.2	1	pipe union m 12 p.1.75
			- X ARGON 50 - 60
19	2.3249.014.2	1	pipe fitting m 12 p.1.5
			- X ARGON 50 - 60

1/1

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com