
Ref: B0.00.0 (1)

ENGINE TYPE-APPROVAL DATA PLATE

Section: B0 - ENGINE


Fig.	P/n	QTY	Name	
Notes: [KRYPTON	^{[3} 80 V - N]	[KRYPTON ³ 80 V - M]	[KRYPTON ³ 80 V - L]	[KRYPTON ³ 80 V - C]

1	0.000.0000.1	cannot be supplied
		MADE BY TREVIGLIO ITALY
2	0.000.0000.1	cannot be supplied
		MADE AT RANIPET - INDIA



Section: B0 - ENGINE CRANKCASE

Ref: B0.01.0 (1)



10.4.2

10.4.2

10.4.8

10

-10.7-

P

25

10.4.1

Fig.	P/n	ΟΤΥ	Name			

Notes:

3	2.3199.312.2/20	1	plug m 35x1.5x9.5
5	2.0439.279.7	6	stud bolt m 8 p.1 x 25
6	2.1559.188.2	3	bush 11.4 x 14 x16
7	2.1539.259.0	6	special oil seal 107.62x2.62
8	2.1560.010.0	1	gasket 14.2 x 20
9	2.3199.292.0	1	plug 1/4" gas
10	0.014.9911.4/30	1	crankcase
10.1	2.3130.001.1	12	plug 1/8" gas
10.2	2.3130.002.1	4	plug 1/4" gas
10.3	2.3130.003.1	2	plug 3/8" gas
10.4.1	0.065.1112.3	1	support
10.4.1.2	2.1699.165.0	1	bush 12.3x15x16
10.4.2	0.065.1114.0/10	2	support
10.4.3	0.065.1116.3	1	support
10.4.3.2	2.1699.165.0	1	bush 12.3x15x16
10.4.8	0.065.1117.0	8	screw m 12 x 100
10.5	2.3179.012.0	1	plug 60
10.6	0.065.1140.0	3	special bushing 59X55X20
10.7	0.065.1141.0	1	special bushing 59X55X30
10.8	0.014.1340.0/10	1	pin mm 85
11	0.066.1152.0/10	4	gasket
14	2.1549.154.2	3	bush 4.8x5.8x16
20	2.1470.004.2	4	lock washer 8
24	2.3120.101.0	1	plug m 18 p.1.5
25	0.013.4946.0/10	1	sprayer nozzle
26	2.1560.014.0	1	washer 18.2 x 24

Section: B0 - ENGINE CRANKCASE

Ref: B0.01.1 (1)




Fig.	P/n	QTY	Name

Notes:

3	2.3199.312.2/20	1	plug m 35x1.5x9.5
5	2.0439.279.7	6	stud bolt m 8 p.1 x 25
6	2.1559.188.2	3	bush 11.4 x 14 x16
7	2.1539.259.0	6	special oil seal 107.62x2.62
8	2.1560.010.0	1	gasket 14.2 x 20
9	2.3199.292.0	1	plug 1/4" gas
10	0.014.9911.4/30	1	crankcase
10.1	2.3130.001.1	12	plug 1/8" gas
10.2	2.3130.002.1	4	plug 1/4" gas
10.3	2.3130.003.1	2	plug 3/8" gas
10.4.1.1.1	0.065.1112.7/10	1	support
10.4.1.2	2.1699.165.0	1	bush 12.3x15x16
10.4.2	0.065.1114.0/10	2	support
10.4.3.1.1	0.065.1116.7/10	1	support
10.4.3.2	2.1699.165.0	1	bush 12.3x15x16
10.4.8	0.065.1117.0	8	screw m 12 x 100
10.5	2.3179.012.0	1	plug 60
10.6	0.065.1140.0	3	special bushing 59X55X20
10.7	0.065.1141.0	1	special bushing 59X55X30
10.8	0.014.1340.0/10	1	pin mm 85
11	0.066.1152.0/10	4	gasket
14	2.1549.154.2	3	bush 4.8x5.8x16
20	2.1470.004.2	4	lock washer 8
24	2.3120.101.0	1	plug m 18 p.1.5
25	0.013.4946.0/10	1	sprayer nozzle
26	2.1560.014.0	1	washer 18.2 x 24

Ref: B0.01.2 (1)


MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE

Fig.	P/n	QTY	Name	
------	-----	-----	------	--

Notes:


Section: B0 - ENGINE

6	2.0439.250.7	1	stud bolt m 12 / m 10 x 30 $$
7	0.011.9294.0/10	1	bush
30	2.0112.511.2	8	screw m 14 p.2 x 30
31	2.1651.912.0	2	cylindrical plug 12x28
32	2.1651.917.0	1	cylindrical plug 12x40
33	2.0432.257.7	1	stud bolt m 12 p.1.75 - 1.25 x 30
34	0.007.9745.0/10	1	flange



Ref: B0.01.3 (1)


MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE



Notes:

Section: B0 - ENGINE

6	2.0439.250.7	1	stud bolt m 12 / m 10 x 30
7	0.011.9294.0/10	1	bush
30	2.0112.511.2	8	screw m 14 p.2 x 30
31	2.1651.912.0	2	cylindrical plug 12x28
32	2.1651.917.0	1	cylindrical plug 12x40
33	2.0432.257.7	1	stud bolt m 12 p.1.75 - 1.25 x 30
34	0.007.9745.0/10	1	flange



KRYPTON³	80 V	/ N-M-L-	-C ->2001


Section: B0 - ENGINE

Ref: B0.02.0 (1)

CRANKSHAFT Fig. P/n ΟΤΥ Name

Notes:

6 7.1 7.2	2.1720.006.0 0.007.1554.0/20 0.065.1323.0/30	1 1 1	key 4x6.5 crankshaft gear Z = 29
7.3	2.1651.915.0	1	pin 12x35
7.4	2.1720.006.0	1	key 4x6.5
7.5	2.3130.001.1	3	plug 1/8" gas
8	0.065.1215.0/10	4	main half bushing STANDARD
9	0.065.1216.0/10	4	main half bushing STANDARD
10	0.065.1218.0	4	shim STANDARD
15	0.065.1254.0/20	1	gasket
16	0.007.1711.0/10	1	cover
17	2.1475.002.2	9	conical washer 8
18	2.0112.207.2	9	screw m 8 p 1.25 x 20
19	2.1529.073.0	1	special oil seal 110x130x13
22	2.1599.524.7	1	washer 21x60x12
801	0.065.1215.7		main half bushing - mm 0.25
802	0.065.1215.8		main half bushing - mm 0.50
901	0.065.1216.7		main half bushing - mm 0.25
902	0.065.1216.8		main half bushing - mm 0.50
1001	0.065.1218.7		shim $+$ mm 0.10
1002	0.065.1218.8		$shim + mm \ 0.15$



KRYPTON³	80 V	N-M-L-C	->2001
----------------------------	------	---------	--------


Section: B0 - ENGINE CDANKSHAFT

Ref: B0.02.0 (2)

CRANKSHAF I				
Fig.	P/n	QTY	Name	

Notes:

6	2.1720.006.0	1	key 4x6.5
7	0.019.2255.0/20	1	crankshaft
8	0.019.5455.0	4	main half bushing STANDARD
9	0.019.5456.0	4	main half bushing STANDARD
10	0.065.1218.0	4	shim STANDARD
15	0.065.1254.0/20	1	gasket
16	0.007.1711.0/10	1	cover
17	2.1475.002.2	9	conical washer 8
18	2.0112.207.2	9	screw m 8 p 1.25 x 20
19	2.1529.073.0	1	special oil seal 110x130x13
22	2.1599.524.7	1	washer 21x60x12
23	0.065.1323.0/30	1	gear Z = 29
24	2.1651.915.0	1	pin 12x35
801	0.065.1215.7	-	main half bushing - mm 0.25
802	0.065.1215.8	-	main half bushing - mm 0.50
901	0.065.1216.7	-	main half bushing - mm 0.25
902	0.065.1216.8	-	main half bushing - mm 0.50
1001	0.065.1218.7	-	$shim + mm \ 0.10$
1002	0.065.1218.8	-	shim + mm 0.15



|--|

Section: B0 - ENGINE


Ref: B0.02.1 (1)

CRANKSHAFT Fig. P/n QTY Name

Notes:

FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - N] 3081 <- FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - M] 3081 <- FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - L] 3081 <- FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - C] 3081 <-

6	2.1720.006.0	1	key 4x6.5
7.1	0.007.1554.0/20	1	crankshaft
8	0.065.1215.0/10	4	main half bushing STANDARD
9	0.065.1216.0/10	4	main half bushing STANDARD
10	0.065.1218.0	4	shim STANDARD
15	0.065.1254.0/20	1	gasket
16	0.007.1711.0/10	1	cover
17	2.1475.002.2	9	conical washer 8
18	2.0112.207.2	9	screw m 8 p 1.25 x 20
19	2.1529.073.0	1	special oil seal 110x130x13
22	2.1599.524.7	1	washer 21x60x12
23	0.065.1323.0/30	1	gear Z = 29
24	2.1651.915.0	1	pin 12x35
25	2.3130.001.1	3	plug 1/8" gas
801	0.065.1215.7		main half bushing - mm 0.25
802	0.065.1215.8		main half bushing - mm 0.50
901	0.065.1216.7		main half bushing - mm 0.25
902	0.065.1216.8		main half bushing - mm 0.50
1001	0.065.1218.7		$shim + mm \ 0.10$
1002	0.065.1218.8		$shim + mm \ 0.15$



I9_08312_00_0-A-001

Section: B0 - ENGINE

Ref: B0.02.1 (2)

 CRANKSHAFT


 Fig.
 P/n

 QTY
 Name

Notes:

FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - N] -> 3079 FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - M] -> 3079 FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - L] -> 3079 FOR ENGINES PRODUCED IN : RANIPET - INDIA [KRYPTON³ 80 V - C] -> 3079

6	2.1720.006.0	1	key 4x6.5
7	0.019.2255.0/30	1	crankshaft
8	0.019.5455.0	4	main half bushing STANDARD
9	0.019.5456.0	4	main half bushing STANDARD
10	0.065.1218.0	4	shim STANDARD
15	0.065.1254.0/20	1	gasket
16	0.007.1711.0/10	1	cover
17	2.1475.002.2	9	conical washer 8
18	2.0112.207.2	9	screw m 8 p 1.25 x 20
19	2.1529.073.0	1	special oil seal 110x130x13
22	2.1599.524.7	1	washer 21x60x12
23	0.065.1323.0/30	1	gear Z = 29
24	2.1651.915.0	1	pin 12x35
1001	0.065.1218.7		shim + mm 0.10
1002	0.065.1218.8		shim + mm 0.15



I9_08312_00_0-A-002

Ref: B0.02.2 (1)

COOLANT PUMP AND ALTERNATOR DRIVEBELT


Fig.	P/n	QTY	Name
Notes:			
IVDVDTO	NB 00 M C1 2001 <		

[KRYPTON³ 80 V - C] 2001 <-

1

Section: B0 - ENGINE

2.4119.195.0 1 belt PV-K5 (mm 17.4x1250)



9_N2517_09_0-A-001

Ref: B0.02.3 (1)

COOLANT PUMP AND ALTERNATOR DRIVEBELT

Section: B0 - ENGINE

Fig.	P/n	QTY	Name	
Notes:				
[KRYPTO	N ³ 80 V - N]	[KRYPTON ³ 80 V - M]	[KRYPTON ³ 80 V - L]	[KRYPTON ³ 80 V - C] -> 2002

1 2.4119.187.0 1 belt PV-K5 (mm 1230)




Ref: B0.02.4 (1)

Section: B0 - ENGINE ENGINE FLYWHEEL

Fig. P/n QTY Name

Notes:

1	0.007.9652.3/10	1	flywheel
1.2	0.069.1242.0	1	crown wheel $Z = 121$
2	2.0119.174.0/10	6	screw m 12 p.1.25x45
3	2.2041.008.0	1	ball bearing 20x47x14




Ref: B0.02.5 (1)

Section: B0 - ENGINE ENGINE FLYWHEEL

Fig. P/n QTY Name

Notes:

1	0.007.9652.3/10	1	flywheel
1.2	0.069.1242.0	1	crown wheel $Z = 121$
2	2.0119.174.0/10	6	screw m 12 p.1.25x45
3	2.2041.008.0	1	ball bearing 20x47x14




Ref: B0.02.6 (1)

Section: B0 - ENGINE CRANKSHAFT PULLEY

Fig. P/n QTY Name

Notes:

3	0.015.6659.0	1	pulley OUTSIDE DIAMETER 167 mm
5	0.085.1248.0/20	1	hub
6	2.0399.144.7/10	1	screw m 20 p.1.5x51
8	2.1720.006.0	1	key 4x6.5




Ref: B0.02.7 (1)

Section: B0 - ENGINE CRANKSHAFT PULLEY

Fig. P/n QTY Name

Notes:

3	0.015.6659.0	1	pulley
5	0.085.1248.0/20	1	hub
6	2.0399.144.7/10	1	screw m 20 p.1.5x51
8	2.1720.006.0	1	key 4x6.5



Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email:

ebooklibonline@outlook.com