14.2 -14.7 -14.6 -14.8 -14.1.9 -14.3 -14.4.1.2 -14.4.1.1.1 -14.4.1.2 -14.4.1.2 -14.4.3.2 -14.4.3.2 -14.4.3.2 -14.4.3.2 -14.4.3.2 -14.4.3.2 -14.4.3.2 -14.4.3.2

PRESTIGE 75 TRADITION

Name

QTY


Section: B0 - ENGINE
CRANKCASE

P/n

Ref: B0.01.0 (1)

Fig.

Notes: [PRESTIGE	75 TRADITION]		
3	2.3199.312.2/20	1	plug m 35x1.5x9.5
5	2.0439.273.7	8	stud bolt m 8
6	2.1559.188.2	4	bush 11.4 x 14 x 16
7	2.1539.259.0	8	special oil seal 107.62x2.62
8	2.1560.010.0	1	gasket 14.2 x 20
9	2.3199.292.0	1	plug 1/4" gas
11	0.066.1152.0/10	4	gasket
13	2.1549.154.2	4	bush 4.8x5.8x16
14	0.015.2988.4/10	1	crankcase
14.1	2.3130.001.1	10	plug 1/8" gas
14.2	2.3130.002.1	2	plug 1/4" gas
14.3	2.3130.003.1	6	plug 3/8" gas
14.4.1.1.1	0.065.1112.7/10	1	support
14.4.1.2	2.1699.165.0	1	bush 12.3x15x16
14.4.2	0.065.1114.0/10	3	support
14.4.3	0.065.1116.3	1	support
14.4.3.2	2.1699.165.0	1	bush 12.3x15x16
14.4.5	0.065.1117.0	10	screw m 12 x 100
14.5	2.3179.012.0	1	plug 60
14.6	0.065.1140.0	4	special bushing 59X55X20
14.7	0.065.1141.0	1	special bushing 59X55X30
14.8	0.014.1340.0/10	1	pin mm 85
25	0.013.4946.0/10	1	sprayer nozzle
26	2.3120.101.0	1	plug m 18 p.1.5
28	2.1560.014.0	1	washer 18.2 x 24




9_33011_01_0-A-001

PRESTIGE 75 TRADITION

Section: B0 - ENGINE Ref: B0.01.1 (1)

MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE

Fig.	P/n	QTY	Name
Notes: [PRESTIC	GE 75 TRADITION]		
6	2.0439.250.7	1	stud bolt m 12 / m 10 x 30
7	0.011.9294.0/10	1	bush
25	0.066.1130.0/20	1	flange
26	2.0112.511.2	8	screw m 14 p.2 x 30
27	2.1651.912.0	2	cylindrical plug 12x28
28	2.1651.917.0	1	cylindrical plug 12x40
29	2.0432.257.7	1	stud bolt m 12 p.1.75 - 1.25 x 30




Section: B0 - ENGINE

Ref: B0.01.2 (1)

FITTING FOR ENGINE OIL PRESSURE SWITCH

Fig.	P/n	QTY	Name
Notes: [PRESTIGE 75	TRADITION]		
100 101	2.3339.353.2/20 2.1560.014.0	1 1	pipe fitting 12 p.1.5-18 p.1.5 washer 18.2 x 24




Section: B0 - ENGINE

Ref: B0.01.3 (1)

SIDE PLUG FOR CYLINDER BLOCK

Fig.	P/n	QTY	Name
Notes: [PRESTIGE 75	TRADITION]		
22 23	2.1560.017.0 2.3120.002.4	1 1	gasket 22.2 x 27 plug m 22 x 1.5



Section: B0 - ENGINE

Ref: B0.01.5 (1)


LOWER PLUG FOR CYLINDER BLOCKS

Fig.	P/n	OTY	Name

Notes:

[PRESTIGE 75 TRADITION] 1015 <-

2.3130.003.1 2 plug 3/8" gas



Section: B0 - ENGINE

Ref: B0.01.6 (1)

PLUG				1611 2010110 (1)
Fig.	P/n	QTY	Name	
	,		,	


Notes: [PRESTIGE 75 TRADITION] -> 1016


2.3130.003.1 1 plug 3/8" gas

Section: B0 - ENGINE Ref: B0.02.0 (1)


CRANKSHAFT PULLEY

Fig.	P/n	QTY	Y Name
Notes: - FOR TY	PES WITHOUT AIR COND	DITIONING	G AND FRONT PTO [PRESTIGE 75 TRADITION]
2	0.007.1457.0/20	1	mullar





9_33312_02_0-A-001




9_34512_06_0-A-001

PRESTIGE 75 TRADITION

Section: B0 - ENGINE Ref: B0.02.1 (1)

CRANKSHAFT PULLEY P/n

Fig.	P/n	QTY	Name
Notes:			
- FOR TY	PES WITH AIR CONDITIO	NING AN	D WITHOUT FRONT PTO [PRESTIGE 75 TRADITION]
2	0.007.1450.0/40		
3	0.007.1458.0/40	1	pulley
3 5	0.007.1458.0/40 0.085.1248.0/20	1 1	pulley hub
3 5 6		1 1 1	



9_34512_07_0-A-001

Fig.

P/n

PRESTIGE 75 TRADITION


Section: B0 - ENGINE Ref: B0.02.2 (1)

Name

ENGINE CRANKSHAFT PULLEY WITH RING-FEEDER RINGS

QTY

Notes: - FOR TYPES	WITHOUT AIR CONDIT	TONING A	AND WITH FRONT PTO [PRESTIGE 75 TRADITION]
1	0.082.1244.0/10	1	pulley
2	0.011.3515.0/20	1	hub $Z = 48$
3	0.065.1256.0	2	ring 45x52
4	2.1579.865.0	1	spacer 45.2x51.8x10
5	2.0439.195.7	1	stud bolt m 20 p.1.5x80
6	2.1019.094.7	1	nut m 20 p.1.5



9_34512_08_0-A-001


PRESTIGE 75 TRADITION

Section: B0 - ENGINE Ref: B0.02.3 (1)

ENGINE CRANKSHAFT PULLEY WITH RING-FEEDER RINGS QTY Name

Fig.	P/n	QTY	Name
Notes:			
- FOR TY	PES WITH AIR CON	IDITIONING AND	FRONT PTO [PRESTIGE 75 TRADITION]

1	0.082.1250.0/10	1	pulley	
2	0.011.3515.0/20	1	hub $Z = 48$	
3	0.065.1256.0	2	ring 45x52	
4	2.1579.865.0	1	spacer 45.2x51.8x10	
5	2.0439.195.7	1	stud bolt m 20 p.1.5x80	
6	2.1019.094.7	1	nut m 20 p.1.5	
7	2.1589.137.0	3	shoulder ring 71x110x1	
8	0.089.1253.0/10	1	spacer	



Section: B0 - ENGINE

Ref: B0.02.4 (1)

COOLANT PUMP AND ALTERNATOR DRIVEBELT

Fig.	P/n	QTY	Name

Notes:

- FOR TRACTORS WITHOUT AIR CONDITIONING [PRESTIGE 75 TRADITION]

2.4119.193.0 1 vee belt AV 10 x 1254 mm

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com