


Section: B0 - ENGINE

**ENGINE** 

Ref: B0.00.2 (1)

Fig.	P/n	QTY	Name
Notes:			
	5 -> 10001 4WD]		
101	6.N8800.01.0	1	new engine <=50 kw
			© 6.N8800.01.0
			☞ 6.N8800.01.0
			© 6.N8800.01.0
			₹ 6.N8800.01.0
			☞ 6.N8800.01.0
			☞ 6.N8800.01.0
			€ 6.N8800.01.0
			© 6.N8800.01.0
			₹ 6.N8800.01.0
			☞ 6.N8800.01.0
			€ 6.N8800.01.0
			© 6.N8800.01.0
			€ 6.N8800.01.0
			€ 6.N8800.01.0
			€ 6.N8800.01.0
			© 6.N8800.01.0
			€ 6.N8800.01.0
			€ 6.N8800.01.0
			© 6.N8800.01.0
			€ 6.N8800.01.0



MIT\_H36\_003-A-001

01011-001E 47CV


### PRINCE 55 -> 10001

Section: B0 - ENGINE

Ref: 6.N8800.01.0

## CYLINDER HEAD

Fig.	P/n	QTY	Name	
1	0.010.3986.1	1	engine head	
1.2	0.000.0000.1		cannot be supplied	
1.2.1	0.010.2634.1	1	plug	
1.2.2	0.009.4527.0	7	plug	
1.2.3	0.000.0000.1		cannot be supplied	
1.2.4	0.000.0000.1		cannot be supplied	
1.2.5	0.010.2634.2	4	valve guide	
1.2.6	0.010.2635.0	4	valve guide	
1.2.7	0.000.0000.1		cannot be supplied	
1.2.8	0.010.2636.2	4	special bushing	
1.3	0.009.4545.1	1	plug	
4	0.010.2633.1	14	screw	
5	0.010.2635.2	1	gasket	
6	0.009.4541.2	2	bracket	
7	0.010.2633.0	2	screw	





Ref: 6.N8800.01.0

Section: B0 - ENGINE

CYLINDER HEAD

Fig.	P/n	QTY	Name	
	0.010.0607.0			
1	0.010.2637.2	4	inlet valve Ø mm 6.5	
2	0.010.2638.0	4	exhaust valve Ø mm 6.5	
3	0.010.2638.1	8	spring	
4	0.000.0000.1	8	cannot be supplied	
5	0.009.4561.2	16	stop	
6	0.009.4562.0	8	gasket	
7	0.010.2639.0	8	cap	
8	0.000.0000.1	1	cannot be supplied	
8.1	0.010.2640.1	1	screw	
8.2	0.009.4559.0	2	ring	
8.3	0.010.3949.0	8	rocker arm	
8.3.4	0.010.2641.0	8	nut	
8.3.5	0.000.0000.1		cannot be supplied	
8.3.6	0.010.3949.1	8	register	
8.7	0.010.2644.1	1	shaft	
8.7.8	0.010.2643.0	2	plug	
8.7.9	0.000.0000.1		cannot be supplied	
8.10	0.010.2642.0	1	support	
8.11	0.010.2642.1	3	support	
8.12	0.010.2643.1	3	spring	
8.13	0.010.2643.2	4	screw	
9	0.010.2644.0	1	camshaft	
10	0.009.4567.0	1	special bearing	
11	0.009.4566.0	1	washer	
12	0.009.4567.2	1	stick	
13	0.010.2639.1	1	screw	






Section: B0 - ENGINE

Ref: 6.N8800.01.0

## CYLINDER HEAD

Fig.	P/n	QTY	Name
1	0.010.2647.1	1	cover
1.1	0.000.0000.1	•	cannot be supplied
1.2	0.000.0000.1		cannot be supplied
2	0.010.2647.2	1	gasket
3	0.010.2645.2	5	screw
4	0.009.4548.0	1	plug
5	0.009.4781.2	1	tube
6	0.010.2206.0	1	clamp




Section: B0 - ENGINE

Ref: 6.N8800.01.0

### CAMSHAFT

Fig.	P/n	QTY	Name				
1	0.010.3949.2	1	camshaft				
2	0.009.4555.1	1	key				
3	0.010.3950.0	1	small plate				
4	0.010.2639.1	2	screw				
5	0.010.3950.1	8	tappets				
6	0.010.2646.2	8	rod				



01031-016E

MIT\_H36\_007-A-001


Ref: 6.N8800.01.0


CRANKCASE

Section: B0 - ENGINE

		1			
	1.15⊸	1.2	<u></u> —1.15	_	
1.13.2	FORWARD		1.2.11 1.2.1	1.3	~∞—18
ا ــــــــــــــــــــــــــــــــــــ	1.2.2		1.2.2	1.6 	
1.9 1.5 1.7 1.17 1.4	1.2,5.10	11.2.5.8 .5.9	1.2.3	, g1.16	<b>—20</b>
MIT_H36_01	0-A-001			[	01041-019E 47CV

1	Fig.	P/n	QTY	Name
1.2       0.000.0000.1       cannot be supplied         1.2.1       0.010.2652.1       3       special bushing         1.2.2       0.010.2653.0       10       screw         1.2.4       0.010.2653.1       1       special bushing         1.2.5       0.000.0000.1       cannot be supplied         1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.7       0.000.0000.1       cannot be supplied         1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.5.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4525.1       2       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.1       2       special bushing         1.10       0.009.4525.1       1       special bushing         1.11       0.010.3951.0       1       pin </td <td></td> <td>11</td> <td>, <del>-</del></td> <td></td>		11	, <del>-</del>	
1.2.1       0.010.2652.1       3       special bushing         1.2.2       0.010.2653.0       10       screw         1.2.4       0.010.2653.1       1       special bushing         1.2.5       0.000.0000.1       cannot be supplied         1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.5.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13       0.010.2650.0       1       pin         1.15       0.010.2651.0       2       pin </td <td>1</td> <td>0.010.3986.2</td> <td>1</td> <td>crankcase</td>	1	0.010.3986.2	1	crankcase
1.2.2       0.010.2652.2       3       special bushing         1.2.3       0.010.2653.0       10       screw         1.2.4       0.010.2653.1       1       special bushing         1.2.5       0.000.0000.1       cannot be supplied         1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.7       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4525.1       1       plug         1.7       0.009.4525.1       2       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.1       2       special bushing         1.10       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball     <	1.2	0.000.0000.1		cannot be supplied
1.2.3       0.010.2653.0       10       screw         1.2.4       0.010.2653.1       1       special bushing         1.2.5       0.000.0000.1       cannot be supplied         1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.7       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4525.1       1       plug         1.7       0.009.4525.1       2       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4525.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.1       1       pin         1.13.1       0.010.2650.1       1       pin	1.2.1	0.010.2652.1	3	special bushing
1.2.4       0.010.2653.1       1       special bushing         1.2.5       0.000.0000.1       cannot be supplied         1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.094523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.094524.2       4       special bushing         1.8       0.094525.1       2       special bushing         1.9       0.009.4524.2       4       special bushing         1.10       0.009.4525.1       2       special bushing         1.10       0.009.4525.1       1       special bushing         1.10       0.009.4525.1       1       special bushing         1.10       0.009.4526.1       1       pin         1.12       0.009.655.0       1       pin         1.13.1       0.010.2650.1       1       bal	1.2.2	0.010.2652.2	3	special bushing
1.2.5       0.000.000.1       cannot be supplied         1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.7       0.000.0000.1       cannot be supplied         1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4525.1       1       plug         1.7       0.009.4525.1       2       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.15       0.010.2651.0       2       pin         1.16 <td>1.2.3</td> <td>0.010.2653.0</td> <td>10</td> <td>screw</td>	1.2.3	0.010.2653.0	10	screw
1.2.5.6       0.000.0000.1       cannot be supplied         1.2.5.7       0.000.0000.1       cannot be supplied         1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4524.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied	1.2.4	0.010.2653.1	1	special bushing
1.2.5.7       0.000.0000.1       cannot be supplied         1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4524.1       1       plug         1.7       0.009.4525.1       2       special bushing         1.8       0.009.4525.2       1       special bushing         1.9       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers	1.2.5	0.000.0000.1		cannot be supplied
1.2.5.8       0.000.0000.1       cannot be supplied         1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4524.1       1       plug         1.7       0.009.4525.1       2       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13.1       0.010.2650.0       1       pin         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.2.5.6	0.000.0000.1		cannot be supplied
1.2.5.9       0.000.0000.1       cannot be supplied         1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw <td>1.2.5.7</td> <td>0.000.0000.1</td> <td></td> <td>cannot be supplied</td>	1.2.5.7	0.000.0000.1		cannot be supplied
1.2.5.10       0.000.0000.1       cannot be supplied         1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.2.5.8	0.000.0000.1		cannot be supplied
1.2.11       0.000.0000.1       cannot be supplied         1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.2.5.9	0.000.0000.1		cannot be supplied
1.3       0.009.4523.2       1       guide         1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.2.5.10	0.000.0000.1		cannot be supplied
1.4       0.010.2649.0       1       plug         1.5       0.010.2649.1       3       special bushing         1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.2.11	0.000.0000.1		cannot be supplied
1.5       0.010.2649.1       3       special bushing         1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.3	0.009.4523.2	1	guide
1.6       0.009.4545.1       1       plug         1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.4	0.010.2649.0	1	plug
1.7       0.009.4524.2       4       special bushing         1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.5	0.010.2649.1	3	special bushing
1.8       0.009.4525.1       2       special bushing         1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.6	0.009.4545.1	1	plug
1.9       0.009.4525.2       1       special bushing         1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.7	0.009.4524.2	4	special bushing
1.10       0.009.4524.1       1       expansion plug         1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.8	0.009.4525.1	2	special bushing
1.11       0.010.3951.0       1       pin         1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.9	0.009.4525.2	1	special bushing
1.12       0.009.4523.0       2       pin         1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.10	0.009.4524.1	1	expansion plug
1.13       0.010.2650.0       1       pin         1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.11	0.010.3951.0	1	pin
1.13.1       0.010.2650.1       1       ball         1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.12	0.009.4523.0	2	pin
1.13.2       0.000.0000.1       cannot be supplied         1.15       0.010.2651.0       2       pin         1.16       0.010.2651.1       1       plug         1.17       0.010.3961.2       4       sprayers         18       0.010.2648.1       4       screw	1.13	0.010.2650.0	1	pin
1.15     0.010.2651.0     2     pin       1.16     0.010.2651.1     1     plug       1.17     0.010.3961.2     4     sprayers       18     0.010.2648.1     4     screw	1.13.1	0.010.2650.1	1	ball
1.16	1.13.2	0.000.0000.1		cannot be supplied
1.17 0.010.3961.2 4 sprayers 18 0.010.2648.1 4 screw	1.15	0.010.2651.0	2	pin
18 0.010.2648.1 4 screw	1.16	0.010.2651.1	1	plug
18 0.010.2648.1 4 screw	1.17	0.010.3961.2	4	sprayers
20 0.010.2651.2 4 gasket	18	0.010.2648.1	4	
	20	0.010.2651.2	4	gasket





MIT\_H36\_012-A-001

0104B1-001E

### PRINCE 55 -> 10001

Section: B0 - ENGINE

Ref: 6.N8800.01.0


## MAIN BEARINGS

Fig.	P/n	QTY	Name
		·	
1	0.010.2656.2	1	main half bushing STANDARD
2	0.010.2657.0	1	main half bushing - mm 0.25
3	0.010.2657.1	1	main half bushing - mm 0.50
4	0.010.2657.2	1	main half bushing - mm 0.75


Ref: 6.N8800.01.0

TIMING CASE

Section: B0 - ENGINE



T TIVETI						
Fig.	P/n	QTY	Name			
1	0.010.2658.0	1	plate			
2	0.010.2658.1	1	gasket			
3	0.010.2639.1	10	screw			
4	0.010.3951.1	1	flange			
5	0.010.2659.0	1	gasket			
6	0.010.2659.1	8	screw			
7	0.009.4537.0	1	gasket			
8	0.010.3951.2	1	plug			
9	0.010.2660.0	1	flange			
10	0.010.2660.1	1	gasket			
11	0.009.4756.0	2	cover			
12	0.010.3952.0	2	gasket			
13	0.010.2661.0	1	screw			
14	0.010.2661.1	2	nut			
15	0.010.3952.1	1	screw			
16	0.010.3952.2	2	screw			
17	0.009.4539.2	2	spring washer			
18	0.010.3953.0	1	cover			
19	0.010.2662.2	4	screw			
20	0.010.2663.0	4	washer			



MIT\_H36\_014-A-001

01061-019E


### PRINCE 55 -> 10001

Section: B0 - ENGINE

Ref: 6.N8800.01.0

## FLYWHEEL HOUSING


Fig.	P/n	QTY	Name
	0.040.0674.0		
1	0.010.2654.2	1	flange
2	0.010.2655.0	1	gasket
3	0.010.2655.1	1	special oil seal
4	0.010.2655.2	5	screw
5	0.010.3953.1	1	flange
6	0.009.4532.2	1	pin
7	0.010.3953.2	10	screw




Section: B0 - ENGINE Ref: 6.N8800.01.0

OIL PAN


OILI	OIL TALL				
Fig.	P/n	QTY	Name		
		,			
1	0.010.3954.0	1	oil sump		
1.1	0.010.2664.0	1	plug		
1.2	0.010.2663.2	1	gasket		
1.3	0.000.0000.1		cannot be supplied		
2	0.010.3954.1	12	screw		
3	0.010.2664.2	1	screw		
4	0.010.2665.0	4	screw		
5	0.010.2665.1	5	washer		
6	0.010.2687.1	1	dipstick		
			*		





MIT\_H36\_015-A-001

01071-038E



MIT\_H36\_018-A-001


0108A1-002 47CV

#### PRINCE 55 -> 10001

Section: B0 - ENGINE Ref: 6.N8800.01.0

# PISTON - CONNECTING ROD


Fig.	P/n	QTY	Name
1	0.M88.0060.6	4	complete piston STANDARD
1.2	0.008.0052.6	4	piston ring set STANDARD
1.3	0.010.2668.0	4	piston pin
2	0.M88.0061.6	4	complete piston + mm 0.25
2.2	0.008.0053.6	4	piston ring set + mm 0.25
2.3	0.010.2668.0	4	piston pin
3	0.M88.0062.6	4	complete piston + mm 0.50
3.2	0.008.0054.6	4	piston ring set + mm 0.50
3.3	0.010.2668.0	4	piston pin
8	0.010.3988.0	4	engine connecting rod
8.1	0.009.4783.0	8	nut
8.2	0.010.2668.2	8	screw
8.3	0.000.0000.1		cannot be supplied
8.4	0.000.0000.1		cannot be supplied
9	0.009.4782.1	4	con.rod half bushing STANDARD
10	0.010.2669.0	4	con.rod half bushing - mm 0.25
11	0.010.2669.1	4	con.rod half bushing - mm 0.50
12	0.010.2669.2	4	con.rod half bushing - mm 0.75



Section: B0 - ENGINE Ref: 6.N8800.01.0


### CRANKSHAFT - FLYWHEEL

Fig.	P/n	QTY	Name	
1	0.010.3988.1	1	crankshaft	
2	0.009.4555.1	2	key	
3	0.009.4554.2	1	flat washer	
4	0.009.4555.0	1	spring washer	
5	0.009.4554.1	1	nut	
6	0.010.2672.2	1	pulley	
7	0.010.3954.2	1	flywheel	
7.1	0.010.2671.0	1	crown wheel Z=110	
7.2	0.000.0000.1		cannot be supplied	
8	0.009.4557.0	4	screw	
9	0.010.3955.0	1	gear Z = 28	
10	0.009.4556.1	1	special bearing	



MIT\_H36\_020-A-001

0108B1-021 47CV



MIT\_H36\_021-A-001

01091-020E


### PRINCE 55 -> 10001

Section: B0 - ENGINE

Ref: 6.N8800.01.0

# **CAMSHAFT**

Fig.	P/n	QTY	Name	
1	0.010.2055.1	1	56	
1	0.010.3955.1	1	gear z=56	
2	0.010.3955.2	1	gear z=56	
3	0.010.3956.0	1	gear z=39	
3.1	0.000.0000.1		cannot be supplied	
3.2	0.000.0000.1		cannot be supplied	



Section: B0 - ENGINE Ref: 6.N8800.01.0


## INTAKE AND EXHAUST


Fig.	P/n	QTY	Name
1	0.010.3975.0	1	cover
2	0.010.3975.1	1	gasket
3	0.010.2676.2	1	gasket
4	0.010.2677.0	8	screw
5	0.010.2677.1	2	screw
6	0.010.3975.2	1	exhaust manifold
7	0.010.2680.1	1	gasket
8	0.010.3956.2	6	screw
9	0.010.3957.0	2	screw
10	0.010.3976.0	1	sleeve
11	0.010.3993.0	1	clamp
12	0.010.3973.1	1	tube
13	0.010.3976.1	1	clamp
14	0.009.4796.1	4	stud bolt
15	0.010.3976.2	1	gasket
16	0.009.4799.2	4	nut
17	0.009.4842.0	4	flat washer
18	0.009.4842.1	4	stud bolt
19	0.010.3977.0		turbo charger

Section: B0 - ENGINE

**OIL PUMP** 

Ref: 6.N8800.01.0





03011-001E

MIT\_H36\_025-A-001

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com