

Section: B0 - ENGINE Ref: B0.01.0 (1)

CRANKCASE

28

2.3131.004.2

Fig.	P/n	QTY	Name
Notes:			
[TIGER 60 E 2	2WD ->S10S553WX1E1	001] 1140 <	[TIGER 60 E 4WD ->S10S553WT1E1001] 1140 <-
2	2.1532.072.0	1	oil seal 26.70x1.78
3	2.3199.405.2	1	plug m 28 p.1.5
5	2.0432.003.7	11	stud bolt m 8 p.1.25 / p.1 x 20
6	2.1559.188.2	3	bush 11.4 x 14 x 16
7	2.1539.259.0	6	special oil seal 107.62x2.62
9	0.049.1152.0	1	cock
10	0.014.8700.4	1	crankcase
10.1	2.3130.001.1	9	plug 1/8" gas
10.2	2.3130.002.1	2	plug 1/4" gas
10.3	2.3130.003.1	2	plug 3/8" gas
10.4.1.2.1.1	0.065.1112.7/10	1	support
10.4.1.2.2	2.1699.165.0	1	bush 12.3x15x16
10.4.1.3	0.065.1114.0/10	2	support
10.4.1.4	0.065.1116.3	1	support
10.4.1.4.2	2.1699.165.0	1	bush 12.3x15x16
10.4.1.5	0.065.1117.0	8	screw m 12 x 100
10.4.2	0.065.1140.0	3	special bushing 59X55X20
10.4.3	0.065.1141.0	1	special bushing 59X55X30
10.4.4	0.014.1340.0	1	pin
10.5	2.3179.012.0	1	plug 60
11	0.066.1152.0/10	4	gasket
14	2.1549.154.2	3	bush 4.8x5.8x16

plug m 18 p.1.5


## 10.2 10.4.3 10.4.2 10.4.4 10.4.1.2.2 10.4.1.2.1 10.4.1.3 10.4.1.4 10.4.1.3 10.4.1.4 10.4.1.4 10.4.1.4 10.4.1.4

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.01.0 (2)

CRANKCASE


Fig.	P/n	QTY	Name
<b>N</b> Y .			
Notes:	WD >0100552WV1E1	0011 > 1141	FTIGED 60 E 4WD >\$10\$552WT1E10011 > 1141
TIGER 60 E 2	2WD ->8108553WX1E1	001]->1141	[TIGER 60 E 4WD ->S10S553WT1E1001] -> 1141
2	2.1532.072.0	1	oil seal 26.70x1.78
3	2.3199.405.2	1	plug m 28 p.1.5
5	2.0432.003.7	11	stud bolt m 8 p.1.25 / p.1 x 20
6	2.1559.188.2	3	bush 11.4 x 14 x 16
7	2.1539.259.0	6	special oil seal 107.62x2.62
8	2.1560.010.0	1	gasket 14.2 x 20
9	2.3199.292.0	1	plug 1/4" gas
10	0.014.8700.4	1	crankcase
10.1	2.3130.001.1	9	plug 1/8" gas
10.2	2.3130.002.1	2	plug 1/4" gas
10.3	2.3130.003.1	2	plug 3/8" gas
10.4.1.2.1.1	0.065.1112.7/10	1	support
10.4.1.2.2	2.1699.165.0	1	bush 12.3x15x16
10.4.1.3	0.065.1114.0/10	2	support
10.4.1.4	0.065.1116.3	1	support
10.4.1.4.2	2.1699.165.0	1	bush 12.3x15x16
10.4.1.5	0.065.1117.0	8	screw m 12 x 100
10.4.2	0.065.1140.0	3	special bushing 59X55X20
10.4.3	0.065.1141.0	1	special bushing 59X55X30
10.4.4	0.014.1340.0	1	pin
10.5	2.3179.012.0	1	plug 60
11	0.066.1152.0/10	4	gasket
14	2.1549.154.2	3	bush 4.8x5.8x16
28	2.3131.004.2	1	plug m 18 p.1.5



Section: B0 - ENGINE Ref: B0.01.3 (1)

#### MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE

Fig.	P/n	QTY	Name
Notes: [TIGER 6	50 E 2WD ->\$10\$553WX1E	E1001] [T	IGER 60 E 4WD ->S10S553WT1E1001]
1	0.015.8814.0	1	flange
2	2.0112.511.2	8	screw m 14 p.2 x 30
3	2.0432.255.7	2	stud bolt m 12 p.1.75-1.25x25
4	2.1651.912.0	4	cylindrical plug 12x28
5	2.0512.404.7	2	screw




Section: B0 - ENGINE Ref: B0.01.4 (1)

#### FITTING FOR ENGINE OIL PRESSURE SWITCH

Fig.	P/n	QTY	Name
Notes: [TIGER 60	) E 2WD ->S10S553WX1E	E1001] -> 1014	4 [TIGER 60 E 4WD ->S10S553WT1E1001] -> 1014
30	2.1560.008.0	2	gasket 12.2 x 18
31	2.3339.448.2	1	pipe union m 12 p.1.75
32	2.3249.014.2	1	pipe fitting m 12 p.1.5


1/1



Section: B0 - ENGINE Ref: B0.02.0 (1)

### CRANKSHAFT


Fig.	P/n	QTY	Name
•			
Notes:	0 F 200 > 01007520074F1	0011 1004	TELOFED (OF ANID > CLOCGGON/TELELOOLE 1994 4
[HGER 6	0 E 2WD ->\$108553WX1E1	001] 1224 <-	- [TIGER 60 E 4WD ->S10S553WT1E1001] 1224 <-
7.1	0.007.1554.0/20	1	crankshaft
8	0.065.1215.0/10	4	main half bushing STANDARD
9	0.065.1216.0/10	4	main half bushing STANDARD
10	0.065.1218.0	4	shim STANDARD
15	0.065.1254.0/20	1	gasket
16	0.007.1711.0/10	1	cover
17	2.1475.002.2	9	conical washer 8
18	2.0112.207.2	9	screw m 8 p 1.25 x 20
19	2.1529.073.0	1	special oil seal 110x130x13
22	2.1599.524.7	1	washer 21x60x12
23	0.065.1323.0/30	1	gear Z = 29
24	2.1651.915.0	1	pin 12x35
25	2.3130.001.1	3	plug 1/8" gas
26	2.1720.006.0	1	key 4x6.5
801	0.065.1215.7	1	main half bushing - mm 0.25
802	0.065.1215.8	1	main half bushing - mm 0.50
901	0.065.1216.7	1	main half bushing - mm 0.25
902	0.065.1216.8	1	main half bushing - mm 0.50
1001	0.065.1218.7	1	$shim + mm \ 0.10$
1002	0.065.1218.8	1	shim + mm 0.15
		_	



Section: B0 - ENGINE Ref: B0.02.0 (2)

#### **CRANKSHAFT**


Fig.	P/n	QTY	Name
Notes: [TIGER 60 E 2V	WD ->S10S553WX1E1001	] -> 1225	[TIGER 60 E 4WD ->S10S553WT1E1001] -> 1225
7	0.019.2255.0/20	1	crankshaft
8	0.019.5455.0	4	main half bushing STANDARD
9	0.019.5456.0	4	main half bushing STANDARD
10	0.065.1218.0	4	shim STANDARD
15	0.065.1254.0/20	1	gasket
16	0.007.1711.0/10	1	cover
17	2.1475.002.2	9	conical washer 8
18	2.0112.207.2	9	screw m 8 p 1.25 x 20
19	2.1529.073.0	1	special oil seal 110x130x13
22	2.1599.524.7	1	washer 21x60x12
23	0.065.1323.0/30	1	gear Z = 29
24	2.1651.915.0	1	pin 12x35
26	2.1720.006.0	1	key 4x6.5
1001	0.065.1218.7	1	shim + mm 0.10
1002	0.065.1218.8	1	shim + mm 0.15



Section: B0 - ENGINE Ref: B0.02.4 (1)

#### ENGINE FLYWHEEL

Fig.	P/n	QTY	Name
Notes: [TIGER 60	E 2WD ->\$10\$553WX1E1	001] [T	IGER 60 E 4WD ->S10S553WT1E1001]
1	0.012.0925.3	1	flywheel
1.2	0.069.1242.0	1	crown wheel $Z = 121$
2	2.0119.174.0/10	6	screw m 12 p.1.25x45
3	2.2041.008.9	1	ball bearing 20x47x14



Section: B0 - ENGINE Ref: B0.02.5 (1)


#### ENGINE FLYWHEEL

Fig.	P/n	QTY	Name

#### Note

- FOR TYPES WITH DOUBLE CLUTCH [TIGER 60 E 4WD ->S10S553WT1E1001] - FOR TYPES WITH DOUBLE CLUTCH [TIGER 60 E 2WD ->S10S553WX1E1001]

0.007.1617.3/30	1	flywheel	
0.069.1242.0	1	crown wheel $Z = 121$	
2.0119.174.0/10	6	screw m 12 p.1.25x45	
2.2041.008.9	1	ball bearing 20x47x14	
	0.069.1242.0 2.0119.174.0/10	0.069.1242.0 1 2.0119.174.0/10 6	0.069.1242.0 1 crown wheel Z = 121 $2.0119.174.0/10$ 6 screw m 12 p.1.25x45




I9\_38512\_04\_0-A-001

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.02.7 (1)

#### CRANKSHAFT PULLEY

Fig.	P/n	QTY	Name
Notes: [TIGER 60 E 2	WD ->\$10\$553WX1E10	001] [TI	IGER 60 E 4WD ->\$10\$553WT1E1001]
3	0.014.5093.0	1	pulley
5	0.085.1248.0/20	1	hub
6	2.0399.144.7/10	1	screw m 20 p.1.5x51
8	2.1720.006.0	1	key 4x6.5



Section: B0 - ENGINE Ref: B0.02.9 (1)

#### COOLANT PUMP DRIVEBELT

Fig.	P/n	QTY	Name
Notes: [TIGER 60	) E 2WD ->S10S553WX1E	E1001] 1011 <	[TIGER 60 E 4WD ->S10S553WT1E1001] 1011 <-
5	2.4119.139.0	1	belt mm 10.7x1254

Section: B0 - ENGINE

Ref: B0.02.11 (1)


#### COOLANT PUMP AND ALTERNATOR DRIVEBELT

Fig.	P/n	QTY	Name

Notes:

[TIGER 60 E 2WD ->S10S553WX1E1001] [TIGER 60 E 4WD ->S10S553WT1E1001] -> 1012

3 2.4119.198.0 1 vee belt AV 10.7x1240 mm



# 1.2.1 1.2.1 1.2.3 1.2.2 A A (...) <= -3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-3 (...) <-

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.03.0 (1)

Name

QTY

#### CYLINDER - PISTON - CONNECTING ROD

P/n

Fig.

<b>Notes:</b> [TIGER 60	E 2WD ->S10S553WX1E1	001] [T	IGER 60 E 4WD ->S10S553WT1E1001]
1	0.386.0065.A	3	cyl. piston assembly "A" - CLASS A
1	0.386.0065.B	3	cyl. piston assembly "B" - CLASS B
1.1	0.A12.2675.0	1	engine cylinder "A" - CLASS A
1.1	0.B12.2675.0	1	engine cylinder "B" - CLASS B
1.2	0.379.0060.A	1	complete piston "A" - CLASS A
1.2	0.379.0060.B	1	complete piston "B" - CLASS B
1.2.1	0.086.0052.6/10	1	piston ring set
1.2.2	2.1411.014.1	1	circlip 35
1.2.3	0.078.1236.0	1	piston pin Ø 18 / Ø 35 / L = mm 86
2	0.065.1225.0	6	con.rod half bushing STANDARD - A = 28.75 -> 29.00 () <=
2	0.065.1225.7	6	con.rod half bushing - mm 0.25 () <=
2	0.065.1225.8	6	con.rod half bushing - mm 0.50 () <=
3	0.019.2226.3/10	1	engine connecting rod => ()
3	0.078.1220.3/30	1	engine connecting rod () <=
3.1	2.0399.213.0	2	screw m 12 p.1.25x61.5 () <=
3.1	2.0399.365.0	2	screw m 10 p.1.25x61.5 => ()
3.2	2.1559.114.0/10	1	special bushing () <=
3.2	2.1559.532.0	1	special bushing 34.60x39.130x36.65 => ()
4	0.019.5453.0	3	con.rod half bushing STANDARD - A = 29.85 -> 30.10 => ()
5	0.019.5454.0	3	con.rod half bushing STANDARD - A = 29.85 -> 30.10 => ()

#### 3 4 10 8 10 9.1.2 9 9.2 11 12 13 19 20 21.2 17 18 11 12 13 19 20 21.2 17

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.04.0 (2)

**CAMSHAFT** 

20

20.2

21.2

21

I9\_N8113\_00\_0-A-002

0.007.1178.3/20

2.1559.185.0/10

0.007.1179.3/20

2.1559.185.0/10

Fig.	P/n	QTY	Name
Notes:			
	) F 2WD ->\$10\$553WX1F1	0011 [TIC	GER 60 E 4WD ->\$10\$553WT1E1001]
[TIGER 00	7 L 2 W D -> 5105555 W X 1 L 1	001] [110	3ER 00 E 4WB > 3103333 W [ 1E1001]
1	0.065.1331.2	6	rod
2	2.1569.114.0/10	12	gasket 14x18.5x8
3	0.065.1332.0	6	sleeve
4	2.4019.300.1/10	6	spring 18.5x52x2
5	2.1599.437.0	6	shoulder ring
6	0.065.1330.0	6	tappets
7	0.013.5017.0	1	gear z=58
8	2.0132.207.2	4	screw m 10 p.1 x 25
9	0.012.8270.4	1	camshaft
9.1.2	2.1559.398.0	1	bushing 10.5x13x12
9.2	0.065.1324.0/10	1	gear Z = 32
10	0.065.1350.0	1	small disc
11	2.1410.016.1	1	circlip 40
12	0.065.1352.0	1	shim
13	0.018.2233.0	2	shoulder ring
16	2.0312.205.2	2	screw
17	2.1480.014.1	2	washer 8
18	0.065.1353.0	1	small plate
19	0.007.1177.3/20	0.1	gear z = 57 - WITH RED IDENTIFICATION STAMP
19.2	2.1559.185.0/10	1	bushing
		-	$\boldsymbol{\mathcal{L}}$

gear z = 57

gear z = 57

bushing

bushing

- WITH YELLOW IDENTIFICATION STAMP


- WITH GREEN IDENTIFICATION STAMP

0.1

1

0.8

1



Name

Section: B0 - ENGINE
TIMING CASE

P/n

Ref: B0.04.4 (1)

#### Notes:

Fig.

[TIGER 60 E 2WD ->S10S553WX1E1001] [TIGER 60 E 4WD ->S10S553WT1E1001]

QTY

5	2.0432.003.7	11	stud bolt m 8 p.1.25 / p.1 x 20
16	2.0312.214.2	7	screw m 8 p.1.25 x 40
17	2.1480.014.1	15	washer 8
18	0.013.4981.0	1	guard
19	0.065.1150.0/30	1	gasket
20	2.1470.004.2	2	lock washer 8
21	2.1011.405.2	2	nut m 8 p.1
22	2.0312.208.2	8	screw m 8 p.1.25 x 25
23	2.1529.167.0	1	oil seal

#### 9.10.3 9.10.7 9.10.6.2 9.10.4.2 9.10.6.2 9.10.6.1 18.5 9.10.6.1 18.1.5 18.1.5 18.1.5 18.1.6

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.05.0 (1)

#### CYLINDER HEAD

Fig.	P/n	QTY	Name
Notes:			
	E 2WD ->S10S553WX1E1	001] [TIC	GER 60 E 4WD ->S10S553WT1E1001]
1	2.0399.130.2/10	3	screw m 8x36x44
2	2.1569.170.0/10	3	gasket 8.2 x 14
3	0.016.0291.0	3	small cap
4	0.069.1450.0/30	1	tappet gasket
7	2.1011.421.2	6	nut m 10 p.1.25
9.2	0.021.1434.0	2	screw
9.10.3	2.1011.405.2	2	nut m 8 p.1
9.10.4	0.066.1432.3	2	rocker arm
9.10.4.2	2.1559.021.0/40	1	bushing 15x19x22
9.10.5	2.1410.055.7	2	circlip 19
9.10.6.1	0.066.1431.0	1	pin
9.10.6.2	0.066.1430.0/10	1	support
9.10.7	2.1599.432.0	2	shoulder ring
16	2.1530.051.0	3	oil seal 20.22x3.53
17	0.012.2673.0	12	screw m 14 p.2x141
18.1	0.014.8945.3/10	1	head
18.1.2	0.014.8942.0	1	valve seat mm 45.118
18.1.3	0.014.8941.0	1	valve seat mm 40.653
18.1.4	0.007.1779.0/20	2	valve guide
18.1.5	0.010.6041.0/10	1	bush
18.1.6	2.3170.012.2	2	expansion plug Ø 30
18.2	0.066.1421.0	1	exhaust valve
18.3	0.010.6016.0	1	inlet valve mm 43.63 / Ø mm 9
18.4	0.066.1425.0	2	cup
18.5	0.074.1423.0	4	conical valve cotter
18.6	2.4019.287.0	2	spring
18.7	2.1519.117.0	2	special oil seal
18.8	2.0432.161.7	1	stud bolt m 10 p.1.5 / p.1.25 x 40
18.9	2.0432.163.7	2	stud bolt m 10 p.1.5 / p.1.25 x 45
20	2.0432.011.7	3	stud bolt m 8 p.1.25 / p.1 x 40
21	2.0432.005.7	3	stud bolt m 8 p.1.5 / p.1 x 25
25	0.014.5260.0/10	0.5	gasket - A - mm 1.4
26	0.014.5259.0/10	2	gasket - B - mm 1.2
27	0.014.5261.0/10	0.5	gasket - C - mm 1.6


#### 38.3 38.5 38.4 38.2 38.10 38.11.2 38.11.1 38.15 38.14 38.15 38.14 38.15 38.14 38.15 38.14 38.15 38.14 38.15 38.14 38.15

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.06.0 (1)

#### **ENGINE OIL PUMP**

Fig.	P/n	QTY	Name
•			
Notes:	E 2000 SCIOCEE200VIEI	0011 [TIC	CED 40 E 4WD > \$10\$552WT1E10011
[HGER 60	E 2WD ->S10S553WX1E1	001] [110	GER 60 E 4WD ->\$10\$553WT1E1001]
35	0.065.1560.0/30	2	gasket
36	2.0169.005.2	2	screw m 6 p.1 x 12
37	2.1652.711.0	2	cylindrical plug 8x25
38	0.075.1551.4/30	1	support
38.1	0.075.1551.3/40	1	support
38.1.2	2.1559.186.0	1	special bushing 26 x 31.5 x 35
38.2	2.1219.025.2/10	1	ring nut m 36 p.1.5
38.3	2.1410.057.1	1	circlip 15
38.4	2.1589.153.0	1	shoulder ring 15.2 x 19 x 1.00
38.5	2.1589.146.0	2	shoulder ring 15.2 x 19 x 0.15
38.6	2.1589.147.0	2	shoulder ring 15.2 x 19 x 0.10
38.7	2.2020.001.0	1	ball bearing 15 x 32 x 8.00
38.8	2.1589.148.0	1	shoulder ring 28.2 x 31.8 x 0.5
38.9	2.1589.150.0	2	shoulder ring 28.2 x 31.8 x 0.1
38.10	2.1589.151.0	2	shoulder ring 28.2 x 31.8 x 0.15
38.11.1	0.065.1558.6/10	1	bevel drive
38.11.2	0.065.1559.0	1	bush
38.12	2.2680.020.0	1	ring 12 x 15 x 12
38.13	2.2725.016.0	1	roller cage 15 x 21 x 12
38.14	2.0342.007.2	1	screw m 4 p.0.7x25
38.15	2.0399.128.2/10	1	screw m 8 p.1 x 8
38.16	2.2030.002.0	1	ball bearing 12 x 28 x 8
40	0.065.1569.0/40	1	shaft
41	0.065.1562.0/10	1	joint
42	0.014.7994.4	1	oil pump
43	2.1470.006.2	2	lock washer 10
44	2.0112.323.2	2	screw m 10 p.1.5x70



Section: B0 - ENGINE Ref: B0.06.4 (1)

#### LUBRICATION

66

67

68 69 0.002.8816.0

2.0112.007.2 2.1011.103.2 2.1470.002.2


Fig.	P/n	QTY	Name	
Notes:				
	E 2WD ->S10S553WX1E1	001] [TIC	GER 60 E 4WD ->S10S553WT1E1001]	
1	0.065.1160.3/20	3	valve	
50	2.1099.108.2	3	special nut m 10 p.1	
51	2.1560.006.0	12	gasket 10.2 x 16	
52	0.086.1550.2	3	sprayer nozzle	
55	2.0312.221.2	2	screw m 8 p.1.25x75	
56	2.1480.014.1	2	washer 8	
57	0.012.0688.4	1	sediment bowl	
57.1	0.066.1553.0	1	cover	
57.2	0.066.1554.0/20	1	gasket	
57.3	2.0399.304.2	4	screw m 4 x 10	
57.4.1	0.066.1555.0	1	tube	
57.4.2	0.012.0688.0	1	small tank	
58	2.1532.012.0	1	oil seal 6.75 x 1.78	
59	2.1539.072.0	2	special oil seal 23.52 x 1.78	
60	0.066.1558.0	1	bush	
61	0.066.1557.2	1	tube	
62	2.3350.003.1	1	nosepiece 8	
63	2.3339.418.1	1	pipe fitting m 12 p.1	
65	0.007.1427.0	1	tube	

small plate screw m 6 p.1 x 20

nut m 6 p.1 lock washer 6

1/1

I9\_O2884\_50\_0-B-001



#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.06.8 (1)


#### FUEL SETTLING FILTER VENT HOSE BRACKET

Fig.	P/n	QTY	Name

Notes:

[TIGER 60 E 2WD ->S10S553WX1E1001] [TIGER 60 E 4WD ->S10S553WT1E1001]

8 0.075.1151.0 1 bracket



Section: B0 - ENGINE Ref: B0.06.9 (1)

#### SEDIMENTER BOWL BREATHER PIPE

Fig.	P/n	QTY	Name Name
Notes: [TIGER 6	0 E 2WD ->\$10\$553WX1E	E1001] [T	TIGER 60 E 4WD ->\$10\$553WT1E1001] -> 1002
1	0.066.1559.0	1	tube
2	2.6859.073.2	1	clamp

# 2 2.2 14 13 12 15 19\_38515\_00\_0-B-001

#### TIGER 60 E ->S10S553WT1E1001

Section: B0 - ENGINE Ref: B0.06.13 (1)

#### LUBRICATION

Fig.	P/n	QTY	Name	
Notes:				
[TIGER 6	0 E 2WD ->S10S553WX1E1	001] [TIC	GER 60 E 4WD ->S10S553WT1E1001]	
2	0.041.1135.4	1	plug 1" gas	
2.2	2.1569.072.0	1	gasket 32 x 39.5 x 2	
3	2.0312.205.2	2	screw	
4	2.1480.014.1	2	washer 8	
5	0.012.0613.0	1	pipe union	
6	0.065.1567.0/10	1	filter	
7	0.065.1566.0	1	gasket	
8	2.3339.307.0	1	pipe fitting m 22 p.1.5-3/4"	
11	2.1011.105.2	1	nut m 8 p.1.25	
12	2.1470.004.2	1	lock washer 8	
13	0.065.1538.0	1	flange	
14	2.1539.040.0	1	special oil seal 21.82 x 3.53	
15	0.012.0684.0	1	none	
16	0.012.0682.2	1	dipstick	
17	2.1539.065.0	1	special oil seal 8.73 x 1.78	

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com