
#### 10.2 -10.4.3 -10.4.2 -10.4.7 -10.3 -10.4.1.2.2 -10.4.1.2.1.1 -10.4.1.3 -10.4.1.4 -10.4.1.5

### TIGER 70 E ->S10S653WT1E1001

Section: B0 - ENGINE Ref: B0.01.1 (1)

CRANKCASE


| Fig.         | P/n                | QTY       | Name                             |
|--------------|--------------------|-----------|----------------------------------|
| NT 4         |                    |           |                                  |
| Notes:       | OWD >0100452WV1E1  | 0011 FTIC | GER 70 E 4WD ->S10S653WT1E1001]  |
| TIGER /UE.   | 2WD ->5105033WA1E1 | 001] [110 | 3ER 70 E 4WD ->\$105033W11E1001] |
| 2            | 2.1532.072.0       | 1         | oil seal 26.70x1.78              |
| 3            | 2.3199.405.2       | 1         | plug m 28 p.1.5                  |
| 5            | 2.0432.003.7       | 9         | stud bolt m 8 p.1.25 / p.1 x 20  |
| 6            | 2.1559.188.2       | 3         | bush 11.4 x 14 x 16              |
| 7            | 2.1539.259.0       | 6         | special oil seal 107.62x2.62     |
| 8            | 2.1560.010.0       | 1         | gasket 14.2 x 20                 |
| 9            | 2.3199.292.0       | 1         | plug 1/4" gas                    |
| 10           | 0.070.1110.6/20    | 1         | crankcase                        |
| 10.1         | 2.3130.001.1       | 9         | plug 1/8" gas                    |
| 10.2         | 2.3130.002.1       | 2         | plug 1/4" gas                    |
| 10.3         | 2.3130.003.1       | 2         | plug 3/8" gas                    |
| 10.4.1.2.1.1 | 0.065.1112.7/10    | 1         | support                          |
| 10.4.1.2.2   | 2.1699.165.0       | 1         | bush 12.3x15x16                  |
| 10.4.1.3     | 0.065.1114.0/10    | 2         | support                          |
| 10.4.1.4     | 0.065.1116.3       | 1         | support                          |
| 10.4.1.4.2   | 2.1699.165.0       | 1         | bush 12.3x15x16                  |
| 10.4.1.5     | 0.065.1117.0       | 8         | screw m 12 x 100                 |
| 10.4.2       | 0.065.1140.0       | 3         | special bushing 59X55X20         |
| 10.4.3       | 0.065.1141.0       | 1         | special bushing 59X55X30         |
| 10.4.7       | 0.066.1151.0       | 1         | pin                              |
|              |                    |           | L= 87 mm                         |
| 10.5         | 2.3179.012.0       | 1         | plug 60                          |
| 11           | 0.066.1152.0/10    | 4         | gasket                           |
| 14           | 2.1549.154.2       | 3         | bush 4.8x5.8x16                  |
| 24           | 2.3120.101.0       | 1         | plug m 18 p.1.5                  |
| 26           | 2.1560.014.0       | 1         | washer 18.2 x 24                 |



Section: B0 - ENGINE Ref: B0.01.3 (1)

# MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE

| Fig.               | P/n                      | QTY      | Name                             |
|--------------------|--------------------------|----------|----------------------------------|
| Notes:<br>[TIGER 7 | 70 E 2WD ->\$10\$653WX1E | 1001] [T | IGER 70 E 4WD ->S10S653WT1E1001] |
| 1                  | 0.015.8814.0             | 1        | flange                           |
| 2                  | 2.0112.511.2             | 8        | screw m 14 p.2 x 30              |
| 3                  | 2.0432.255.7             | 2        | stud bolt m 12 p.1.75-1.25x25    |
| 4                  | 2.1651.912.0             | 4        | cylindrical plug 12x28           |
| 5                  | 2.0512.404.7             | 2        | screw                            |




Section: B0 - ENGINE Ref: B0.02.1 (1)

# CRANKSHAFT

| Fig.                | P/n              | QTY           | Name                           |  |
|---------------------|------------------|---------------|--------------------------------|--|
| Notes:<br>[TIGER 70 | E 2WD ->S10S653W | X1E1001] [TIG | ER 70 E 4WD ->S10S653WT1E1001] |  |


| 6    | 2.1720.006.0    | 1 | key 4x6.5                   |
|------|-----------------|---|-----------------------------|
| 7    | 0.007.1554.0/20 | 1 | crankshaft                  |
| 8    | 0.065.1215.0/10 | 4 | main half bushing STANDARD  |
| 9    | 0.065.1216.0/10 | 4 | main half bushing STANDARD  |
| 10   | 0.065.1218.0    | 4 | shim STANDARD               |
| 15   | 0.065.1254.0/20 | 1 | gasket                      |
| 16   | 0.007.1711.0/10 | 1 | cover                       |
| 17   | 2.1475.002.2    | 9 | conical washer 8            |
| 18   | 2.0112.207.2    | 9 | screw m 8 p 1.25 x 20       |
| 19   | 2.1529.073.0    | 1 | special oil seal 110x130x13 |
| 22   | 2.1599.524.7    | 1 | washer 21x60x12             |
| 23   | 0.014.5093.0    | 1 | pulley                      |
| 24   | 0.085.1248.0/20 | 1 | hub                         |
| 25   | 2.0399.144.7/10 | 1 | screw m 20 p.1.5x51         |
| 26   | 0.065.1323.0/30 | 1 | gear Z = 29                 |
| 27   | 2.1651.915.0    | 1 | pin 12x35                   |
| 28   | 2.3130.001.1    | 3 | plug 1/8" gas               |
| 29   | 2.1720.006.0    | 1 | key 4x6.5                   |
| 801  | 0.065.1215.7    | 1 | main half bushing - mm 0.25 |
| 802  | 0.065.1215.8    | 1 | main half bushing - mm 0.50 |
| 901  | 0.065.1216.7    | 1 | main half bushing - mm 0.25 |
| 902  | 0.065.1216.8    | 1 | main half bushing - mm 0.50 |
| 1001 | 0.065.1218.7    | 1 | $shim + mm \ 0.10$          |
| 1002 | 0.065.1218.8    | 1 | shim + mm 0.15              |



Section: B0 - ENGINE Ref: B0.02.4 (1)

# ENGINE FLYWHEEL

| Fig.                     | P/n                 | QTY     | Name                           |
|--------------------------|---------------------|---------|--------------------------------|
| Notes:<br>[TIGER 70 E 2V | WD ->S10S653WX1E100 | 1] [TIG | ER 70 E 4WD ->S10S653WT1E1001] |
| 1                        | 0.012.0925.3        | 1       | flywheel                       |
| 1.2                      | 0.069.1242.0        | 1       | crown wheel $Z = 121$          |
| 2                        | 2.0119.174.0/10     | 6       | screw m 12 p.1.25x45           |
| 3                        | 2.2041.008.9        | 1       | ball bearing 20x47x14          |



Section: B0 - ENGINE Ref: B0.02.5 (1)


### ENGINE FLYWHEEL

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|      | ,   |     |      |

### Notes:

- FOR TYPES WITH DOUBLE CLUTCH [TIGER 70 E 2WD ->S10S653WX1E1001] - FOR TYPES WITH DOUBLE CLUTCH [TIGER 70 E 4WD ->S10S653WT1E1001]

| 1   | 0.007.1617.3/30 | 1 | flywheel              |
|-----|-----------------|---|-----------------------|
| 1.2 | 0.069.1242.0    | 1 | crown wheel $Z = 121$ |
| 2   | 2.0119.174.0/10 | 6 | screw m 12 p.1.25x45  |
| 3   | 2.2041.008.9    | 1 | ball bearing 20x47x14 |



Section: B0 - ENGINE Ref: B0.02.10 (1)

# COOLANT PUMP DRIVEBELT

| Fig.                | P/n                     | QTY            | Name   |
|---------------------|-------------------------|----------------|--|
| Notes:<br>[TIGER 70 | 0 E 2WD ->\$10\$653WX11 | E1001] 1061 <- | - [TIGER 70 E 4WD ->S10S653WT1E1001] 1061 <- |
| 3                   | 2.4119.139.0            | 1              | belt mm 10.7x1254                            |

Section: B0 - ENGINE


Ref: B0.02.11 (1)

# COOLANT PUMP AND ALTERNATOR DRIVEBELT

| Fig.   | P/n                   | QTY              | Name  |
|--------|-----------------------|------------------|---|
|        | ,                     |                  |   |
| Notes: |                       |                  |   |
| TIGER  | 70 F 2WD ->\$10\$653W | JY1E10011 > 1062 | TIGER 70 F 4WD ->\$10\$653WT1F10011 -> 1062 |

3 2.4119.198.0 1 vee belt AV 10.7x1240 mm

I9\_O2519\_11\_0-A-001



I9\_M7712\_03\_M-A-001

### TIGER 70 E ->S10S653WT1E1001

Section: B0 - ENGINE Ref: B0.03.1 (1)

# CYLINDER - PISTON - CONNECTING ROD

| Fig.                | P/n                    | QTY      | Name   |
|---------------------|------------------------|----------|--|
| Notes:<br>[TIGER 70 | ) E 2WD ->S10S653WX1E1 | 001] [TI | GER 70 E 4WD ->S10S653WT1E1001]                        |
| 1                   | 0.388.0065.A           | 3        | cyl. piston assembly "A" - CLASS A                     |
| 1                   | 0.388.0065.B           | 3        | cyl. piston assembly "B" - CLASS B                     |
| 1.1                 | 0.A12.2675.0           | 1        | engine cylinder "A"<br>- CLASS A                       |
| 1.1                 | 0.B12.2675.0           | 1        | engine cylinder "B" - CLASS B                          |
| 1.2                 | 0.381.0060.A           | 1        | complete piston "A" - CLASS A                          |
| 1.2                 | 0.381.0060.B           | 1        | complete piston "B" - CLASS B                          |
| 1.2.1               | 0.338.0052.6/20        | 1        | piston ring set  |
| 1.2.2               | 2.1411.014.1           | 2        | circlip 35   |
| 1.2.3               | 0.078.1236.0           | 1        | piston pin $\emptyset$ 18 / $\emptyset$ 35 / L = mm 86 |
| 2                   | 0.065.1225.0           | 6        | con.rod half bushing STANDARD - $A = 28.75 -> 29.00$   |
| 2                   | 0.065.1225.7           | 6        | con.rod half bushing - mm 0.25                         |
| 2                   | 0.065.1225.8           | 6        | con.rod half bushing - mm 0.50                         |
| 3                   | 0.078.1220.3/30        | 3        | engine connecting rod                                  |
| 3.1                 | 2.0399.213.0           | 2        | screw m 12 p.1.25x61.5                                 |
| 3.2                 | 2.1559.114.0/10        | 1        | special bushing  |

1/1


# 

### TIGER 70 E ->S10S653WT1E1001

Section: B0 - ENGINE Ref: B0.04.1 (1)

CAMSHAFT

| Fig.     | P/n                       | QTY       | Name                               |
|----------|---------------------------|-----------|------------------------------------|
| Notes:   |                           |           |                                    |
|          | E 2WD ->S10S653WX1E1      | 0011 [TIG | GER 70 E 4WD ->S10S653WT1E1001]    |
| [HGER 70 | E 2 W D -> BT0B055 W XTET | 001] [110 | 1ER 70 E 4WB -> 3103033 W 11E1001] |
| 1        | 0.065.1331.2              | 6         | rod                                |
| 2        | 2.1569.114.0/10           | 12        | gasket 14x18.5x8                   |
| 3        | 0.065.1332.0              | 6         | sleeve                             |
| 4        | 2.4019.300.1/10           | 6         | spring 18.5x52x2                   |
| 5        | 2.1599.437.0              | 6         | shoulder ring                      |
| 6        | 0.065.1330.0              | 6         | tappets                            |
| 7        | 0.013.5017.0              | 1         | gear z=58                          |
| 8        | 2.0132.207.2              | 4         | screw m 10 p.1 x 25                |
| 9        | 0.009.7456.3/10           | 1         | camshaft                           |
| 9.2      | 0.065.1324.0/10           | 1         | gear Z = 32                        |
| 10       | 0.065.1350.0              | 1         | small disc                         |
| 11       | 2.1410.016.1              | 1         | circlip 40                         |
| 12       | 0.065.1352.0              | 1         | shim                               |
| 13       | 0.018.2233.0              | 2         | shoulder ring                      |
| 16       | 2.0312.205.2              | 2         | screw                              |
| 17       | 2.1480.014.1              | 2         | washer 8                           |
| 18       | 0.065.1353.0              | 1         | small plate                        |
| 19       | 0.007.1177.3/20           | 0.4       | gear z = 57                        |
|          |                           |           | - WITH RED IDENTIFICATION STAMP    |
| 19.2     | 2.1559.185.0/10           | 1         | bushing                            |
| 20       | 0.007.1178.3/20           | 0.4       | gear z = 57                        |
|          |                           |           | - WITH YELLOW IDENTIFICATION STAMP |
| 20.2     | 2.1559.185.0/10           | 1         | bushing                            |
| 21       | 0.007.1179.3/20           | 0.2       | gear z = 57                        |
|          |                           |           | - WITH GREEN IDENTIFICATION STAMP  |
| 21.2     | 2.1559.185.0/10           | 1         | bushing                            |
| 22       | 2.1559.398.0              | 1         | bushing 10.5x13x12                 |
|          |                           |           |                                    |



Name

Section: B0 - ENGINE
TIMING CASE

Ref: B0.04.5 (1)

### Notes:


Fig.

P/n

[TIGER 70 E 2WD ->S10S653WX1E1001] [TIGER 70 E 4WD ->S10S653WT1E1001]

QTY

| 15 | 2.0432.003.7    | 2  | stud bolt m 8 p.1.25 / p.1 x 20 |
|----|-----------------|----|---------------------------------|
| 16 | 2.0312.214.2    | 7  | screw m 8 p.1.25 x 40           |
| 17 | 2.1480.014.1    | 15 | washer 8                        |
| 18 | 0.013.4981.0    | 1  | guard                           |
| 19 | 0.065.1150.0/30 | 1  | gasket                          |
| 20 | 2.1470.004.2    | 4  | lock washer 8                   |
| 21 | 2.1011.405.2    | 2  | nut m 8 p.1                     |
| 22 | 2.0312.208.2    | 8  | screw m 8 p.1.25 x 25           |
| 23 | 2.1529.167.0    | 1  | oil seal                        |



I9\_N8911\_03\_0-A-001

### TIGER 70 E ->S10S653WT1E1001

Section: B0 - ENGINE Ref: B0.04.7 (1)

# **GUARD PLATE**

| Fig.                     | P/n                  | QTY     | Name  |
|--------------------------|----------------------|---------|---|
| Notes:<br>[TIGER 70 E 2V | WD ->S10S653WX1E1001 | ] [TIGI | ER 70 E 4WD ->S10S653WT1E1001]                        |
|                          | 0.007.40.60.0470     |         |   |
| l                        | 0.007.1262.3/50      | 1       | guard   |
| 2                        | 0.012.0707.0         | 1       | small column m 8 p.1.25 / $L = mm 60$                 |
| 3                        | 0.012.0708.0         | 2       | small column m $8 \text{ p.1.25 / L} = \text{mm } 50$ |
| 5                        | 2.1310.004.2         | 3       | flat washer 8.4x17                                    |
| 7                        | 2.0112.203.2         | 3       | screw m 8 p.1.25 x 12                                 |

Ref: B0.05.1 (1)

Section: B0 - ENGINE


QTY Name

### CYLINDER HEAD

P/n

Fig.

| rig.                  | 1 / 11               | L L V     | Name                               |  |
|-----------------------|----------------------|-----------|------------------------------------|--|
| Notes:<br>[TIGER 70 E | E 2WD ->S10S653WX1E1 | 001] [TIC | GER 70 E 4WD ->S10S653WT1E1001]    |  |
|                       |                      |           |                                    |  |
| 1                     | 2.0399.288.2/10      | 3         | screw m 8x36x46                    |  |
| 2                     | 2.1532.018.0         | 3         | oil seal 9.19 x 2.62               |  |
| 3                     | 0.016.0291.0         | 3         | small cap                          |  |
| 4                     | 0.069.1450.0/30      | 1         | tappet gasket                      |  |
| 7                     | 2.1011.421.2         | 6         | nut m 10 p.1.25                    |  |
| 9.2                   | 0.021.1434.0         | 2         | screw                              |  |
| 9.10.3                | 2.1011.405.2         | 2         | nut m 8 p.1                        |  |
| 9.10.4                | 0.066.1432.3         | 2         | rocker arm                         |  |
| 9.10.4.2              | 2.1559.021.0/40      | 1         | bushing 15x19x22                   |  |
| 9.10.5                | 2.1410.055.7         | 2         | circlip 19                         |  |
| 9.10.6.1              | 0.066.1431.0         | 1         | pin                                |  |
| 9.10.6.2              | 0.066.1430.0/10      | 1         | support                            |  |
| 9.10.7                | 2.1599.432.0         | 2         | shoulder ring                      |  |
| 16                    | 2.1530.051.0         | 3         | oil seal 20.22x3.53                |  |
| 17                    | 0.012.2673.0         | 12        | screw m 14 p.2x141                 |  |
| 18.1                  | 0.015.9713.3/10      | 1         | engine head                        |  |
| 18.1.2                | 0.078.1426.0         | 1         | valve seat                         |  |
| 18.1.3                | 0.066.1427.0         | 1         | valve seat                         |  |
| 18.1.4                | 0.007.1779.0/20      | 2         | valve guide                        |  |
| 18.1.5                | 0.010.6041.0/10      | 1         | bush                               |  |
| 18.1.6                | 2.3170.012.2         | 2         | expansion plug Ø 30                |  |
| 18.2                  | 0.010.6022.0         | 1         | exhaust valve mm 39.1 / Ø mm 9     |  |
| 18.3                  | 0.010.6017.0         | 1         | inlet valve mm 43.63 / Ø mm 9      |  |
| 18.4                  | 0.066.1425.0         | 2         | cup                                |  |
| 18.5                  | 0.074.1423.0         | 4         | conical valve cotter               |  |
| 18.6                  | 2.4019.287.0         | 2         | spring                             |  |
| 18.7                  | 2.1519.117.0         | 2         | special oil seal                   |  |
| 18.8                  | 2.0432.161.7         | 1         | stud bolt m 10 p.1.5 / p.1.25 x 40 |  |
| 18.9                  | 2.0432.163.7         | 2         | stud bolt m 10 p.1.5 / p.1.25 x 45 |  |
| 20                    | 2.0432.011.7         | 3         | stud bolt m 8 p.1.25 / p.1 x 40    |  |
| 21                    | 2.0432.005.7         | 3         | stud bolt m 8 p.1.5 / p.1 x 25     |  |
| 24                    | 0.078.1451.0/60      | 0.5       | head gasket - A - mm 1.2           |  |
| 25                    | 0.078.1452.0/50      | 2         | head gasket - B - mm 1.4           |  |
| 26                    | 0.078.1453.0/60      | 0.5       | head gasket - C - mm 1.6           |  |
|                       |                      |           | ~                                  |  |




# 38 -38.4---38.8 **−38.9 −** −38.10 — 🗢 /−38.11.2 ー -38.16--38.15 -38.11.1 <sub>-</sub>38.14− L38.1-36 35 -38.13 -38.12┘ -40 I9\_N8915\_00\_0-A-001

### TIGER 70 E ->S10S653WT1E1001

Section: B0 - ENGINE Ref: B0.06.1 (1)

### **ENGINE OIL PUMP**

| Fig.         | P/n                  | QTY      | Name                               |
|--------------|----------------------|----------|------------------------------------|
| <b>N</b> T . |                      |          |                                    |
| Notes:       | E 2WD ->S10S653WX1E1 | 0011 [TI | GER 70 E 4WD ->S10S653WT1E1001]    |
| [HGEK /U     | E 2WD ->3103033WATE1 | 001] [11 | GEK 70 E 4WD ->5103033 W [ [E1001] |
| 35           | 0.065.1560.0/30      | 2        | gasket                             |
| 36           | 2.0169.005.2         | 2        | screw m 6 p.1 x 12                 |
| 37           | 2.1652.711.0         | 2        | cylindrical plug 8x25              |
| 38           | 0.075.1551.4/30      | 1        | support                            |
| 38.1         | 0.075.1551.3/40      | ĺ.       | support                            |
| 38.1.2       | 2.1559.186.0         | 1        | special bushing 26 x 31.5 x 35     |
| 38.2         | 2.1219.025.2/10      | 1        | ring nut m 36 p.1.5                |
| 38.3         | 2.1410.057.1         | 1        | circlip 15                         |
| 38.4         | 2.1589.153.0         | 1        | shoulder ring 15.2 x 19 x 1.00     |
| 38.5         | 2.1589.146.0         | 2        | shoulder ring 15.2 x 19 x 0.15     |
| 38.6         | 2.1589.147.0         | 2        | shoulder ring 15.2 x 19 x 0.10     |
| 38.7         | 2.2020.001.0         | 1        | ball bearing 15 x 32 x 8.00        |
| 38.8         | 2.1589.148.0         | 1        | shoulder ring 28.2 x 31.8 x 0.5    |
| 38.9         | 2.1589.150.0         | 2        | shoulder ring 28.2 x 31.8 x 0.1    |
| 38.10        | 2.1589.151.0         | 2        | shoulder ring 28.2 x 31.8 x 0.15   |
| 38.11.1      | 0.065.1558.6/10      | 1        | bevel drive                        |
| 38.11.2      | 0.065.1559.0         | 1        | bush                               |
| 38.12        | 2.2680.020.0         | 1        | ring 12 x 15 x 12                  |
| 38.13        | 2.2725.016.0         | 1        | roller cage 15 x 21 x 12           |
| 38.14        | 2.0342.007.2         | 1        | screw m 4 p.0.7x25                 |
| 38.15        | 2.0399.128.2/10      | 1        | screw m 8 p.1 x 8                  |
| 38.16        | 2.2030.002.0         | 1        | ball bearing 12 x 28 x 8           |
| 40           | 0.065.1569.0/40      | 1        | shaft                              |
| 41           | 0.065.1562.0/10      | 1        | joint                              |
| 42           | 0.014.7994.4         | 1        | oil pump                           |
| 43           | 2.1470.006.2         | 2        | lock washer 10                     |
| 44           | 2.0112.323.2         | 2        | screw m 10 p.1.5x70                |



Ref: B0.06.5 (1) Section: B0 - ENGINE

# LUBRICATION

2.1011.103.2 2.1470.002.2


68 69

| Fig.      | P/n                     | QTY       | Name                             |
|-----------|-------------------------|-----------|----------------------------------|
| •         |                         |           |                                  |
| Notes:    | E 2000 - 0100/52000/1E1 | 0011 [77] | DED 70 E AWD > 0100(520/E1E1001] |
| [TIGER 70 | E 2WD ->S10S653WX1E1    | 001] [110 | GER 70 E 4WD ->S10S653WT1E1001]  |
|           | 0.065.1160.000          |           | 1                                |
| 1         | 0.065.1160.3/20         | 3         | valve                            |
| 50        | 2.1099.108.2            | 3         | special nut m 10 p.1             |
| 51        | 2.1560.006.0            | 12        | gasket 10.2 x 16                 |
| 52        | 0.086.1550.2            | 3         | sprayer nozzle                   |
| 55        | 2.0312.221.2            | 2         | screw m 8 p.1.25x75              |
| 56        | 2.1480.014.1            | 2         | washer 8                         |
| 57        | 0.012.0688.4            | 1         | sediment bowl                    |
| 57.1      | 0.066.1553.0            | 1         | cover                            |
| 57.2      | 0.066.1554.0/20         | 1         | gasket                           |
| 57.3      | 2.0399.304.2            | 4         | screw m 4 x 10                   |
| 57.4.1    | 0.066.1555.0            | 1         | tube                             |
| 57.4.2    | 0.012.0688.0            | 1         | small tank                       |
| 58        | 2.1532.012.0            | 1         | oil seal 6.75 x 1.78             |
| 59        | 2.1539.072.0            | 2         | special oil seal 23.52 x 1.78    |
| 60        | 0.066.1558.0            | 1         | bush                             |
| 61        | 0.066.1557.2            | 1         | tube                             |
| 62        | 2.3350.003.1            | 1         | nosepiece 8                      |
| 63        | 2.3339.418.1            | 1         | pipe fitting m 12 p.1            |
| 65        | 0.007.1427.0            | 1         | tube                             |
| 66        | 0.002.8816.0            | 1         | small plate                      |
| 67        | 2.0112.007.2            | 1         | screw m 6 p.1 x 20               |
| 60        | 2.1011.102.2            | 1         | 5616W III 0 p.1 x 20             |

nut m 6 p.1 lock washer 6

1/1

I9\_O2884\_50\_0-B-001



### TIGER 70 E ->S10S653WT1E1001

Section: B0 - ENGINE Ref: B0.06.8 (1)

# FUEL SETTLING FILTER VENT HOSE BRACKET

| Fig. P/n QTY Name |  |
|-------------------|--|

Notes:

[TIGER 70 E 2WD ->S10S653WX1E1001] [TIGER 70 E 4WD ->S10S653WT1E1001]

8 0.075.1151.0 1 bracket

1/1

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com