Section: B0 - ENGINE

Ref: B0.01.1 (1)





Fig.	P/n	QTY	Name
<b>Notes:</b> [XT-105]			
1	0.013.0356.4/40	1	crankcase
1.1	2.3130.001.1	14	plug 1/8" gas
1.2	2.3130.002.1	2	plug 1/4" gas
1.3	2.3130.003.1	8	plug 3/8" gas
1.4	2.3179.012.0	1	plug 60
1.5.1.1.1	0.065.1112.7/10	1	support
1.5.1.2	2.1699.165.0	1	bush 12.3x15x16
1.5.2	0.065.1114.0/10	5	support
1.5.3	0.007.0848.3/20	1	support
1.5.3.2	2.1699.165.0	1	bush 12.3x15x16
1.5.4	0.065.1117.0	14	screw m 12 x 100
1.5.6	0.065.1140.0	6	special bushing 59X55X20
1.5.7	0.065.1141.0	1	special bushing 59X55X30
1.5.8	0.014.1340.0/10	1	pin mm 85
2	0.066.1152.0/10	4	gasket
4	2.3199.312.2/20	1	plug m 35x1.5x9.5
5	2.0439.273.7	12	stud bolt m 8
6	2.1559.188.2	6	bush 11.4 x 14 x16
7	2.1539.259.0	12	special oil seal 107.62x2.62
10	2.1560.010.0	1	gasket 14.2 x 20
11	2.3199.292.0	1	plug 1/4" gas
12	0.013.4946.0/10	1	sprayer nozzle
13	2.1549.154.2	6	bush 4.8x5.8x16
14	2.3120.101.0	1	plug m 18 p.1.5
15	2.1560.014.0	1	washer 18.2 x 24

Ref: B0.01.3 (	(1)
----------------	-----

Section: B0 - ENGINE	Ref: B
MONOBLOC ENGINE-	GEARBOX CONNECTING FLANGE

Fig.	P/n	QTY	Name
<b>Notes:</b> [XT-105]			
6	2.0439.250.7	1	stud bolt m 12 / m 10 x 30
7	0.011.9294.0/10	1	bush
25	0.010.7201.0	1	flange
26	2.0112.511.2	8	screw m 14 p.2 x 30
27	2.1651.912.0	2	cylindrical plug 12x28
28	2.1651.917.0	1	cylindrical plug 12x40
29	2.0432.257.7	1	stud bolt m 12 p.1.75 - 1.25 x 30
30	2.1560.017.0	1	gasket 22.2 x 27
31	2.3120.002.4	1	plug m 22 x 1.5




9\_32411\_02\_0-A-001

Ref: B0.01.4 (1)

# FITTING FOR ENGINE OIL PRESSURE SWITCH

Section: B0 - ENGINE

Fig.	P/n	QTY	Name
<b>Notes:</b> [XT-105]			
1	2.3249.014.2	1	pipe fitting m 12 p.1.5
2	2.1560.008.0	3	gasket 12.2 x 18
3	2.3335.052.2	1	pipe union m 12 p.1.5




9\_32315\_07\_0-A-001

Ref: B0.01.5 (1)

# FITTING FOR ENGINE OIL PRESSURE SWITCH

Section: B0 - ENGINE


Fig.	P/n	QTY	Name
<b>Notes:</b> [XT-105]			
2	2.1560.014.0 2.3339.353.2/20	1	washer 18.2 x 24 pipe fitting 12 p.1.5-18 p.1.5



Ref: B0.02.5 (1)

# Section: B0 - ENGINE CRANKSHAFT PULLEY

Fig.	P/n	QTY	Name
<b>Notes:</b> [XT-105]			
1	0.007.0962.0/30	1	pulley
2	2.0112.322.2	6	screw m 10 p.1.5x65
3	2.1470.006.2	6	lock washer 10



Ref: B0.02.8 (1)

#### COOLANT PUMP AND ALTERNATOR DRIVEBELT


Fig. P/n QTY Name

Notes:

Section: B0 - ENGINE

- FOR TRACTORS WITHOUT AIR CONDITIONING [XT-105]

1 2.4119.099.0 2 belt AV 13x1437 mm



_33717_01_0-A-00	1
------------------	---

Ref: B0.02.10 (1)

## COOLANT PUMP AND ALTERNATOR DRIVEBELT


Fig. P/n QTY Name

Notes:

Section: B0 - ENGINE

- FOR TRACTORS WITH AIR CONDITIONING [XT-105]

1	0.007.0967.0	2	belt AV 12.7x1470 mm
2	2.4119.134.0	1	belt AV 10x794 mm



9\_M9917\_02\_0-A-001

Section: B0 - ENGINE CRANKSHAFT

Ref: B0.02.12 (1)




Fig.	P/n	QTY	Name
Notes:			
[XT-105]			
3	0.065.1215.0/10	7	main half bushing STANDARD
4	0.065.1216.0/10	7	main half bushing STANDARD
5	0.065.1218.0	4	shim STANDARD
6	2.1599.524.7	1	washer 21x60x12
9	0.065.1254.0/20	1	gasket
10	0.007.0851.0/10	1	cover
11	2.1529.073.0	1	special oil seal 110x130x13
12	2.1475.002.2	9	conical washer 8
13	2.0112.207.2	7	screw m 8 p 1.25 x 20
15	2.1589.137.0	2	shoulder ring 71x110x1
16	2.0432.003.7	2	stud bolt m 8 p.1.25 / p.1 x 20
17	2.1011.105.2	2	nut m 8 p.1.25
20	0.009.3704.3	1	antivibration pulley
21	0.010.4320.3/30	1	crankshaft
21.2	0.007.0855.0/10	1	gear
21.3	2.3130.001.1	6	plug 1/8" gas
21.4	2.1720.006.0	1	key 4x6.5
21.5	0.007.1188.0/30	1	gear Z = 29
21.6	2.1651.915.0	1	pin 12x35
22	0.011.2206.0/20	1	hub
23	2.0399.144.7/10	1	screw m 20 p.1.5x51
301	0.065.1215.7		main half bushing - mm 0.25
302	0.065.1215.8		main half bushing - mm 0.50
401	0.065.1216.7		main half bushing - mm 0.25
402	0.065.1216.8		main half bushing - mm 0.50
501	0.065.1218.7		shim + mm $0.10$
502	0.065.1218.8		$shim + mm \ 0.15$

Ref: B0.02.13 (1)


## Section: B0 - ENGINE ENGINE FLYWHEEL

Fig. P/n QTY Name

#### Notes:

- FOR TYPES WITHOUT HYDRAULIC SHUTTLE [XT-105] 1060 <-

1	0.007.1702.3/30	1	flywheel
1.2	0.065.1242.0	1	crown wheel $Z = 123$
2	0.008.5543.0	1	flange
3	2.0139.022.2	6	screw m 12 p.1.25x55



Ref: B0.02.14 (1)


## Section: B0 - ENGINE ENGINE FLYWHEEL

```
Fig. P/n QTY Name
```

#### Notes:

- FOR TYPES WITHOUT HYDRAULIC SHUTTLE [XT-105] -> 1061

1	0.012.2626.3/10	1	flywheel
1.2	0.065.1242.0	1	crown wheel $Z = 123$
2	0.255.2525.0/10	1	flange
3	2.0139.022.2	6	screw m 12 p.1.25x55



Ref: B0.02.15 (1)


## Section: B0 - ENGINE ENGINE FLYWHEEL

Fig. P/n QTY Name

#### Notes:

- FOR TYPES WITH HYDRAULIC SHUTTLE [XT-105]

1	0.010.8727.3	1	flywheel
1.2	0.065.1242.0	1	crown wheel $Z = 123$
2	2.0119.174.0/10	6	screw m 12 p.1.25x45



Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email:

ebooklibonline@outlook.com