

NEW HOLLAND Yard Tractor LS45-17H







Contents

| | Page |
|------------------------------------|------|
| Safety | 2 |
| Safe Operating Practices | 2 |
| Slope Chart | 5 |
| Safety and Instruction Decals | 7 |
| Gasoline and Oil | 8 |
| Recommended Gasoline | 8 |
| Filling the Fuel Tank | 8 |
| Check Engine Oil Level | 8 |
| Operation | 9 |
| Think Safety First | 9 |
| Controls | 9 |
| Parking Brake | 9 |
| Starting and Stopping the Engine | 10 |
| Operating the Power Take Off (PTO) | 11 |
| The Safety Interlock System | 11 |
| Indicator Control Module | 12 |
| Hourmeter | 12 |
| Driving Forward or Backward | 13 |
| Stopping the Machine | 13 |
| Attachment Lift Lever | 14 |
| Adjusting Dial-A-Height | 14 |
| Positioning the Seat | 15 |
| | |

| | Page |
|-------------------------------------|------|
| Headlights | 15 |
| Positioning the Tilt Steering Wheel | 15 |
| Using the Cruise Control | 16 |
| Pushing the Machine by Hand | 16 |
| Maintenance | 17 |
| Service Interval Chart | 17 |
| Air Cleaner | 18 |
| Engine Oil | 20 |
| Spark Plug | 22 |
| Greasing and Lubrication | 23 |
| Tire Pressure | 24 |
| Brake | 25 |
| Fuel Tank | 26 |
| Fuel Filter | 27 |
| Front Wheel Toe-In | 28 |
| Transaxle Fluid | 29 |
| Fuse | 29 |
| Headlights | 30 |
| Battery | 31 |
| Wiring Diagram | 34 |
| Cleaning and Storage | 35 |
| Troubleshooting | 36 |
| Warranty Back | Page |
| Owner Assistance Inside Back Cover | |

Safety

This machine meets or exceeds the B71.1–1990 specifications of the American National Standards Institute, in effect at the time of production. However, improper use or maintenance by the operator or owner can result in injury. To reduce the potential for injury, comply with these safety instructions and always pay attention to the safety alert \triangle symbol, which means CAUTION, WARNING, or DANGER—"personal safety instruction." Failure to comply with the instruction may result in personal injury or death.

Safe Operating Practices

This product is capable of amputating hands and feet and throwing objects. Always follow all safety instructions to avoid serious injury or death.

🚯 WARNING

POTENTIAL HAZARD

• Engine exhaust contains carbon monoxide, which is an odorless, deadly poison.

WHAT CAN HAPPEN

• Carbon monoxide can kill you and is also known to the State of California to cause birth defects.

HOW TO AVOID THE HAZARD

• Do not run engine indoors or in an enclosed area.

General Operation

- 1. Read, understand, and follow all instructions in the operator's manual and on the machine before starting.
- 2. Allow only responsible adults who are familiar with the instructions to operate the machine.
- 3. Clear the area of objects such as rocks, toys, wire, etc., which could be picked up and thrown by the blade.
- 4. Be sure the area is clear of other people before mowing. Stop the machine if anyone enters the area.
- 5. Never carry passengers.
- 6. Do not mow in reverse unless absolutely necessary. Always look down and behind before and while backing.
- 7. Be aware of the mower discharge direction and do not point it at anyone. Do not operate the mower without either the entire grass catcher or the guard in place.
- 8. Slow down before turning. Sharp turns on any terrain may cause loss of control.
- 9. Never leave a running machine unattended. Always turn off blades, set parking brake, stop engine, and remove key before dismounting.
- 10. Turn off blades when not mowing.
- **11.** Keep hands, feet, hair and loose clothing away from attachment discharge area, underside of mower and any moving parts while engine is running.
- **12.** Stop the engine before removing the grass catcher or unclogging the chute.

- 13. Mow only in daylight or good artificial light.
- **14.** Do not operate the machine while under the influence of alcohol or drugs.
- **15.** Watch for traffic when operating near or crossing roadways.
- **16.** Use extra care when loading or unloading the machine onto a trailer or truck.
- **17.** Do not touch equipment or attachment parts which may be hot from operation. Allow to cool before attempting to maintain, adjust or service.

Slope Operation

Slopes are a major factor related to loss-of-control and tip-over accidents, which can result in severe injury or death. All slopes require extra caution. If you cannot back up the slope or if you feel uneasy on it, do not mow it.

DO

- Mow up and down slopes greater than 5°, not across.
- Mow downhill only on slopes above 10°, never mow uphill. If a steep slope must be ascended, back up the hill, and drive forward down the hill, keeping the machine in gear.
- Remove obstacles such as rocks, tree limbs, etc. from the mowing area. Watch for holes, ruts or bumps, as uneven terrain could overturn the machine. Tall grass can hide obstacles.
- Use slow speed. Choose a low gear so that you will not have to stop or shift while on the slope.
- Follow the manufacturer's recommendations for wheel weight or counterweights to improve stability.
- Use extra care with grass catchers or other attachments. These can change the stability of the machine.

- Keep all movement on slopes slow and gradual. Do not make sudden changes in speed or direction.
- Avoid starting or stopping on a slope. If tires lose traction, disengage the blades and proceed slowly straight down the slope.

DO NOT

- Do not operate machine on hillsides or slopes exceeding 15°.
- Avoid turning on slopes. If you must turn, turn slowly and gradually downhill, if possible.
- Do not mow near drop-offs, ditches, or embankments. The machine could suddenly turn over if a wheel goes over the edge of a cliff or ditch, or if an edge caves in.
- Do not mow on wet grass. Reduced traction could cause sliding.
- Do not try to stabilize the machine by putting your foot on the ground.
- Do not use a grass catcher on steep slopes. Heavy grass bags could cause loss of control or overturn the machine.

Children

Tragic accidents can occur if the operator is not alert to the presence of children. Children are often attracted to the machine and the mowing activity. Never assume that children will remain where you last saw them. The following requirements must be followed to prevent injury to children.

- 1. Keep children out of the mowing area and under the watchful care of another responsible adult.
- 2. Be alert and turn the machine off if children enter the area.
- **3.** Before and while backing, look behind and down for small children.
- 4. Never carry children. They may fall off and be seriously injured or interfere with safe machine operation.
- 5. Never allow children to operate the machine.
- 6. Use extra care when approaching blind corners, shrubs, trees, the end of a fence or other objects that may obscure vision.


Service

- 1. Stop the engine, disconnect spark plug wire(s) and remove key before performing any service, repairs, maintenance or adjustments.
- 2. Use extra care when handling gasoline and other fuels. They are flammable and vapors are explosive.
 - A. Use only an approved container.
 - B. Never remove the gas cap or add fuel when the engine is running. Allow the engine to cool before refueling. Do not smoke.
 - C. Never refuel the machine indoors.
 - D. Never store the machine or fuel container inside where there is an open flame, such as near a water heater or furnace.
- 3. Never run a machine inside a closed area.

- 4. Keep nuts and bolts tight, especially the blade attachment bolts. Keep equipment in good condition.
- 5. Never tamper with safety devices. Check safety systems for proper operation before each use.
- 6. Keep the machine free of grass, leaves, or other debris build-up. Clean up oil or fuel spillage. Allow the machine to cool before storing.
- 7. Stop and inspect the equipment if you strike an object. Repair, if necessary, before restarting.
- 8. Grass catcher components are subject to wear, damage and deterioration, which could expose moving parts or allow objects to be thrown. Frequently check components and replace with manufacturer's recommended parts, when necessary.
- **9.** Mower blades are sharp and can cut. Wrap the blade(s) or wear gloves, and use extra caution when servicing them.
- **10.** Use only genuine replacement parts to ensure that original standards are maintained.
- **11.** Check brake operation frequently. Adjust and service as required.
- 12. Battery acid is poisonous and can cause burns. Avoid contact with skin, eyes and clothing. Protect your face, eyes and clothing when working with a battery.
- **13.** Battery gases can explode. Keep cigarettes, sparks and flames away from battery.

Slope Chart

Read all safety instructions on pages 2-4.



Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email:

ebooklibonline@outlook.com