OPERATOR'S MANUAL

T7030

T7040

T7050

T7060

T7070

Sidewinder II

Auto Command and Power Command

Transmission - Tractor



Replaces part number 47623323

Contents

1	GENERAL INFORMATION	
	Metric and imperial units abbreviations	
	Note to the Owner	
	Engine identification	
	Drive line identification	
	Drive line identification	
	Cab identification	
	Ecology and the environment	
	Advice	
	Programming tractor functions	
	Before operating the tractor	
	International symbols	
	Machine stability	
	instructor's seat	1-18
_		
2	SAFETY INFORMATION	
	Safety precautions	
	Safety decals	
	Safety rules	
	Fire extinguisher	
	Protection offered by the tractor	
	intended use statement	
_	CONTROL O AND INICTRIMENTO	
3	CONTROLS AND INSTRUMENTS	
	ACCESS TO OPERATOR'S PLATFORM	
	Cab access/exit	3-1
	Cab - Localization overview	
	Cab air filters	
	Cable routing	
	Mobile phone	
	Monitor installation	
	Cab air pressurisation control (where fitted)	3-10
	OPERATOR'S SEAT Air suspension seat	2 12
	Air suspension seat deluxe	
	Armrest control	
	Seat belt	
	INSTRUCTOR'S SEAT	
	INSTRUCTOR'S SEAT	3_21
	mod dotor o ocut	5 2 1

FORWARD CONTROLS	
Key start switch	3-22
Hazard warning light operation	3-22
Light's and turn indicator lever	3-23
Follow me home light's	
Windshield wiper and washer controls	
Electronic parking brake	
Foot brakes	
Exhaust brake where fitted	
Steering column	
Adjustable air vents	3-31
LEFT-HAND SIDE CONTROLS	
Handbrake	3_32
i laliubi ake	3-32
RIGHT-HAND SIDE CONTROLS	
Integrated control panel	
Integrated control panel	
Hand throttle lever	
Multi function handle	3-35
REARWARD CONTROLS	
Switches	3-36
Hydraulic master switch	3-37
Heated screens (where fitted)	3-38
Fast steering system (where fitted)	
Battery isolator switch (where fitted)	
Climate controls	
Manual temperature control	
Automatic temperature control	
Programme Progra	
OVERLIEAR CONTROL C	
OVERHEAD CONTROLS	0 47
Switch panel work lights	
Radio or audio system	
Interior light	3-49
INSTRUMENT CLUSTER	
Analogue digital instrument cluster	3-50
Gauges	
Indicator and warning lights	
Displays	
Keypad enhanced	
Display settings	
Ground speed calibration	
·	
Performance monitor	
Color display	
Performance monitor	
1 GHOHIMATICE HIGHINGI	J-10

Display programming 3-7	'9
Error code access	
Warning and advisory symbols 3-8	3
OPERATING INSTRUCTIONS	
COMMISSIONING THE UNIT	,
Refueling the tractor 4-	- 1
STARTING THE UNIT	
Starting the engine 4-	
Grid heater cold start aid (where fitted)	-3
Fuel heater (where fitted)4-	
Coolant immersion heater (where fitted) 4-	
Transmission oil heater (where fitted) 4-	
Transmission - Operating Cold weather 4-	
Booster battery procedure 4-	-7
STOPPING THE UNIT	
Engine shutdown 4-	-8
Engine automatic shutdown 4-	
MOVING THE UNIT	
Operating in cold temperatures4-	_a
Engine fan reversal	
TDANIODODT ODEDATIONO	
TRANSPORT OPERATIONS	
PREPARING FOR ROAD TRANSPORT	
Tractor transporting 5-	-1
Roof panel securing 5-	-1
RECOVERY TRANSPORT	
Towing the tractor	-2
	_
MODKING ODEDATIONS	
WORKING OPERATIONS	
GENERAL INFORMATION	
Engine power management 6-	
Engine constant speed 6-	
Differential lock	
Four wheel drive 6- Front axle suspension (where fitted) 6-1	
Automated headland functions	
Headland turn sequence symbols HTS Quick reference	
Record and replay 6-1	
Universal symbols 6-2	
Recording a sequence 6-2	22

Record and replay	6-24
Colour display screens	6-28
Colour display screens	6-31
TDANICALCCIONI	
TRANSMISSION	6 22
Full powershift transmission	
Clutch pedal	
Foot throttle pedal	
Transmission operation	
Powershift transmission controls	
Transmission display	
Driving the tractor	
Auto shift function	
Speed matching	
Setting the forward and reverse gear ratios	
Creeper gears	
Viewing error codes	
Ground speed Ground speeds	
Continuously Variable Transmission (CVT) operation	
Transmission operation	
Anti jack knife	6-52
Stationary control	6-53
Engine speed control	6-54
CVT transmission controls	6-55
CVT transmission controls	
Drive pedal	
Speed setup	
Transmission display	
Manual mode	
Automatic mode	
Cruise mode Two speed PTO systems	
' '	
Speed matching	
Viewing error codes	6-71
REAR POWER TAKE-OFF	
PTO operation	6-72
PTO interchangable shaft	
Power Take-off (PTO) Connection	
PTO operation	
PTO 2 speed system	
PTO shiftable multi speed	
PTO electronic Electronic (where fitted)	
PTO external controlsPTO automatic system	
1 10 automatio system	J-01
FRONT POWER TAKE OFF	
PTO operation	6-90
PTO automatic system	6-92

REAR HITCH	
Draft control electronic	
Three-point hitch	
Electronic Draft Control (EDC) operation External hitch controls	
External filter controls	6-105
FRONT HITCH	
Front hitch	
Front hitch operation	
Auxiliary front couplers (where fitted) External hitch controls	
External fillon controls	0-110
ELECTRO-HYDRAULIC REMOTE CONTROL VALVES (whe	ere fitted)
Remote control valves	
Remote control valves	
Remote control valve operation	
Remote control valve operation	
Joystick operation	
Mid mount control valve	
Remote valve controls	
Hydraulic oil level	
HYDRAULIC POWER BEYOND PORT	
HYDRAULIC POWER BEYOND PORT FOR EXTERNAL SERVICES	6-152
Power beyond circuit	
Power beyond circuit	
THREE POINT HITCH	
Three-point hitch	6-155
Lift rods	
Top link	
Lower links	6-162
Quick hitch	
Lower links	6-165
DRAWBARS AND TOWING ATTACHMENTS	
Drawbars and towing attachments	
Drawbars and towing attachments	6-171
TRAILER BRAKING SYSTEMS	
Trailer brakes air operated	6-175
Trailer brake bias control	
Trailer brakes air operated	
Trailer brakes hydraulic operated	6-180

WHEEL TRACK ADJUSTMENT	
Front wheel track adjustment	
Front wheel alignment	6-186
Steering stops	6-187
Front axle	
Front wheel fenders	
Rear wheel track adjustment	
Flange type axle (where fitted) Flange type	
Bar type axle (where fitted) Bar type	
Dual rear wheels (where fitted) Dual wheels	6-200
BALLASTING AND TIRES	
Tires and wheels ballast	
Tires and wheels ballast	
Tires and wheels ballast	
Front wheels	
Front wheels	0-211
AUXILIARY POWER CONNECTIONS	
Diagnostic socket	6-213
Trailer electrical socket	
Internal power connectors	
External power connectors	6-217
7 MAINTENANCE	
GENERAL INFORMATION	7.4
Introduction	
Diesel fuel	
Engine oil	
Protective devices	
Fluids and lubricants	
Tractor jacking points	7-10
Specifications	7-11
Capacities	
Organic Acid Technology (OAT) coolant	7-13
MAINTENANCE CHART	
Maintenance chart	7_1/
WHEN THE WARNING LAMP LIGHTS	
Air cleaner	
Fuel filter	7-17
	7-17
EVERY 10 HOURS OR EACH DAY	
EVERY 10 HOURS OR EACH DAY Engine coolant	7-18
EVERY 10 HOURS OR EACH DAY	7-18 7-19

Trailer brakes air operated	7-20
FIRST 50 HOURS	
Service schedule	7-21
EVERY 50 HOURS	
Cab air filters	7-22
Engine and hydraulic coolers	
Grease fittings	
Wheel and axle torques	
Tire pressure and condition	7-33
EVERY 100 HOURS Drive belts	7 24
Drive belts	
	7 04
EVERY 300 HOURS	
Battery check	7-35
Transmission and hydraulic oil	
Handbrake	
PTO Gearbox	
Engine gearbox - Check	
Front axle	7-39
EVERY 600 HOURS	
Engine oil and filter	7-40
Fuel filters	7-42
Air cleaner elements	
Transmission / hydraulic oil filters	
Engine air intake hoses	
Transmission	7-47
EVERY 1200 HOURS OR ANNUALLY	
Cab air filters	7-48
Transmission / hydraulic oil filters	7-50
Transmission and hydraulic fluid-change	
Differential oil	
Differential oil	
Front axle (4WD) - oil change	
PTO gearbox (if equipped)	
PTO gearbox (if equipped)	
Rear axle	7-58
EVERY 1200 HOURS OR EVERY 2 YEARS	
Battery	7-59
Engine air cleaner	
Engine valve adjustment	
Change the engine coolant fluid - Conventional type coolant	

•	
Drive beits	
EVERY 1800 HOURS OR E	VERY 2 YEARS7-70
Engine breather litter	
EVERY 3600 HOURS OR E	VERY 4 YEARS
	OAT type coolant
EVERY 36 MONTHS	7-76
7 til Goriationing	
GENERAL MAINTENANCE	
Cleaning the tractor	
-	
•	
•	
• • • • •	
	7-103
STORAGE	
<u> </u>	
Storage up alter	
8 TROUBLESHOOTING	
FAULT CODE RESOLUTION	N
	8-1
ALARM(S)	8-2
Liectionic fault codes	
SYMPTOM(S)	
<u> </u>	8-4
	8-6
	8-6 8-6
Gab	0-0

Electrical system	8-7
9 SPECIFICATIONS	
GENERAL DIMENSIONS	
Specifications	
Capacities	
Transmission - Capacity	
Front axle system - Capacity	
Engine	
Transmission	
Front Power Take-Off (PTO)	
Hydraulic system	
Three-point hitch	
Remote control valves	
Three-point hitch front	
Brakes	
Steering	
Electrical equipment	
Tightening torques	9-16
10 ACCESSORIES	
Rear view mirrors	10-1
Lighting system	
Roof beacon	
Front loader support	10-5
11 FORMS AND DECLARATIONS	
Service record 1st 50 hour, Owner copy	
Service record 1st 50 hour, Dealer copy	11-5

1 - GENERAL INFORMATION

Metric and imperial units abbreviations

Typical applications	Metric unit		Imperial unit	
<i>.</i> , .,	Name	Symbol	Name	Symbol
Area (Land area)				
	hectare	ha	acre	ac
	square meter	m²	square foot	ft²
			square inch	in²
	square millimeter	mm²	square inch	in²
Electricity				
	ampere	Α	ampere	Α
	volt	V	volt	V
	microfarad	μF	microfarad	μF
	ohm	Ω	ohm	Ω
Force				
	kilonewton	kN	pound	lb
	newton	N	pound	lb
Force per length				
	newton per meter	N/m	pound per foot	lb/ft
			pound per inch	lb/in
Frequency				
	megahertz	MHz	megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
Frequency - Rotational		_		
	revolution per minute	r/min	revolution per minute	r/min ^a
	-	rpm		rpm
Length		_		
	kilometer	km	mile	mi
	meter	m	foot	ft
	centimeter	cm	inch	in
	millimeter	mm	inch	in
	micrometer	μm		
Mass				
	kilogram	kg	pound	lb
	gram	g	ounce	OZ
	milligram	mg		
Mass per mass				
	milligram per kilogram	mg/ kg	parts per million	ppm
Power				
	kilowatt	kW	horsepower	Нр
	watt	W	Btu per hour	Btu/hr
			Btu per minute	Btu/min
Pressure or stress (Force	per area)			
	kilopascal	kPa	pound per square inch	psi
			inch of mercury	inHg
	pascal	Pa	inch of water	inH2O
	megapascal	MPa	pound per square inch	psi
	millibar	mbar		•
	bar	bar		
-			<u>.</u>	

Typical applications	Metric unit		Imperial unit		
	Name	Symbol	Name	Symbol	
Temperature (other than the					
	degrees Celsius	°C	degrees Fahrenheit	°F	
Time					
	hour	h	hour	h	
	minute	min	minute	min	
	second	S	second	S	
Torque (includes bending n	noment, moment of force, an				
	newton meter	N m	pound foot	lb ft	
			pound foot	lb in	
Velocity					
	kilometer per hour	km/h	mile per hour	mph	
	meter per second	m/s	foot per second	ft/s	
	millimeter per second	mm/s	inch per second	in/s	
	meter per minute	m/min	foot per minute	ft/min	
Volume (includes capacity)					
	cubic meter	m³	cubic yard	yd³	
				cu yd	
	liter		cubic inch	in³	
	liter		US gallon	US gal	
			UK gallon	UK gal	
			US quart	US qt	
			UK quart	UK qt	
	milliliter	ml	fluid ounce	fl oz	
Volume per time (includes discharge and flow rate)					
	cubic meter per minute	m³/min	cubic foot per minute	ft³/min	
	liter per minute	l/min	US gallon per minute	US gal/min	
	milliliter per minute	ml/min	UK gallon per minute	UK gal/min	
Sound power level and sound pressure level					
·	decibel	dB	decibel	dB	
Water hardness					
	German hardness	°dH	English hardness	°e	
	French hardness	°fH	parts per million	ppm	

Glossary

Acronym	Definition
DEF	Diesel Exhaust Fluid
ISO	International Organization for Standardization
MSDS	Material Safety Data Sheet
NOx	Nitrogen Oxide
PPE	Personal Protective Equipment
SCR	Selective Catalytic Reduction
ULSD	Ultra Low Sulfur Diesel
%	Percent
<	Less than
>	Greater than

Note to the Owner

GENERAL INFORMATION

This Manual has been prepared to assist you in the correct procedure for running- in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorised dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your authorised dealer.

All data given in this manual is subject to production variations. Dimensions and weight are approximate only. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your authorised dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified in Maintenance Section of this Manual, are carried out at the recommended intervals.

ABOUT THIS MANUAL

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy retrieval.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by professional service personnel.

The Table of Contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

Normal operation

 Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed

- equipment and complying with the information for operation and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/ or the crop.

Routine service

 Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fueling, cleaning, washing, topping up fluid levels, greasing, replacing of consumable articles such as lamp bulbs.

Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's workshop manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

CLEANING THE TRACTOR

Your tractor is a state- of- the- art machine with sophisticated, electronic controls. This should be taken into consideration when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com