# **OPERATOR'S MANUAL**

TS6.110

TS6.110 HC

TS6.120

**TS6.120 HC** 

TS6.130

TS6.140

Tier 4B (final)

**Tractor** 



## Contents

| 1 | GENERAL INFORMATION  | 4 4   |
|---|--|-------|
|   | Note to the owner  |       |
|   | Electro-Magnetic Compatibility (EMC)                                     |       |
|   | Product identification   |       |
|   | Operator's manual storage on the machine                                 | 1-7   |
|   | Machine orientation  |       |
|   | Machine components   |       |
|   | Selective Catalytic Reduction (SCR) exhaust treatment - Product overview | 1-12  |
| 2 | SAFETY INFORMATION   |       |
|   | Safety rules and signal word definitions                                 |       |
|   | Safety rules   |       |
|   | Ecology and the environment  |       |
|   | Safety signs   |       |
|   | Informational decals   | 2-38  |
| 3 | CONTROLS AND INSTRUMENTS   |       |
|   | Access to operator's platform  |       |
|   | Proper entry and exit  | 3-1   |
|   | Operator's seat  |       |
|   | Mechanical operator's seat   | 2 2   |
|   | Pneumatic operator's seat  |       |
|   | Seat belt operation  |       |
|   | Coat boil operation  |       |
|   | Instructional seat   |       |
|   | Overview   | 3-7   |
|   | Forward controls   |       |
|   | Front console  |       |
|   | Foot pedals  |       |
|   | Selective Catalytic Reduction (SCR) exhaust treatment - Overview         | 3-11  |
|   | Left-hand side controls  |       |
|   | Power Take-Off (PTO) (without cab)                                       | 3-20  |
|   | Parking brake  |       |
|   | Door and window operation  |       |
|   | Storage  | 3-21  |
|   | Right-hand side controls   |       |
|   | Transmission controls  | 3-22  |
|   |  | 5 === |

| DualPower™   | 3-23  |
|--|-------|
|  |       |
| Hydraulic controls   |       |
|  |       |
| Heating, Ventilation, and Air Conditioning (HVAC) controls |       |
| Door and window operation                                  | 3-29  |
| Rearward controls  |       |
| Rear window operation                                      | 3_30  |
| Rear window wiper  |       |
| real window wiper  | 0 00  |
| Overhead controls  |       |
| Radio  | 3-31  |
| Radio operation  | 3-31  |
| Dome light   | 3-39  |
| Roof hatch   | 3-39  |
|  |       |
| Display  |       |
| Analog/Digital Instrument Cluster (ADIC)                   | 3-40  |
| Warning and status indicators                              |       |
| Display overview   |       |
| Alarms   |       |
| Setup menu   |       |
| Overview   |       |
| Audible alarm buzzer                                       |       |
| Fuel consumption units                                     |       |
| Active error codes and warnings                            |       |
| Backlighting and dimming                                   |       |
| Lamps and gauges   |       |
| Display  |       |
|  |       |
| OPERATING INSTRUCTIONS                                     |       |
| Commissioning the unit                                     |       |
| Run-in period of a new machine                             | 4-1   |
| Roll Over Protective Structure (ROPS)                      |       |
|  |       |
| Starting the unit  |       |
| Starting the engine  | . 4-4 |
| Engine starting aids                                       |       |
|  |       |
| Stopping the unit  |       |
| Stopping the tractor                                       | . 4-9 |

| N   | Moving the unit  General transmission operation |                |
|-----|---|----------------|
| 5 T | RANSPORT OPERATIONS                             |                |
| F   | Road transport                                  |                |
|     | Basic instructions                              | . 5-1<br>. 5-2 |
| F   | Recovery transport                              |                |
|     | Towing the tractor                              | . 5-7          |
| 6 W | VORKING OPERATIONS                              |                |
| 7   | Tires and wheels                                |                |
|     | Tire load and inflation charts                  |                |
|     | Tractor ballasting                              |                |
|     | Liquid ballast  Front wheel tread settings      |                |
|     | Rear wheel tread settings                       |                |
|     | Bar axle adjustment                             |                |
|     | Dual rear wheels                                |                |
|     | Driveline                                       |                |
|     | Creeper gears                                   |                |
|     | Four-Wheel Drive (4WD)                          |                |
|     | Differential lock                               |                |
| F   | Hydraulic system                                |                |
| •   | Hydraulic Power Lift (HPL)                      | 6-28           |
|     | Hydraulic remote control valves                 |                |
|     | Connecting remote cylinders                     |                |
|     | Operating single-acting hydraulic cylinders     |                |
|     | Operating double-acting hydraulic cylinders     | 6-35           |
| I   | mplements                                       |                |
|     | Adjusting the drawbar                           | 6-36           |
|     | Hitch operation  Power Take-Off (PTO) operation |                |
| 7 M | IAINTENANCE                                     |                |
| (   | General information                             |                |
|     | Safety rules – Machine service access           | . 7-1          |

| Warranty notice  | 7-1  |
|--|------|
| Jacking points   | 7-1  |
| Opening the hood   | 7-2  |
| Fueling the machine  | 7-3  |
| Selective Catalytic Reduction (SCR) exhaust treatment - Basic instructions | 7-4  |
| General specification - Biodiesel fuels                                    | 7-5  |
| General specification - Diesel fuel  | 7-7  |
| Torque - Minimum tightening torques for normal assembly                    | 7-8  |
| Standard torque data for hydraulics  | 7-13 |
| Organic Acid Technology (OAT) coolant                                      | 7-17 |
| Fluid capacities and lubricants  |      |
| Engine oil - Recommended engine oil for operating temperature ranges       | 7-20 |
| Maintenance planning   |      |
| Maintenance chart  | 7-21 |
| Warning light on   |      |
| Engine air filter (outer element) - Clean                                  | 7 22 |
| Fuel filter water separator - Drain fluid                                  |      |
| Brake fluid - Level make up  |      |
| Brake fluid - Level fliake up  | 1-20 |
| Every 10 hours or daily  |      |
| Engine oil - Level make up   |      |
| Radiator, oil cooler, and condenser - Clean                                |      |
| Engine cooling system - Level make up                                      | 7-31 |
| Every 50 hours   |      |
| Tire pressure - Check  | 7-32 |
| Transmission, rear axle, and hydraulic system oil - Level make up          |      |
| Final drive housing oil - Level make up                                    |      |
| Brake fluid - Level make up  |      |
| Windshield washer fluid - Level make up.                                   |      |
| Fuel filter water separator - Drain fluid                                  |      |
| Cab recirculation air filter - Clean                                       |      |
| Cab air filter - Clean   |      |
| Wheel hardware - Check   |      |
| Grease points - Grease   |      |
| Clutch pedal - Adjust  | 7-40 |
| Every 300 hours  |      |
| Four-Wheel Drive (4WD) front axle differential oil - Level make up         | 7-42 |
| Four-Wheel Drive (4WD) front axle hub oil - Level make up                  |      |
| Transmission and hydraulic oil filter - Replace                            |      |
| Cab and safety frame mounting hardware torque - Check                      |      |
| Parking brake - Adjust   |      |
| Brake pedal - Adjust   |      |
| Alternator drive belt - Check  |      |

| Air conditioning compressor belt - Check   |  |
|--|--|
| Every 600 hours  Diesel Exhaust Fluid (DEF)/AdBlue® supply module pre-filter - Clean  Engine oil - Change fluid  Engine air filter (outer element) - Replace  Fuel filter water separator - Replace  | 7-52<br>7-54   |
| Every 1200 hours or annually Diesel Exhaust Fluid (DEF)/AdBlue® supply module pre-filter - Replace Transmission, rear axle, and hydraulic system oil - Change fluid Final drive housing oil - Change fluid Four-Wheel Drive (4WD) front axle differential oil - Change fluid Four-Wheel Drive (4WD) front axle hub oil - Change fluid  | 7-59<br>7-61<br>7-61                                 |
| Every 3600 hours or two years  Diesel Exhaust Fluid (DEF)/AdBlue® supply module main filter - Replace  | 7-63   |
| Every 4000 hours or four years  Engine coolant - Change fluid  | 7-67   |
| As required  Diesel Exhaust Fluid (DEF)/AdBlue® supply module inlet filter - Replace  Diesel Exhaust Fluid (DEF)/AdBlue® tank inlet filter - Replace  Diesel Exhaust Fluid (DEF)/AdBlue® supply module backflow filter - Replace  Headlights - Adjust  Headlight bulb - Replace  Work light bulb - Replace  Rear light bulb - Replace  Steering stops - Adjust  Steering toe-in - Adjust | 7-71<br>7-72<br>7-73<br>7-73<br>7-73<br>7-75<br>7-76 |
| Fuse and relay locations  Chassis fuse box  Engine fuse box  Other fuses and relays  | 7-86   |
| Storage Preparing for storage Removing from storage  |  |

## 8 TROUBLESHOOTING

|     | Symptom(s)                            |      |
|-----|---------------------------------------|------|
|     | Engine                                | 8-1  |
|     | Transmission                          | 8-2  |
|     | Electrical system                     | 8-2  |
|     | Hydraulic system                      | 8-3  |
|     | Hydraulic remote control valves       |      |
|     | Three-point hitch                     |      |
|     | Brakes                                | 8-4  |
|     | Cab                                   |      |
| 9.9 | SPECIFICATIONS                        |      |
|     | Length and height                     | 9-1  |
|     | Width                                 |      |
|     | Ground clearance                      | 9-5  |
|     | Weight                                | 9-7  |
|     | Engine                                | 9-10 |
|     | Cooling system                        | 9-10 |
|     | Transmission                          |      |
|     | Ground speeds                         |      |
|     | Maximum side slope operation          |      |
|     | Power Take-Off (PTO)                  | 9-28 |
|     | Hydraulic system                      | 9-29 |
|     | Three-point linkage                   | 9-29 |
|     | Brake system                          | 9-29 |
|     | Steering system                       | 9-30 |
|     | Electrical system                     | 9-31 |
|     | Lubrication system - Capacities       |      |
| 10  | ACCECCODIEC                           |      |
|     | ACCESSORIES                           | 10 1 |
|     | Engine                                | 10-1 |
|     | Chassis                               | 10-2 |
|     | Roll Over Protective Structure (ROPS) |      |
|     | Safety                                |      |
|     | Hydraulics                            |      |
|     | Hitch                                 |      |
| 11  |                                       |      |
|     | FORMS AND DECLARATIONS                | 44   |
|     | Delivery report - Owner copy          |      |
|     | Delivery report - Dealer copy         | 11-2 |

## 1 - GENERAL INFORMATION

## Note to the owner

This manual contains information concerning the adjustment and maintenance of your new equipment. You have purchased a dependable machine, but only by proper care and operation can you expect to receive the performance and long service built into this equipment. Please have all operators read this manual carefully and keep it available for ready reference.

Your NEW HOLLAND dealer will instruct you in the general operation of your new equipment; see "Delivery report - Owner copy" (11-1). Your dealer's staff of factory-trained service technicians will be glad to answer any questions that may arise regarding the operation of your machine. New Holland Top Service is also available. Go to www.newholland.com.

Your NEW HOLLAND dealer carries a complete line of genuine NEW HOLLAND service parts. These parts are manufactured and carefully inspected to insure high quality and accurate fitting of any necessary replacement parts. Be prepared to give your dealer the model and product identification number of your new equipment when ordering parts. Locate these numbers now and record them below. For information on the location of the model and Product Identification Number (PIN) of your machine, see "Product identification" (1-4).

**ATTENTION:** The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealer, customers, operators, and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action, and possible confiscation of the machine until rework to original condition is completed. Engine service and/or repairs must be done by a certified technician only!

| Please record the following information  Model |  |
|--|--|
| Product Identification Number (PIN)            |  |
| Date purchased                                 |  |
| Engine model (as applicable)                   |  |
| Engine PIN (as applicable)                     |  |



This is the safety alert symbol. It is used with and without signal words to alert you to potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible death or injury.

#### WARNING

Illustrations in this manual may show protective shielding open or removed to better illustrate a particular feature or adjustment.

Replace all shields before operating the machine.

Failure to comply could result in death or serious injury.

W0012A

#### **Improvements**

CNH Industrial America LLC is continually striving to improve its products. We reserve the right to make improvements or changes when it becomes practical and possible to do so, without incurring any obligation to make changes or additions to the equipment sold previously.

## Intended use

This tractor, with standard equipment and authorized attachments, is intended to be used for customary farming and related agriculture operations. Farming implements and attachments for loading and moving materials can be used on the tractor where recommended and approved by NEW HOLLAND. Installation of utility (dozer) blades, tile plows, or push bars on the tractor is not recommended. Any tractor damage resulting from the installation and/or use of such equipment is not covered by the tractor warranty.

Though the machine is designed to perform in most agricultural conditions, there may be a number of combinations for which there is severe degradation of performance of the machine or systems thereof. The machine performance depends on a number of limitative parameters, such as weather and terrain conditions, agricultural demands, and harvesting demands. If you notice degradation of performance, contact your NEW HOLLAND dealer for assistance. They may have useful information for improvements, or a kit may be available to enhance the performance.

Prior to delivery, all machines are carefully inspected by your local authorized NEW HOLLAND dealer, ensuring that the machine reaches the user in perfect condition. To maintain the tractor in this condition and ensure trouble-free operation, see "Maintenance chart" (7-21).

#### Prohibited usage

Consult an authorized NEW HOLLAND dealer about changes, additions, or modifications that can be required for this machine to comply with various regulations and safety requirements. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

**NOTICE:** DO NOT use this machine for any purpose or in any manner other than as described in the manual, decals, or other product safety information provided with the machine. These materials define the intended use of the machine.

**NOTICE:** All persons who will be operating this tractor shall possess a valid local vehicle operating permit and/or other applicable local age work permits.

## Electro-Magnetic Compatibility (EMC)

Interference may arise as a result of add-on equipment that may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:

- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the machine
- The electro-magnetic field generated by the add-on system should not exceed **24 V/m** at any time and at any location in the proximity of electronic components
- The add-on equipment must not interfere with the functioning of the on board electronics


Failure to comply with these rules will render the NEW HOLLAND warranty null and void.

## Product identification

The machine is identified with a Vehicle Identification Number (VIN) plate as well as a serial number. You should supply the machine VIN plate data to your NEW HOLLAND dealer when requesting parts or service. The VIN is also used to identify the machine in case of theft.

## **Vehicle Identification Number (VIN) plate**

The VIN plate is located on the left-hand side of the radiator support.



CNH Industrial S.A de C.V.

MADE IN MEXICO

TRACTOR NUMBER MODEL UNIT

ENGINE TRANSMISSION REAR AXLE


HYDRAULIC PUMP HYDRAULIC LIFT ENGINE DATE

SPECIAL ORDER

MAKE:


NHIL14TR00006AA


The serial number is found on the right-hand side of the transmission housing, behind the right-hand access ladder at (1). The serial number is also stamped on the top of the front axle support at (2).




## Four-Wheel Drive (4WD) front axle serial number plate


The standard duty front axle serial number plate is located on the rear right-hand side of the front axle housing.






The heavy duty front axle serial number plate is located on the front left-hand side of the front axle housing.





## Roll-Over Protective Structure (ROPS) serial number


The Roll-Over Protective Structure (ROPS) serial number plate is located on the left-hand rear platform support.



NHIL15TR00189AA

### Cab serial number


The cab serial number plate is located on the left-hand rear cab support.



NHIL14TR00915AA

## Hydraulic pump serial number plate


The hydraulic pump serial number plate is located above the hydraulic oil filter on the right-hand side of the machine.



NHIL14TR00849AA

## Engine serial number plate

The engine serial number plate is located on the top of the engine valve cover, below the Diesel Oxidation Catalyst (DOC) canister (1).




DESCRIPTION OF PRINTED OF PRINTED OF STATE OF U.S. SERVED OF SERVE

NHIL14TR00962AA 1

## Operator's manual storage on the machine

Operator's manual storage is only provided on machines that are equipped with the deluxe operator's seat. Store the operator's manual in the manual holder (1) on the back of the operator's seat.

If the machine is not equipped with a deluxe operator's seat, store the operator's manual in a safe place that will be easily accessible for each operator.



NHIL14TR00929AA

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com