# **OPERATOR'S MANUAL**

T7.165S

T7.175

T7.190

T7.210

Tractor - Tier 4B (final)

PIN HACT7\*\*\*\*HE101001 and above



## **Contents**

1	GENERAL INFORMATION  Metric and imperial units abbreviations	1_1
	To the owner	
	Product identification	
	Engine identification	
	Drive line identification	
	Cab identification	1-8
	Ecology and the environment	
	Programming tractor functions	
	Operator's manual storage	
	Before operating the tractor	
	International symbols	1-12
	Machine stability	1-13
	Selective Catalytic Reduction (SCR) system	1-17
2	SAFETY INFORMATION	
_	Safety precautions	2-1
	Safety decals	
	Safety rules	
	Burn prevention	
	Prevention of fire or explosions	
	Fire extinguisher	
	Protection offered by the tractor	
	Hazardous substances	
	Emergency exit	
	Wheel chocks	2-26
	Intended use statement	
	Instructor's seat	2-29
3	CONTROLS AND INSTRUMENTS	
	ACCESS TO OPERATOR'S PLATFORM	
	Introduction	
	Cab air filters	
	In cab storage (where fitted)	
	Cable and wiring routing	
	Mobile telephone usage	
	Implement monitor installation	
	Cab air pressurisation control (where fitted)	3-8
	OPERATOR'S SEAT	
	Operator's seat	
	Air suspension seat deluxe	
	Air suspension seat with passive or Dynamic Damping System (DDS)	3-16
	Air suspension seat 'evolution active'	3-22
	Seat belt	3-29

INSTRUCTOR'S SEAT Instructional seat	3-30
FORWARD CONTROLS	
Ignition key	
Hazard light switch	
Lights and turn indicator lever	
Follow me home lights	
Windshield wiper and washer controls	
Electronic parking brake	
Clutch pedal	
Foot brakes	
Steering column	3-42
LEFT-HAND SIDE CONTROLS	
Hand brake	3-43
RIGHT-HAND SIDE CONTROLS	
Switch panel	
Advanced steering system field/road switch	
Variable Ratio Steering (VRS)	
Autoguidance system	
Autoguidance - Variable ratio steering	3-50
REARWARD CONTROLS	
Switches on C-pillar	
Battery isolator control switch	
Lock switch for Electro Hydraulic Remote (EHR) control valves	
Climate controls (Low-profile cab)	
Manual temperature control (Low-profile cab)	3-57
OVERHEAD CONTROLS	
Switch panel	
Left-hand and right-hand outermost work light switch	3-59
Interior lights	
Climate controls	
Manual temperature control	
Automatic Temperature Control (ATC)	3-63
INSTRUMENT CLUSTER	0.04
Analog Digital Instrument Cluster (ADIC)	
Gauges	
Indicator and warning lights	
Displays	
Keypad enhanced	
Selecting or changing the display settings	

	Ground speed calibration	3-74
	Performance monitor	
	Tire Pressure Monitoring System (TPMS) (where fitted)	
	Color monitor (where fitted)	
	Pop-up screens on color display	
	Performance monitor on color display	
	Programming the displays	
	Alarm functions	
	Selective Catalytic Reduction (SCR) exhaust treatment - Overview	
	Warning and advisory symbols	
4	OPERATING INSTRUCTIONS	
	COMMISSIONING THE UNIT	
	Refueling the tractor	4-1
	CTARTING THE HAUT	
	STARTING THE UNIT Starting the engine	4-3
	Grid heater cold start aid (where fitted)	
	Fuel heater (where fitted)	
	Coolant immersion heater (where fitted)	
	Transmission oil heater (where fitted)	
	(	
	STOPPING THE UNIT	
	Stopping the engine	4-9
	Automatic engine shut down	
	Automatic engine shut down with enhanced keypad (where fitted)	
	31 \	
	MOVING THE UNIT	
	Operating in cold temperatures	4-11
	Low idle speed management	4-13
	2 - 1 - 1 - 1 - 2 - 1 - 1 - 1 - 1 - 1 -	
5	TRANSPORT OPERATIONS	
J		
	ROAD TRANSPORT	<b>5</b> 4
	Safe transport speed	5-1
	PREPARING FOR ROAD TRANSPORT	
	Carrying the tractor on a transporter	
	Secure the high visibility roof panel	5-2
	RECOVERY TRANSPORT	
	Freeing a stuck tractor	
	Towing the tractor	5-4

## **6 WORKING OPERATIONS**

GENERAL INFORMATION	
Variable engine power management	6-1
Engine speed management	
Differential lock	
Four wheel drive	
Front axle suspension (where fitted)	
AUTOMATED HEADLAND FUNCTIONS	
Quick guide	
Explanation of symbols	
Recording a sequence	
Replaying a sequence	
TRANSMISSION	
Foot throttle pedal	6-19
Hand throttle	
Shuttle lever	
Sharp shuttle setting	
RANGECOMMAND TRANSMISSION	
Powershift control lever	
Driving the tractor	
Speed matching	
Auto shift function	
Auto shifting field mode	
Auto shifting in road mode	6-31
Creeper gears (where fitted)	
POWERCOMMAND TRANSMISSION	
Transmission operation	
Powershift control lever	
Driving the tractor	
Speed matching	
Auto shift function	
Auto shifting in road mode	
Auto shifting and 'go to' modes	
Changing gear shift threshold	
Creeper gears (where fitted)	
Fault codes	
Tault codes	
REAR POWER TAKE-OFF	
Power Take-Off (PTO) operation	6-50
Attaching PTO driven equipment	
Power Take-Off (PTO) operation	
Two speed PTO systems	
External PTO controls	
Auto PTO operation	

FRONT POWER TAKE OFF Power Take-Off (PTO) operation	6-62
REAR HITCH Electronic Draft Control (EDC) Electronic Draft Control (EDC) operation External hitch controls	6-68
FRONT HITCH Settings and adjustments. Hitch operation Auxiliary front couplers (where fitted). External hitch controls.	6-80 6-84
HYDRAULIC REMOTE CONTROL VALVES Remote control valves Operating with remote valves Connecting remote cylinders Hydraulic oil level when using remote hydraulic equipment	6-91 6-94
ELECTRO-HYDRAULIC REMOTE CONTROL VALVES (where Mid-mount remote valve settings.  Mid-mount remote control valve.  Mid-mount (EHR) valve settings with color display (where fitted).  Joystick operation with a front loader.	6-98 6-99 6-105
HYDRAULIC POWER BEYOND PORT Hydraulic power beyond for external services with mechnical-hydraulic remote valves	
THREE POINT HITCH Attaching three-point hitch equipment Lift rod adjustment Top link adjustment Flexible link end adjustment Quick hitch Linkage stabilizer adjustment	6-117 6-119 6-121 6-122
DRAWBARS AND TOWING ATTACHMENTS Drawbars and towing attachments Swinging drawbar	
TRAILER BRAKING SYSTEMS  Trailer brake release switch	

	Air-operated trailer brakes (UK type)  Auxiliary air supply connector (where fitted)  Hydraulic trailer brakes (Universal type - Dual line)  Hydraulic trailer brakes (Universal type - Single line)	6-139 6-140
	Front wheel track adjustment. Front wheel alignment Steering stops Front axle oscillation stops Front fender REAR WHEEL TRACK ADJUSTMENT Flange type axle (where fitted) Bar type axle (where fitted) Dual rear wheels (where fitted)	6-148 6-149 6-150 6-151 6-153 6-156
BALI	LASTING AND TIRES  Ballasting and tires  Iron weights (where fitted)  Liquid ballast  Tire inflation.  Tire pressures and permissible loads	6-168 6-171 6-173
	CILIARY POWER CONNECTIONS  Diagnostic socket.  Trailer socket electrical  ELECTRICAL POWER CONNECTORS  Internal power connectors  External power connectors  ISO bus classes	6-177 6-178 6-178 6-180
GEN Int Fu Bio Ch Pro Tra En Ge Ca	ITENANCE IERAL INFORMATION troduction uel requirement - Diesel fuel uel - Storage, handling and transport odiesel fuel - Biodiesel fuels nange the engine oil otective devices actor jacking points ngine oils eneral specifications apacities rganic Acid Technology (OAT) coolant.	7-1 7-2 7-3 7-5 7-6 7-8 7-9 . 7-10
	NTENANCE CHART aintenance chart	. 7-13

WHEN THE WARNING LAMP LIGHTS Change the engine air cleaner outer element Draining the fuel filter water separator Check the brake fluid level	7-16
EVERY 10 HOURS OR EACH DAY Check the engine coolant level Check the engine oil level Check the remote control valve drain bottles Check windscreen washer reservoir Drain air reservoir on air operated trailer brake	7-19 7-20 7-21
FIRST 50 HOURS Service operations	7-22
EVERY 50 HOURS  Clean the cab air filter  Clean the cooler section  Clean the SCR cover air ducts  All grease fittings  Check the front and the rear wheel nuts  Check the tire pressures and the tire condition.	7-26 7-27 7-28 7-35
EVERY 100 HOURS Inspect the poly V-belt	
EVERY 300 HOURS Check the battery fluid level Adjust the hand brake Check the transmission oil level, the rear axle oil level and the hydraulic oil level Check the 4WD front axle differential oil level and the hubs oil level Check the front PTO gearbox oil level	7-41 7-42 7-43
EVERY 600 HOURS Change engine oil and filter Change the first stage fuel filter and the fuel filter element Change the engine air cleaner outer element Change the charge pump oil filter Check the engine air intake connections Check the transmission oil cooler pipe couplings Clean the DEF/AdBlue in-line filter	7-47 7-49 7-50 7-51 7-52
EVERY 1200 HOURS OR ANNUALLY Change the cab air filters	

Change the 4WD differential oil	7-56
Change the 4WD planetary hub oil	7-57
Change the front PTO gearbox oil	
Grease the rear axle shaft bearing	7-59
EVERY 1200 HOURS OR EVERY 2 YEARS	
Change the DEF/AdBlue in-line filter	
Change the engine air cleaner inner element	
Check the valve tappet clearance	
Change the air brake drier reservoir	
Change the poly V-belts  Change the transmission oil, the rear axle oil and the hydraulic oil	
EVERY 2 YEARS	
Change the air conditioning receiver drier	7-67
EVERY 1800 HOURS OR EVERY 2 YEARS	
Change the engine breather filter	7-68
EVEDY 2600 HOURS OR EVEDY 2 VEARS	
EVERY 3600 HOURS OR EVERY 2 YEARS Change the DEF/AdBlue main filter	7-69
EVERY 3600 HOURS OR EVERY 4 YEARS	
Change the engine coolant fluid - OAT type coolant	7-70
GENERAL MAINTENANCE	
Cleaning the tractor	7-74
Check first stage fuel filter and water trap	
Bleeding the fuel system	
Hydraulic system hoses	
Check the brake pedal latching/unlatching	7-78
Adjust the cab suspension (where fitted)	
Headlight adjustment	
Work light adjustment	
Bulb replacement	
Fuses and relays  Protecting the electronic and electrical systems during battery charging or weldir	
Battery removal and installation	_
STORAGE	
Tractor storage	
Preparation for use after storage	7-98
8 TROUBLESHOOTING	
FAULT CODE RESOLUTION	
Introduction	8-1

ALARM(S)	
Fault codes and symbols 8	3-2
SYMPTOM(S)	
Engine	
Transmission	
Three-point hitch	
Brakes 8	
Cab 8	
Electrical system 8	
SPECIFICATIONS	
General dimensions	)-1
Minimum turn radius	
Axle dimension	
Maximum operating angle	
Maximum permissible operating weights	
Tractor weights	
Capacities	
Engine	
Fuel system	
Air cleaner system 9-	
Cooling system 9-	
Transmission 9-	
Rear Power Take-Off (PTO) 9-7	
Front Power Take-Off (PTO)9-	
Hydraulic system	
Three-point hitch 9-7	
Rear remote control valves	
Front remote control valve couplers 9-	
Brakes	
Steering. 9-	
Electrical equipment 9-	
Ground speed chart Semi-Powershift transmission	
Ground speed chart Full-Powershift transmission	
Minimum hardware tightening torques	
ACCESSORIES	
Radio (where fitted)	)_1
External rear view mirrors	
Auxiliary head lights and signature lights	
Rotating beacon	
Front-end loader fixation points	

11 FORMS AND DECLARATIONS	
Service record 1st 50 hour, Owner copy	11-1
Service record 1st 50 hour, Dealer copy	11-3
Telematics module declaration of conformity	11-4

## 1 - GENERAL INFORMATION

## Metric and imperial units abbreviations

Typical applications	Metric unit		Imperial unit	
	Name	Symbol	Name	Symbol
A (1 1 )				
Area (Land area)	T		T	
	hectare	ha	acre	ac
	square meter	m²	square foot	ft²
			square inch	in²
51 4 1 11	square millimeter	mm²	square inch	in²
Electricity		· .	1	
	ampere	A	ampere	A
	volt	V	volt	V
	microfarad	μF	microfarad	μF
	ohm	Ω	ohm	Ω
Force	I		Т .	
	kilonewton	kN	pound	lb 
	newton	N	pound	lb
Force per length				
	newton per meter	N/m	pound per foot	lb/ft
			pound per inch	lb/in
Frequency				
	megahertz	MHz	megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
Frequency - Rotational				
	revolution per minute	r/min	revolution per minute	r/min <sup>a</sup>
	·	rpm	1	rpm
Length				
	kilometer	km	mile	mi
	meter	m	foot	ft
	centimeter	cm	inch	in
	millimeter	mm	inch	in
	micrometer	μm		
Mass				
	kilogram	kg	pound	lb
	gram	g	ounce	OZ
	milligram	mg		
Mass per mass				
	milligram per kilogram	mg/ kg	parts per million	ppm
Power	· · · · · · · · · · · · · · · · · · ·			
	kilowatt	kW	horsepower	Нр
	watt	W	Btu per hour	Btu/hr
			Btu per minute	Btu/min
Pressure or stress (Force	per area)			
111111111111111111111111111111111111111	kilopascal	kPa	pound per square inch	psi
	opaccai	Ι Δ	inch of mercury	inHg
	pascal	Pa	inch of water	inH2O
	megapascal	MPa	pound per square inch	psi
	millibar	mbar	pouria per square men	ροι
	bar	bar		
	<u>Dai</u>	vai		

Typical applications	Metric unit		Imperial unit		
	Name	Symbol	Name	Symbol	
Temperature (other than th					
	degrees Celsius	°C	degrees Fahrenheit	°F	
Time					
	hour	h	hour	h	
	minute	min	minute	min	
	second	S	second	S	
Torque (includes bending n	noment, moment of force, an			1	
	newton meter	N m	pound foot	lb ft	
			pound foot	lb in	
Velocity					
	kilometer per hour	km/h	mile per hour	mph	
	meter per second	m/s	foot per second	ft/s	
	millimeter per second	mm/s	inch per second	in/s	
	meter per minute	m/min	foot per minute	ft/min	
Volume (includes capacity)					
	cubic meter	m³	cubic yard	yd³	
				cu yd	
	liter	I	cubic inch	in³	
	liter		US gallon	US gal	
			UK gallon	UK gal	
			US quart	US qt	
			UK quart	UK qt	
	milliliter	ml	fluid ounce	fl oz	
Volume per time (includes discharge and flow rate)					
	cubic meter per minute	m³/min	cubic foot per minute	ft³/min	
	liter per minute	l/min	US gallon per minute	US gal/min	
	milliliter per minute	ml/min	UK gallon per minute	UK gal/min	
Sound power level and sound pressure level					
·	decibel	dB	decibel	dB	
Water hardness					
	German hardness	°dH	English hardness	°e	
	French hardness	°fH	parts per million	ppm	

## Glossary

Acronym	Definition
DEF	Diesel Exhaust Fluid
ISO	International Organization for Standardization
MSDS	Material Safety Data Sheet
NOx	Nitrogen Oxide
PPE	Personal Protective Equipment
SCR	Selective Catalytic Reduction
ULSD	Ultra Low Sulfur Diesel
%	Percent
<	Less than
>	Greater than

#### To the owner

#### General information

This manual has been prepared according to ISO 3600:1996 to assist you in the correct procedure for running-in, driving and operating and for the maintenance of your new tractor. Read this manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorized dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your authorized dealer.

All data given in this manual is subject to production variations. Dimensions and weight are approximate only. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your authorized dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Your tractor fulfills all requirements as specified in the Regulation (EU) No 167/2013 of the European Parliament and of the Council. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble- free operation, it is important that the routine services, as specified on page **7-13** of this manual, are carried out at the recommended intervals.

All persons training to operate, or who will operate this tractor should be old enough to possess a valid local vehicle operating permit (or meet other applicable local age requirements). These persons must demonstrate the ability to operate and service the tractor in correct and safe manner.

#### About this manual

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy retrieval.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by professional service personnel. The table of contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

#### **Normal operation**

- Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for operation and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/or the crop.

#### Routine service

 Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fueling, cleaning, washing, topping up fluid levels, greasing, replacing of consumable articles such as lamp bulbs.

#### Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's workshop manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com