# **OPERATOR'S MANUAL**

T8.320

T8.350

T8.380

T8.410

T8.435

T8.380 SmartTrax™

**T8.410 SmartTrax**<sup>™</sup>

**T8.435 SmartTrax**<sup>™</sup>

**Tractor** 

PIN ZHRE04001 and above



## **Contents**

**NOTE:** The Operator's Manual consists of two volumes. The first volume contains operating information, the second volume the maintenance and diagnostic information.

1	GENERAL INFORMATION	
	Note to the owner	
	Engine tampering	
	Tractor intended use	
	Electro-magnetic compatibility (EMC)	
	ISOBUS certification	
	Product identification	
	Machine orientation	
	Component identification	
	·	
2	SAFETY INFORMATION	
_	Safety rules and signal word definitions	. 2-1
	Safety rules - General	
	Safety rules - General maintenance safety	
	Safety rules - Wheels and tires	
	Safety rules - Driving on public roads and general transportation safety	
	Safety rules - Fire and explosion prevention	
	Safety rules - General battery safety	
	Safety rules - Hydraulic system safety	
	Safety rules - Instructional seat safety	
	Safety rules - Operator presence system	
	Safety rules - Power Take-Off (PTO)	
	Safety rules - Reflectors and warning lights	. 2-8
	Safety rules - Seat belts	. 2-8
	Safety rules - Roll Over Protective Structure (ROPS)	. 2-9
	Safety rules - Falling Object Protective Structure (FOPS) - Russia only	2-11
	Safety rules - Cab protection	2-12
	Safety rules - Air conditioning system	2-13
	Safety rules - Personal Protective Equipment (PPE)	2-13
	Safety rules - Do Not Operate tag	2-13
	Safety rules - Hazardous chemicals	2-13
	Safety rules - Utility safety	
	Safety rules - Electrical storm safety	
	Safety rules - Mounting and dismounting	
	Safety rules - Working at heights	
	Safety rules - Lifting and overhead loads	
	Safety rules - Implements, tools and trailers	
	Safety rules - Roll over and tip over	
	Ecology and the environment	
	Safety signs	
	Informational signs	2-32

3 CONTROLS AND INSTRUMENTS	
ACCESS TO OPERATOR'S PLATFORM	
Tractor accessLower step	3-1
Lower step	3-3
OPERATOR'S SEAT	
Control identification	3-4
INSTRUCTOR'S SEAT	
Overview	3-8
FORWARD CONTROLS	
Steering column	3-9
Front console	
Pedal controls	
LEFT-HAND SIDE CONTROLS	
Hand brake, if equipped	3-16
RIGHT-HAND SIDE CONTROLS	
Armrest console	3-17
Multi function handle	
Engine speed control	
Control panel	
Remote valve controls	
Rear hitch controls	
Armrest compartment	
Adjusting the armrest console	3-40
REARWARD CONTROLS	
Fender console	3-41
Automatic temperature controls	3-46
Automatic temperature control system	
Ventilation	3-50
OVERHEAD CONTROLS	
Interior lamps	3-52
EXTERIOR CONTROLS	
Rear fender	3-53
Front hitch	
INSTRUMENT CLUSTER	
Overview	
Gauges	
Status and warning icons	3-58

	Upper display	
	Lower display	
	Keypad	. 3-67
	Setup menu	. 3-69
	Rear tire radius and track radius charts	
	Adjust menu	
	Performance features	. 3-85
4	OPERATING INSTRUCTIONS	
-		
	COMMISSIONING THE UNIT	4 4
	Engine - Safety rules	4-1
	STARTING THE UNIT	
	Normal engine starting	4-4
	Cold starting aids	4-8
	Cold temperature operation	. 4-10
	STOPPING THE UNIT	
	Stopping the engine	1 12
	Stopping the engine	. 4-12
	MOVING THE UNIT	
	FULL POWERSHIFT TRANSMISSION	
	Powershift transmission	. 4-14
	Best practices for prolonged transmission life	
	Inching pedal and throttle	
	Powershift transmission controls	
	Upper display - Powershift transmission	
	Setting default gears	
	3 3 3	
	Ground Speed Management (GSM)	
	ECO power mode	
	CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	
	Introduction	. 4-39
	· · · · · · · · · · · · · · · · · · ·	
	Auto Command™ controls	
	Auto Command™ operation	
	Driving the Auto Command™ transmission	
	Transmission messages	
	POWERSHIFT AND CVT TRANSMISSIONS	
	Mechanical Front Drive (MFD)	
	Differential lock system	
	Suspended axle	
	Ride control	
	Engine power boost	
	Constant engine speed	
	Suspended cab	
	Headland management system	

	PARKING THE UNIT Automatic park lock	4 00
	Automatic park lock	4-30
5	TRANSPORT OPERATIONS	
•	ROAD TRANSPORT	
	Tractor warning lamps	. 5-1
	Wide transport marker light	
	Turn signal lamps	
	Wide adjustable exterior mirrorsSafe transport speed	
	Sale transport speed	J-1
	SHIPPING TRANSPORT	
	Securing the tractor for shipping	5-8
	RECOVERY TRANSPORT	
	Safety rules Towing the tractor	
	Towning the tractor	5-10
6	WORKING OPERATIONS	
•	GENERAL INFORMATION	
	Overview	. 6-1
	REAR POWER TAKE-OFF (PTO)	
	Safety rules	6-2
	Connecting the Power Take-Off (PTO)	
	Interchangeable Power Take-Off (PTO) shaft	
	Rear Power Take-Off (PTO) operation	
	Auto Power Take-Off (PTO) operation	
	Auto i owel Take Oil (i 10) operation	0 17
	FRONT POWER TAKE-OFF (PTO)	
	Overview	6-20
	Front Power Take-Off (PTO) operation	6-21
	REAR HITCH	
	Identification	6-24
	Link adjustment	
	Hitch high clearance adjustment	
	Hydraulic links	
	Sway limiter adjustment	
	Mechanical float adjustment	
	Hitch quick coupler - Category III/IIIN	
	Hitch quick coupler - Category IVN	

Hitch operation	6-48
Hitch remote switch operation	6-53
Position control operation	6-54
Load control operation	6-56
Slip control operation	6-58
Hitch set point	6-60
FRONT HITCH	
Overview	
Front hitch operation	6-62
DRAWBARS AND TOWING ATTACHMENTS	
Safety rules	
Drawbar capacity/position	
Adjusting the drawbar	6-74
TRAILER HITCHES	
Clevis and special drawbars	
Automatic rotation trailer hitch	
Auto pickup hitch operation	
Manual trailer hitch	6-83
TRAILER BRAKING SYSTEMS	
Safety rules	
Trailer brake connectionsAir pressure monitoring	
All pressure monitoring	0-07
AUXILIARY CONNECTIONS	0.00
Auxiliary power and lighting	6-88
Cab power connections	
Radar connectionImplement ISOBUS connector	
implement 100B00 connector	
HYDRAULIC REMOTE CONTROL VALVES Valve couplers and connections	6.03
Motor return circuit	
Power beyond circuit	
Flow capacity	
Hydraulic control lock	
Operating the controls	
Remote valve display screens	
Remote hydraulic auto mode	
Auto depth control	
Joystick operation	
BALLASTING THE TRACTOR	
Guidelines	6-117

Weights, cast metal	p performance	6-154
MECHANICAL FRONT I	DRIVE (MFD) AXLES	
	and positions	
	ead positionstops	
	s - Class 4.75 and 5.0 fixed front axles	
•	s - Class 4.75 and 5.0 saddle suspended front axles	
•	s - Class 5.0 wide front axles	
	ers - Class 4.75 and 5.0 fixed and suspended axles	
Wide tire fender kit	·	6-228
	tra wide fenders - Class 5.0 fixed and suspended axles	
All front wheel fenders –	Class 5.0 wide fixed and suspended axles	6-239
REAR AXLE  Rear wheel installation		6-244
Rear wheel tread settings	S	6-248
	or 508 mm (20 in)/559 mm (22 in) row spacing	
Adjustable rear wheel		6-263
REAR TRACKS  Tire load and inflation cha	arts Tractors with rear tracks	6-265
Maximum front ballast re-	commendations	6-268
	ettings	
ractory and neid track se	ittings	0-211
7 MAINTENANCE		
7 100 0101210 0102		
GENERAL INFORMATION	JN 	7-1
•		
. •		
<u> </u>		
•		
•		
Tire and rim service		. 7-10
, .		
·		
	n/hydraulic system fluid	
Consumables - Diesel fuel		. 7-17
_	Technology (OAT) coolant	
•		

Maintenance planning  Maintenance chart	7-22
At warning message display	
Air filter service icon/message*	7-24
Water in fuel message	
Transmission oil filter switch	
Hydraulic oil filter switch	
First 10 to 50 hours	
Wheel bolt torque	
Weight bolt torque	
Differential and planetary oil	7-37
Every 10 hours or daily	
Engine oil level	7-38
Transmission oil level	
Engine coolant level	
Air reservoir	
Rear hitch and front axle	7-40
Every 50 hours or weekly	
Engine auxiliary fuel filter	7-41
First 100 hours	
Powershift transmission clutch calibration	7-43
Every 100 hours	
Front hitch	7-49
Front Power Take-Off (PTO) drive shaft	7-51
Input shaft for the front Power Take-Off (PTO) dropbox	7-52
Every 200 hours	
Track alignment	7-54
Tradit diigrimont	
Every 300 hours	
Battery water level (Note B)	
Engine air intake and exhaust hoses	
Engine coolant level - deaeration tank	
Weight bolt torque	
Front axle (Note A)	
Rear hitch (Note A)	
Fuel tank	
Differential and planetary oil level (Note B)	
Transmission oil pressure	/-b/

Front Power Take-Off (PTO) oil level	7-68
Every 400 hours	
Cab air filter*	7-69
Every 600 hours	
Engine oil and filter*	7-72
Engine coolant antifreeze protection	
Engine coolant hoses and clamps	7-75
Engine fuel filter*	
Engine auxiliary fuel filter*	
Fuel system bleeding	
Changeable Power Take-Off (PTO) internal splines	
Engine air precleaner*	7-84
Every 1000 hours or enguelly	
Every 1000 hours or annually	7.05
Pneumatic brake system dryer	
Front Power Take-Off (PTO) oil and filter*	
Front Power Take-Off (PTO) dropbox oil	
Fuel tank breather	
Every 1200 hours or annually	
Differential and planetary oil	7-96
Engine air filters*	
Every 1500 hours	
Transmission oil	7-103
Regulated system oil filter*	
Main transmission oil filter*	
Idler/roller wheel oil     Engine crankcase filter*	
Liigilie Galikease liitel	
Every 3000 hours	
Every 3000 hours  Engine valve adjustment (Note C)	7 112
Engine valve adjustinent (Note C)	1-113
Every 4000 hours or every four years	
Every 4000 hours or every four years	7 111
Engine coolant	/-114
As required	
As required	7 440
Vehicle fire prevention  Track inspection and bolt torque	
Track inspection and boil torque	
Track drive wheel and idler bolt torque	

	Track lension release		
	Cab air filter*		
	Grille screen and radiator area		
	Transmission clutch and accumulator		
	Tire pressure		
	Fan belt		
	Remote valve collection bottle		
	Remote valve couplers		
	Cab fabric and carpet		
	Seat belt		
		•	.00
	Fuse and relay locations		
	Electrical component location	. 7-	137
	Lamps and bulbs	. 7- <sup>-</sup>	142
	STORAGE		
	Preparing for storage	. 7-1	143
	Removal from storage	. 7-	144
	ELECTRICAL OVOTERA		
	ELECTRICAL SYSTEM		
	Radio or audio system		
	Battery removal and installation	. 7-	146
	Auxiliary battery connections	. 7-1	148
	Headlight	. 7-	149
	LED work lights		
	Grille work light		
	Fender tail light and warning light		
	Roof warning light		
	Work light		
	High intensity work light		
	Wide transport marker light		
	Rotating beacon light	. 7-	156
	Interior light	. 7-	157
0	TDOUDLECHOOTING		
Ö	TROUBLESHOOTING		
	ALARM(S)		
	Display warnings overview		Q_1
	Display warnings - Level 1		
	Display warnings - Level 2		
	Display warnings - Level 3		
	Display warnings - Level 4		8-8
	SVMDTOM(S)		
	SYMPTOM(S)	-	
	Engine symptoms		
	Transmission symptoms		
	Hydraulic symptoms		
	Hitch symptoms	. 8	-14

	Brake symptoms	8-15
	Cab environment symptoms	8-15
	Electrical power system symptoms	
9	SPECIFICATIONS	
	Engine specifications	9-1
	Power train specifications	
	Operating speeds - Wheeled tractors	
	Operating speeds - SmartTrax™ tractors	
	Maximum angle (tilt) of operation	
	Vehicle dimensions and shipping weight - Wheeled tractors	
	Vehicle dimensions and shipping weight - SmartTrax™ tractors	
	Maximum operating weight	
10	O ACCESSORIES Farming system displays Rear view mirrors Chemical tank mounting Loader connection and operation General accessories	10-2 10-4 10-6
11	I FORMS AND DECLARATIONS  Delivery report - owner copy  Delivery report - dealer copy  First service - owner copy  First service - owner copy	11-2 11-4



#### 1 - GENERAL INFORMATION

#### Note to the owner

This manual contains important information about the safe operation, adjustment and routine maintenance of your T8. or T8. **SmartTrax™** series tractor. The manual is divided into 10 chapters as outlined in the table of contents. Refer to the index at the end of this manual for locating specific items about your tractor.

Do NOT operate or permit anyone to operate or service this machine until you or the other persons have read this manual. Use only trained operators who have demonstrated the ability to operate and service this machine correctly and safely.


All persons who will be operating this machine shall possess a valid local vehicle operating permit and/or other applicable local age work permits.

#### Tractors equipped with rear tracks

On SmartTrax<sup>™</sup> models, refer to the information starting on page Operating speeds - SmartTrax<sup>™</sup> tractors for transport speed weight limitations.

This Operator's Manual is to be stored in the manual compartment behind the operator's seat in the vehicle. Make sure this manual is in good condition. Contact your dealer to obtain additional manuals.

Your NEW HOLLAND dealer will instruct you in the general operation of your new equipment. Your dealer's staff of factory-trained service technicians will be glad to answer any questions that may arise regarding the operation of your machine. They will also provide any after-sales service you may need, and genuine NEW HOLLAND parts, your guarantee of quality and match.



RAIL14TR03870BA

### **Engine tampering**

The fuel system and engine on your machine are designed and built to government emissions standards. Tampering by dealers, customers, operators, and users is strictly prohibited by law.

Failure to comply could result in government fines, rework charges, invalid warranty, legal action, and possible con-

fiscation of the machine until rework to original condition is completed. Engine service and/or repairs must be done by a certified technician only!

#### Tractor intended use

T8. or T8. SmartTrax™ series tractors, with standard equipment and authorized attachments, are intended to be used for customary farming, land leveling and related agriculture operations (intended use). Installation of utility (dozer) blades, tile plows, or push bars on the tractor is not recommended. Any tractor damage resulting from the installation and/or use of such equipment is not covered by the tractor warranty.

Consult an authorized dealer or CNH Industrial America LLC on changes, additions or modifications that can be required for this machine to comply with various regulations and safety requirements. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

The tractor is not designed for light/heavy forestry applications; usage is prohibited for forestry applications.

Do not use this machine for any purpose or in any manner other than as described in the manual, decals, or other product safety information provided with the machine. These materials define the machine's intended use.

Use in any other way is considered as contrary to the intended use. The manufacture accepts no liability for any damage or injury resulting from this misuse and these risks must be born solely by the user.

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com