OPERATOR'S MANUAL

T7.230 AutoCommand[™]
T7.245 AutoCommand[™]
T7.260 AutoCommand[™]
T7.270 AutoCommand[™]

Tractor - STAGE IV

PIN HACT72***JE401001 and above



Contents

1	GENERAL INFORMATION	
•	Metric and imperial units abbreviations	1-1
	To the owner	
	Electro-magnetic interference (EMC)	1-5
	Operator's manual storage	1-6
	Product identification	
	Engine identification	
	Drive line identification	1-9
	Cab identification	
	Product identification plate	
	Noise level information sheet	
	Programming tractor functions	
	Before operating the tractor	
	International symbols	
	Vibration level information sheet	
	Machine stability	
	Selective Catalytic Reduction (SCR) system	1-18
2	SAFETY INFORMATION	
_	Safety precautions	2-1
	Safety decals	
	Safety rules	
	Burn prevention.	
	Prevention of fire or explosions	
	Fire extinguisher	
	Protection offered by the tractor	
	Ecology and the environment	
	Hazardous substances	
	Emergency exit	
	Wheel chocks	
	Intended use statement	
	Passenger's seat	2-31
	Safety aspects in accordance with Regulation (EU) 1322/2014 - Annex XXII and	subsequent
	amendments and modifications	2-32
3	CONTROLS AND INSTRUMENTS	
Ŭ		
	ACCESS TO OPERATOR'S PLATFORM	0.4
	Introduction	3-1 2 5
	In cab storage (where fitted)	
	Cable and wiring routing	
	Mobile telephone usage	
	Implement monitor installation	
	·	
	Cab air pressurisation control (where fitted)	3-9

OPERATOR'S SEAT	2 10
Operator's seat	
·	
Air suspension seat with passive or Dynamic Damping System (DDS)	
Air suspension seat 'evolution active'	
Seat belt	3-29
PASSENGER'S SEAT	
Passenger seat	3-30
FORWARD CONTROLS	
Ignition key	3-31
Hazard lights switch	
Lights and turn indicator lever	3-32
Follow me home lights	
Windshield wiper and washer controls	
Electronic parking brake	
Anti-lock braking system ABS Operation	
Clutch pedal	
Foot brakes	
Exhaust brake (where fitted)	
Steering column	
LEFT-HAND SIDE CONTROLS	
Handbrake	3-49
RIGHT-HAND SIDE CONTROLS	
Integrated control panel	
Multifunction Handle	3-51
REARWARD CONTROLS	
Switches on C-pillar	3-52
Battery isolator switch (where fitted)	3-53
Heated screens (where fitted)	3-54
ISO bus functionality	3-55
Hydraulic master switch	3-56
Switches on right-hand trim	3-57
Advanced Steering Control activation switch	3-58
Variable Ratio Steering (VRS)	3-59
Autoguidance - Variable ratio steering	3-62
Variable ratio steering and Autoguidance symbols on color display (where fitted)	3-63
OVERHEAD CONTROLS	
Switch panel work lights	3-64
Left-hand and right-hand outermost work light switch	
Interior light	

Climate controls	
Automatic Temperature Control (ATC)	
INSTRUMENT CLUSTER	
Analog Digital Instrument Cluster (ADIC)	
Gauges	3-71
Indicator and warning lights	3-72
Displays	
Keypad enhanced	
Selecting or changing the display settings	
Ground speed calibration	
Performance monitor	
Armrest color display	
Pop-up screens on color display	
Performance monitor on color display Programming the displays	
. ,	
Alarm functions	
Selective Catalytic Reduction (SCR) exhaust treatmen	
Warning and advisory symbols	
Warning and advisory symbols	
3 , ,	
4 ODEDATING INSTRUCTIONS	
4 OPERATING INSTRUCTIONS	
COMMISSIONING THE UNIT	
Refueling the tractor	4-1
STARTING THE UNIT	
Starting the engine	4-3
Grid heater cold start aid (where fitted)	
Fuel heater (where fitted)	
Coolant immersion heater (where fitted)	
Transmission oil heater (where fitted)	4-7
Boosting the battery	4-8
STOPPING THE UNIT	
Stopping the engine	4-9
Automatic engine shut down with enhanced keypad (w	
. intermed and once down man ormanious hoypus (v	
MAONANO THE HAUT	
MOVING THE UNIT	
Operating in cold temperatures	
Low idle speed management	
Reversible engine fan	

5 TRANSPORT OPERATIONS	
PREPARING FOR ROAD TRANSPORT	
Carrying the tractor on a transporter	. 5-1
Secure the high visibility roof panel	
RECOVERY TRANSPORT	
Freeing a stuck tractor	. 5-2
Towing the tractor	. 5-3
6 WORKING OPERATIONS	
GENERAL INFORMATION	6 1
Variable engine power management	
Differential lock	
Four wheel drive	
Front axle suspension (where fitted)	
HTS standard	
Headland turn sequence - Quick guide	
Recording and replaying	6-14
Explanation of symbols	6-16
Recording a sequence	
Replaying a sequence	
Headland function and color display screen	
Deleting a sequence with color display	
HTS advanced	
Headland turn sequence	
Universal symbols	
Recording a sequence	
Creating a sequence in standstill	
Replaying a sequence	
Saving a sequence	
Edit a sequence	
Deleting a sequence	
Headland turn sequence error codes	
'	0-54
TRANSMISSION	0.50
CVT transmission operation	
Transmission operation	
Anti jack knife	
Stationary control	
Engine speed control	
Shuttle lever	6-64
Drive pedal	
Programming maximum speed	
Transmission display	
Manual mode	

Automatic mode	
Cruise mode	
PTO mode	
Speed matching	6-79
Pneumatic Trailer Brake Stabilization System	6-80
Fault codes	6-82
REAR POWER TAKE-OFF (PTO)	
Power Take-Off (PTO) operating precautions	
Changing the PTO output shaft	
Attaching PTO driven equipment	
PTO operation	
PTO shiftable multi speed	
Electronic PTO displays Electronic (where fitted)	
External PTO controls	
Auto 1 10 operation	0-30
FRONT POWER TAKE OFF	0.00
PTO operation	
Auto PTO operation	. 6-102
REAR HITCH	
Electronic Draft Control (EDC)	. 6-104
Settings and adjustments	. 6-108
Electronic Draft Control (EDC) operation	
External hitch controls	. 6-115
FRONT HITCH	
Settings and adjustments	
Front hitch operation	
External hitch controls	
Front hitch management	
Auxiliary front couplers (where fitted)	
External controls for front couplers	. 6-134
ELECTRO-HYDRAULIC REMOTE CONTROL VALVES (where the second	itted)
Remote control valves	
Settings and adjustments	
Valve priority	
Programming tractor functions	
Connecting remote cylinders	
Operating with remote valves	
Joystick operation with a front loader	
Mid mount remote valves EHR implement control setting	
External EHR controls	
	n-1//

HYDRAULIC POWER BEYOND PORT	
Power beyond circuit	
Power beyond valve - Static description	
ISO Power beyond couplings	6-177
THREE POINT HITCH	
Attaching three-point hitch equipment	6-178
Lift rod adjustment	
Top link adjustment	
Lower links	
Quick hitch	
Lower links	6-188
DRAWBARS AND TOWING ATTACHMENTS	
Drawbars and towing attachments	6-192
Swinging drawbar	
Automatic pickup hitch	
Automatic pickup hitch	
Rear trailer hitches	
TRAILER BRAKING SYSTEMS	
Trailer brake release switch	6-213
Air-operated trailer brakes (Universal type)	
Air-operated trailer brakes (UK type)	
Air-operated trailer brakes (Italian type)	
Auxiliary air supply connector (where fitted)	
Hydraulic trailer brakes (Universal type - Dual line)	
Hydraulic trailer brakes (Universal type - Single line)	
Hydraulic trailer brakes (Italian type)	6-224
WHEEL TRACK ADJUSTMENT	
Front wheel track adjustment	6-225
Front wheel alignment	6-230
Steering stops	6-231
Front axle oscillation stops	
Front wheel fenders	6-233
Rear wheel track adjustment	
Flange type axle (where fitted)	
Bar type axle (where fitted)	6-239
Dual rear wheels (where fitted)	6-246
BALLASTING AND TIRES	
Ballasting and tires	6-249
Iron weights (where fitted)	
Liquid ballast	
Tire inflation.	

Tire pressures and permissible loads 6-25	7
AUXILIARY POWER CONNECTIONS	
Diagnostic socket	a
Trailer electrical socket	
Electrical power connectors	1
Internal power connectors	
External power connectors	
ISO bus classes	
ISO bus functionality	
Reconfigurable inputs for ISO Bus function	
7 MAINTENANCE	
GENERAL INFORMATION	
Introduction	1
·	
Fuel - Storage, handling and transport	
Biodiesel fuel	
Protective devices	
Tractor jacking points	
Engine oils	
General specifications	
Capacities	
Organic Acid Technology (OAT) coolant	
MAINTENANCE CHART	
Maintenance chart	3
	_
WHEN THE WARNING LAMP LIGHTS	_
Change the engine air cleaner outer element	
Drain the fuel system water separator	
Check the brake fluid level	1
EVERY 10 HOURS OR EACH DAY	
Check the engine coolant level	
Check the engine oil level	
Check the remote control valve drain bottles	
Check windscreen washer reservoir	
Drain air reservoir on air operated trailer brake	U
FIRST 50 HOURS	
Service operations	1
EVERY 50 HOURS	
Clean the cab air filter	
Clean the cooler section	

All grease fittings (except rear axle)	7-26
Check the front and the rear wheel nuts	
Check the tire pressures and the tire condition	7-33
EVERY 100 HOURS	
Inspect the poly V-belt	7 3/
Inspect the compressor drive belt	
inspect the compressor drive beit	7-35
EVERY 300 HOURS	
Check the battery fluid level	7-36
Check the transmission oil level, the rear axle oil level and the hydraulic oil level	7-38
Adjust the hand brake	
Check the front PTO gearbox oil level	
Check the 4WD front axle differential oil level and the hubs oil level	
E) (ED) (000 HOUD)	
EVERY 600 HOURS	
Change engine oil and filter	
Change the first stage fuel filter and the fuel filter element	
Change the engine air cleaner inner element	
Change the hydraulic charge pump oil filter and the transmission oil filter	7-46
Check the air intake system	7-47
Check the transmission oil cooler pipe couplings	7-48
Change the DEF/AdBlue® main filter	7-48
EVEDY 1900 HOUDS OD ANNUALLY	
EVERY 1200 HOURS OR ANNUALLY	7 40
Change the cab air filters	
Change the hydraulic suction pump oil filter	
Change the 4WD differential oil	
Change the 4WD planetary hub oil	
Change the front PTO gearbox oil	
Grease the rear axle shaft bearing	7-53
EVERY 1200 HOURS OR EVERY 2 YEARS	
EVERY 1200 HOURS OR EVERY 2 YEARS Change the Diesel Exhaust Fluid (DEE)/AdBlue® suction filter	7-54
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter	
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter	7-55
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter	7-55 7-56
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter	7-55 7-56 7-56
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts	7-55 7-56 7-56 7-57
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter	7-55 7-56 7-56 7-57
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts	7-55 7-56 7-56 7-57
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts Change the transmission oil, the rear axle oil and the hydraulic oil	7-55 7-56 7-56 7-57
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts Change the transmission oil, the rear axle oil and the hydraulic oil EVERY 2 YEARS	7-55 7-56 7-56 7-57 7-59
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts Change the transmission oil, the rear axle oil and the hydraulic oil	7-55 7-56 7-56 7-57 7-59
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts Change the transmission oil, the rear axle oil and the hydraulic oil EVERY 2 YEARS Change the air conditioning receiver drier	7-55 7-56 7-56 7-57 7-59
Change the Diesel Exhaust Fluid (DEF)/AdBlue® suction filter Change the engine air cleaner inner element Check the valve tappet clearance Change the air brake drier reservoir Change the poly V-belts Change the transmission oil, the rear axle oil and the hydraulic oil EVERY 2 YEARS	7-55 7-56 7-56 7-57 7-59

EVERY 3600 HOURS OR EVERY 2 YEARS Change the DEF/AdBlue® main filter	7-61
EVERY 3600 HOURS OR EVERY 4 YEARS Change the engine coolant fluid	7-62
GENERAL MAINTENANCE	
Cleaning the tractor	
Fuel system water separator	
Bleeding the fuel system	
Hydraulic system hoses Brake Pedal	
Cab suspension, if equipped	
Adjust the automatic pickup hitch	
Headlight adjustment	
Work light adjustment	
Bulb replacement	7-73
Fuses and relays	
Protecting the electronic and electrical systems during battery charging or welding.	
Battery removal and installation	7-88
STORAGE	
Tractor storage	7-90
Removing the machine from storage	7-90
8 TROUBLESHOOTING	
8 TROUBLESHOOTING FAULT CODE RESOLUTION Introduction	. 8-1
FAULT CODE RESOLUTION	. 8-1
FAULT CODE RESOLUTION Introduction	. 8-1
FAULT CODE RESOLUTION Introduction ALARM(S)	
FAULT CODE RESOLUTION Introduction	
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols	
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S)	. 8-2
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine	. 8-2
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission	. 8-2 . 8-4 . 8-5
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics	. 8-2 . 8-4 . 8-5 . 8-6
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch	. 8-2 . 8-4 . 8-5 . 8-6
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics	. 8-2 . 8-4 . 8-5 . 8-6 . 8-6
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch Brakes	. 8-2 . 8-4 . 8-5 . 8-6 . 8-6 . 8-7
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch Brakes Cab Electrical system	. 8-2 . 8-4 . 8-5 . 8-6 . 8-6 . 8-7
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch Brakes Cab Electrical system	. 8-2 . 8-4 . 8-5 . 8-6 . 8-7 . 8-7
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch Brakes Cab Electrical system 9 SPECIFICATIONS General dimensions	. 8-2 . 8-4 . 8-5 . 8-6 . 8-7 . 8-8
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch Brakes Cab Electrical system 9 SPECIFICATIONS General dimensions General dimensions	. 8-2 . 8-4 . 8-5 . 8-6 . 8-7 . 8-8
FAULT CODE RESOLUTION Introduction ALARM(S) Fault codes and symbols SYMPTOM(S) Engine Transmission Hydraulics Three-point hitch Brakes Cab Electrical system 9 SPECIFICATIONS General dimensions	. 8-2 . 8-4 . 8-5 . 8-6 . 8-7 . 8-8 . 9-1 . 9-1

	Tractor weights	. 9-5
	Capacities	. 9-6
	Transmission - Capacity	
	Front axle system - Capacity	
	Engine	
	Transmission	
	Rear Power Take-Off (PTO)	
	Front Power Take-Off (PTO)	9-10
	Hydraulic system	9-11
	Three-point hitch	
	Remote control valves	
	Three-point hitch	9-13
	Brakes	
	Steering	
	Electrical equipment	9-15
	Minimum hardware tightening torques	9-16
10	ACCESSORIES	
	Radio (where fitted)	10-1
	External rear view mirrors	10-2
	Border marker plates	
	Auxiliary head lights and signature lights	10-5
	Rotating beacon	10-5
	Front-end loader fixation points	10-6
11	FORMS AND DECLARATIONS	
	Service record 1st 50 hour, Owner copy	11-1
	Service record 1st 50 hour, Dealer copy	
	Telematics module declaration of conformity	

1 - GENERAL INFORMATION

Metric and imperial units abbreviations

Typical applications	Metric unit		Imperial unit	
	Name	Symbol	Name	Symbol
A (1 1)				
Area (Land area)	T		T	
	hectare	ha	acre	ac
	square meter	m²	square foot	ft²
			square inch	in²
51 4 1 11	square millimeter	mm²	square inch	in²
Electricity		· .	1	
	ampere	A	ampere	A
	volt	V	volt	V
	microfarad	μF	microfarad	μF
	ohm	Ω	ohm	Ω
Force	I		Т .	
	kilonewton	kN	pound	lb
	newton	N	pound	lb
Force per length				
	newton per meter	N/m	pound per foot	lb/ft
			pound per inch	lb/in
Frequency				
	megahertz	MHz	megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
Frequency - Rotational				
	revolution per minute	r/min	revolution per minute	r/min ^a
	·	rpm	1	rpm
Length				
	kilometer	km	mile	mi
	meter	m	foot	ft
	centimeter	cm	inch	in
	millimeter	mm	inch	in
	micrometer	μm		
Mass				
	kilogram	kg	pound	lb
	gram	g	ounce	OZ
	milligram	mg		
Mass per mass				
	milligram per kilogram	mg/ kg	parts per million	ppm
Power	· · · · · · · · · · · · · · · · · · ·			
	kilowatt	kW	horsepower	Нр
	watt	W	Btu per hour	Btu/hr
			Btu per minute	Btu/min
Pressure or stress (Force	per area)			
111111111111111111111111111111111111111	kilopascal	kPa	pound per square inch	psi
	opaccai	Ι Δ	inch of mercury	inHg
	pascal	Pa	inch of water	inH2O
	megapascal	MPa	pound per square inch	psi
	millibar	mbar	pouria per square men	ροι
	bar	bar		
	<u>Dai</u>	vai		

Typical applications	Metric unit		Imperial unit		
	Name	Symbol	Name	Symbol	
Temperature (other than th					
	degrees Celsius	°C	degrees Fahrenheit	°F	
Time					
	hour	h	hour	h	
	minute	min	minute	min	
	second	S	second	S	
Torque (includes bending n	noment, moment of force, an			1	
	newton meter	N m	pound foot	lb ft	
			pound foot	lb in	
Velocity					
	kilometer per hour	km/h	mile per hour	mph	
	meter per second	m/s	foot per second	ft/s	
	millimeter per second	mm/s	inch per second	in/s	
	meter per minute	m/min	foot per minute	ft/min	
Volume (includes capacity)					
	cubic meter	m³	cubic yard	yd³	
				cu yd	
	liter	I	cubic inch	in³	
	liter		US gallon	US gal	
			UK gallon	UK gal	
			US quart	US qt	
			UK quart	UK qt	
	milliliter	ml	fluid ounce	fl oz	
Volume per time (includes	discharge and flow rate)				
	cubic meter per minute	m³/min	cubic foot per minute	ft³/min	
	liter per minute	l/min	US gallon per minute	US gal/min	
	milliliter per minute	ml/min	UK gallon per minute	UK gal/min	
Sound power level and sou			· · · · ·	·	
·	decibel	dB	decibel	dB	
Water hardness					
	German hardness	°dH	English hardness	°e	
	French hardness	°fH	parts per million	ppm	

Glossary

Acronym	Definition
DEF	Diesel Exhaust Fluid
ISO	International Organization for Standardization
MSDS	Material Safety Data Sheet
NOx	Nitrogen Oxide
PPE	Personal Protective Equipment
SCR	Selective Catalytic Reduction
ULSD	Ultra Low Sulfur Diesel
%	Percent
<	Less than
>	Greater than

To the owner

GENERAL INFORMATION

This manual has been prepared according to ISO 3600:1996 to assist you in the correct procedure for running-in, driving and operating and for the maintenance of your new tractor. Read this manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorised dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your authorised dealer.

All data given in this manual is subject to production variations. Dimensions and weight are approximate only. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your authorised dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Your tractor fulfills all requirements as specified in the Regulation (EU) No 167/2013 of the European Parliament and of the Council. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble- free operation, it is important that the routine services, as specified on page **7-13** of this Manual, are carried out at the recommended intervals.

All persons training to operate, or who will operate this tractor should be old enough to possess a valid local vehicle operating permit (or meet other applicable local age requirements). These persons must demonstrate the ability to operate and service the tractor in correct and safe manner.

ABOUT THIS MANUAL

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy retrieval.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by professional service personnel. The Table of Contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

Normal operation

- Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for operation and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/ or the crop.

Routine service

 Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fueling, cleaning, washing, topping up fluid levels, greasing, replacing of consumable articles such as lamp bulbs.

Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's workshop manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com