ORIGINAL INSTRUCTIONS - according to Directive 2006/42/EC, Annex 1 1.7.4.1

Steiger® 370
Steiger® 420
Steiger® 470
Steiger® 500
Steiger® 540
Steiger® 580
Steiger® 620

Quadtrac® 470
Quadtrac® 500
Quadtrac® 540
Quadtrac® 580
Quadtrac® 620
Tier 4B (final)
Tractor

PIN ZEF300001 and above

OPERATOR'S MANUAL



Contents

1	GENERAL INFORMATION	
	Note to the owner	
	Tractor intended use	
	Electro-Magnetic Compatibility (EMC)	
	CNH Industrial America LLC technical manuals	
	Your tractor	1-4
	Manual storage	
	Product identification	
	Machine orientation	
	European Community (EC) Declaration of Conformity	
	Selective Catalytic Reduction (SCR) system	. 1-17
2	SAFETY INFORMATION	
	Safety alert symbol and signal word definition	
	Safety rules	
	Ecology and the environment	
	Noise levels	
	Vehicle vibration levels	
	ROPS and FOPSHazardous substances	
	Emergency exit	
	Safety aspects	
	Safety signs	
	Articulation cylinder locking blocks	
	Wheel chocks (Germany only)	
	Diesel Exhaust Fluid (DEF)/AdBlue® safety signs	. 2-30
3	CONTROLS AND INSTRUMENTS	
	ACCESS TO OPERATOR'S PLATFORM	
	Cab access/exit	3-1
	Odb 000005/0/it	0 1
	OPERATOR'S SEAT	
	Overview	
	Control identification	3-4
	INSTRUCTOR'S SEAT	
	Overview	3-7
	FORWARD CONTROLS	
	Steering column controls	3-8
	Front console controls	
	Pedal controls	. 3-13
	Ventilation	
	Front sun shade	. 3-16

	SIDE CONTROLS	
Secondary br	ake lever	
RIGHT-HANI	D SIDE CONTROLS	- 1-
Armrest cons	ole	
	handle	
	controls	
-	partment	
	armrest console	
,		
RFARWARD	CONTROLS	
Rear sun sha	de	3-34
OVERHEAD		2.25
Overview	mperature Control (ATC)	3-37-2
	mperature Control (ATC) operation	
	controls	
-	pped)	
	ccess lights	
interior and a		
EXTERIOR (CONTROLS	
	control	3-50
_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
INICTOLIMEN	IT CLUSTER	
		3_51
Status and wa	arning icons	3-52
	/	
	st Fluid (DEF)/AdBlue® level	
	/	
	on - setup menu	
	on - adjust menu	
	instrumentation	
4 OPERATING	INSTRUCTIONS	
	NING THE UNIT	
Before starting	g the engine	4-1
STARTING T		<i>A</i>
	e startingture energtion	
Cold tempera	ture operation	4-7

STOPPING THE UNIT Stopping the machine and the engine	4-9
MOVING THE UNIT	
Powershift transmission	4-10
Selective Catalytic Reduction (SCR) system	4-18
Diesel Exhaust Fluid (DEF)/AdBlue® display warnings	
Automatic Productivity Management (APM)	
Differential lock system	
Power management	
Constant engine speed	
Electronic end of row system	
Engine compression brake (if equipped)	4-50
5 TRANSPORT OPERATIONS	
ROAD TRANSPORT	
Tractor warning lamps	
Operating the tractor warning lamps	
Safe transport speed	
Implement warning lamps	
Safety chain	5-5
SHIPPING TRANSPORT	
Securing the tractor for shipping	5-6
RECOVERY TRANSPORT	
Safety rules	5-7
Towing the tractor	5-8
6 WORKING OPERATIONS	
GENERAL INFORMATION Product overview	6-1
REAR POWER TAKE-OFF (PTO)	
Power Take-Off (PTO) safety rules	6-2
Connecting the Power Take-Off (PTO)	
Power Take-Off (PTO) operation	
THREE-POINT HITCH	
Identification	
Link adjustment	6-9

oway block adjustificiti	6-12
Mechanical float adjustment	6-13
Hitch quick coupler - Category IVN	6-14
Transport lock	6-18
Hitch operation	6-19
Rear remote hitch switch	
Position control operation	
Slip control operation	6-26
DRAWBARS AND TOWING ATTACHM	FNTS
Safety rules	
Drawbar capacities	
Scraper operation	
·	
TRAILER BRAKE COUPLER	
Safety rules	
Trailer brake connections	6-34
AUXILIARY POWER CONNECTIONS	
External power and lighting connections	6-35
Cab power connections	6-37
LIVED ALILIE DEMOTE CONTECT VAL	VEC
HYDRAULIC REMOTE CONTROL VAL	
Valve couplers and connections	6-40
Valve couplers and connections Optional circuits	6-40 6-47
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock	
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls	
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens	6-40 6-47 6-48 6-49
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation	6-40 6-47 6-48 6-49 6-53
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation	6-40 6-47 6-48 6-49 6-53 6-56
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation	6-40 6-47 6-48 6-49 6-53 6-56
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR	6-40 6-47 6-48 6-49 6-53 6-56 6-61
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR	6-40 6-47 6-48 6-49 6-53 6-56 6-61
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-64
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-64
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid Wheel slip and power hop FRONT AND REAR AXLE	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-64
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid Wheel slip and power hop FRONT AND REAR AXLE Tire safety	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-61 6-71
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid Wheel slip and power hop FRONT AND REAR AXLE Tire safety Pressure and load ratings	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-64
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid Wheel slip and power hop FRONT AND REAR AXLE Tire safety Pressure and load ratings Wheel installation	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-61 6-71 6-77 6-77
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid Wheel slip and power hop FRONT AND REAR AXLE Tire safety Pressure and load ratings Wheel installation Wheel tread settings on flange axles	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-61 6-67 6-71 6-77
Valve couplers and connections Optional circuits Hydraulic remote valve transport lock Operating the controls Remote valve display screens Joystick operation Auto auxiliary mode operation Auto depth control operation BALLASTING THE TRACTOR Guidelines Weights, cast metal and liquid Wheel slip and power hop FRONT AND REAR AXLE Tire safety Pressure and load ratings Wheel installation	6-40 6-47 6-48 6-49 6-53 6-56 6-61 6-61 6-67 6-71 6-77 6-78 6-78 6-86 6-94 6-94

7 MAINTENANCE

GENERAL INFORMATION	
Advice	
Engine hood	
Engine side shields	
Opening the right-hand service door	
Power cut-off switch	
Filling the fuel tank	
Fuel tank capacity	
Filling the Diesel Exhaust Fluid (DEF)/AdBlue® tank	
Diesel Exhaust Fluid (DEF)/AdBlue® tank capacity	
Tire and rim service Tractor jacking points	
Lubricants and capacities	
Consumables - Engine oil	
Consumables - Diesel fuel	
Consumables - Biodiesel fuels	
Consumables - Diesel exhaust fluid (DEF)/AdBlue®	
Organic Acid Technology (OAT) coolant	
Electrical specifications and service	
Fuse and relay locations	
Maintenance chart notes	7-39
At warning message display	
Air cleaner	7-42
Primary fuel filter	
Fuel supply restricted (13L engines only)	
Every 10 hours or daily	
Engine oil level	
Wheel bolt torque	
Weight bolt torque	
Transmission oil level	
Engine coolant level	
Secondary cooling system level	
Fuel level	
Diesel Exhaust Fluid (DEF)/AdBlue® level	7-48
General tractor inspection	7-48
Every 50 hours	
Fuel tank and fuel filter	7-49
Articulation hinge - upper front	
Oscillation hinge - rear	7-51

Articulation hinge - lower	
Articulation cylinder - front, left-hand, right-hand	
Articulation cylinder - rear, left-hand and right-hand	
Hitch cylinder pin - upper (if equipped)	
Hitch cylinder pin - lower (if equipped)	
Hitch rockshaft - left-hand and right-hand	
Hitch lift links and top link	
Driveshaft carrier bearing	7-54
Every 600 hours	
Engine oil and filter (see note 3)	7-55
Engine fuel filter (see note 4)	7-58
Engine fuel pre-filter	
Fuel tank vent (see note 6)	7-63
Battery electrolyte level	7-64
Cab air filter, outside (see note 1)	7-65
Air tubing - engine	7-66
Alternator - water pump belt	7-66
Power Take Off (PTO) carrier bearing	
Power Take Off (PTO) slip joint	
Radiator and coolers	
Saddle tanks	
Cab recirculation filter	7-7 1
Every 1200 hours	
Engine crankcase breather filter	7-72
Transmission oil and filter	
Transmission vent	7-74
Engine air filters (see note 2)	
Diesel Exhaust Fluid (DEF)/AdBlue® in-line filter	
Diesel Exhaust Fluid (DEF)/AdBlue® supply module filter	
Door lock and hinges	7-86
Every 1800 hours	
Hydraulic oil and filters (see note 4)	7_87
Hydraulic reservoir breather	
Cab air filter, outside (see note 1)	
Engine air tubing	
Idler/roller wheel oil (see note 5)	
	7 02
Every 2400 hours	
Engine coolant drain and flush	7-93
Secondary cooling system drain and flush	
As required	
As required	-
Vehicle fire prevention	7-99

Pressure cooling system hoses Hydraulic system hoses Tire pressure Engine fan belt Viscous fan drive Track inspection and bolt torque Track tension release Track alignment. Cab fabric and carpet. Seat belt	
STORAGE	
Placing in storage Removing from storage	
ELECTRICAL SYSTEM Battery removal and installation	7-110
Auxiliary battery connections	
Flood and work lamps	
Rotating beacon light	
Interior lights	7-120
Road lamps	
Front amber turn and position lamps	
Marker/position lamp	
Rear amber turn/tail/stop lamps	
License plate lamp	7-129
8 TROUBLESHOOTING	
FAULT CODE RESOLUTION	
Fault code retrieval	8-1
ALARM(S)	
Display warnings	8-3
Transmission disengages; neutral icon flashes	
0 SDECIFICATIONS	
9 SPECIFICATIONS Engine specifications	Q ₋ 1
Power train and hydraulics	
Lubricants and capacities	
Speed charts	
Vehicle dimensions and shipping weight	
Maximum operating weight	

10 ACCESSORIES

Farming system displays	10-1
Chemical tank mounting	10-2
General accessories	10-5

1 - GENERAL INFORMATION

Note to the owner

This manual contains important information about the safe operation, adjustment and routine maintenance of your tractor. The manual is divided into ten chapters as outlined in the table of contents. Refer to the index at the end of this manual for locating specific items about your tractor.

Do NOT operate or permit anyone to operate or service this machine until you or the other persons have read this manual. Use only trained operators who have demonstrated the ability to operate and service this machine correctly and safely. This Operator's Manual is to be stored in the manual compartment behind the operator's seat in the vehicle. Make sure this manual is in good condition. Contact your dealer to obtain additional manuals. Contact your dealer for any further information or assistance about your machine. Your dealer has approved service parts. Your dealer has technicians with special training that know the best methods of repair and maintenance for your tractor.

Tractor intended use

Steiger and Quadtrac series tractors with standard equipment and authorized attachments, are intended to be used for customary farming, land leveling and related agriculture operations (intended use). This tractor is not intended for forestry use or for use with loaders. The cab on this tractor does not offer sufficient protection for forestry work.

The cab on this tractor is a Category 2 cab (EN 15695-1) and the application of plant protection products is not part of the intended use of this tractor, unless the manufacturer of the chemical product recommends the use of personal protective equipment as appropriate and sufficient protection with respect to their product.

Installation of utility (dozer) blades, tile plows, front loaders or push bars on the tractor is not approved. Any tractor damage resulting from the installation and/or use of such equipment is not covered by the tractor warranty.

Consult an authorized dealer or CNH Industrial America LLC on changes, additions or modifications that can be required for this machine to comply with various regulations and safety requirements. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

Do not use this machine for any purpose or in any manner other than as described in the manual, decals, or other product safety information provided with the machine. These materials define the machine's intended use.

Use in any other way is considered as contrary to the intended use. The manufacture accepts no liability for

any damage or injury resulting from this misuse and these risks must be born solely by the user.

Compliance with and strict adherence to the conditions of operation, service and repair as specified by the manufacturer also constitute essential elements for the intended use.

All persons who will be operating this machine shall possess a valid local vehicle operating permit and/or other applicable local age work permits.

This tractor must be operated, serviced and repaired only by persons familiar with all its particular characteristics and acquainted with the relevant safety rules (accident prevention).

The accident prevention regulations, all other generally recognized regulations on safety and occupational medicine and the road traffic regulations must be observed at all times.

Any arbitrary modifications carried out on the tractor will relieve the manufacturer of all liability for any resulting damage or injury.

ATTENTION: The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is complete. Engine service and/or repairs must be done by a certified technician only!

Electro-Magnetic Compatibility (EMC)

This machine complies strictly with the European Regulations on electro-magnetic emissions. However, interference may arise as a result of add-on equipment which may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:

- Ensure that each piece of non- CASE IH equipment fitted to the machine bears the CE mark.
- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the machine.
- The electro-magnetic field generated by the add-on system should not exceed 24 V/m at any time and at any location in the proximity of electronic components.

Failure to comply with these rules will render the CASE IH warranty null and void.

CNH Industrial America LLC technical manuals

Manuals are available from your dealer for your machine. Your dealer can expedite your order for operator manuals and parts catalogs.

Always give the machine name, model and P.I.N. (product identification number) of your machine so your dealer can provide the correct manuals for your machine.

The company is continually striving to improve its products and therefore reserves the right to make improvements and changes when it becomes practical and possible to do so, without incurring any obligation to make changes or additions to the equipment sold previously. All data given in this manual is subject to production variations.

NOTICE: Operating and service messages displayed on the electronic operating panel may vary from what is shown in the manual. If this occurs, heed the latest instructions on the electronic operating panel.

Dimensions and weights are approximate only and the illustrations do not necessarily show the machine in standard condition. For exact information about any particular machine, please consult your dealer.

Manual scope and required training level

This manual provides information on the intended use of your tractor under the conditions foreseen by the manufacturer during normal operation, routine service and maintenance and periodic service and maintenance.

Normal operation is use of the tractor for the purpose intended by the manufacturer by an owner/operator who is familiar with the tractor and the mounted or towed equipment, and who is complying with the information on operation and safe practices, provided in this manual and by the decals on the tractor and the equipment.

Normal operation includes such actions as preparing the tractor for storage and removing the tractor from storage, adding or removing ballast, connecting and disconnecting mounted or towed equipment, raising and lowering components into or out of work position, adjusting tractor settings for specific field or crop settings, etc.

Routine service and maintenance are those actions which must be performed daily to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on routine service and safe practices in this manual and in the decals on the tractor.

Routine service and maintenance includes such actions as fueling, cleaning, washing, topping off fluid levels, greasing, and replacing consumable articles such as lamp bulbs.

Periodic service and maintenance are those actions which must be performed at regularly defined intervals

to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on periodic service and safe practices in this manual and in the decals on the tractor.

Periodic service and maintenance includes such actions as checking, cleaning and changing air filters, changing engine oil and filters, changing transmission oil and filters, changing front axle and wheel hub fluids, changing coolant, etc.

Some actions in the periodic service and maintenance chart are beyond the knowledge and skills of the owner/operator: for example, engine valve adjustment, fuel injector nozzles. For these actions, the manual instructs the owner/operator to have the action performed by their authorized dealer.

This manual does not contain all the information related to periodical service and maintenance, converting and repairs to be carried out by professional service personnel. These actions require special facilities, technical skills, and/or tools which are not supplied with the machine.

Converting is changing the tractor configuration for a specific crop or soil condition and requires rebuilding or adding components to the vehicle: for example, installation of dual wheels. Repairing is the disassembly and assembly of the tractor to restore proper operation after a component failure or degradation of performance.


Your tractor

This manual covers tractors with EC CoC certification covered by directive 2009/64/EC and tractors without CoC certification covered by directive 2004/108/EC. Refer to your Certificate of Conformity supplied with your tractor for proper identification.

The tractor models covered in this manual are Steiger 370, 420, 470, 500, 540, 580, 620, and Quadtrac 470, 500, 540, 580, 620 .

References are made within this manual of "row crop models" and "high power models". Row crop models include Steiger 370, 420, and 470 models.

High power models include Steiger 500, 540, 580, 620 and all Quadtrac models.



The customer is required to ensure suitable jobsite organization in respect of acceptable visibility and operation of this tractor.

CNH America LLC Racine, WI U.S.A.

Dealer stamp

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com