OPERATOR'S MANUAL

T9.450

T9.505

T9.560


T9.615

T9.670

Tier 2

Tractor

From PIN ZCF200001 and above



Part number 84594659

2nd edition English
February 2012
Replaces part number 84532676



Contents

1 GENERAL INFORMATION	
Read the Operators Manual	1-1
Electro-Magnetic Compatibility (EMC)	
CNH America LLC technical manuals	
Your tractor	
Note to the Owner	
Tractor intended use	
Product identification	
Machine orientation	
Component location	
2 SAFETY INFORMATION	
Safety rules	2-1
Safety rules - General	
Safety rules - Mounting and dismounting	
Safety rules - Implements, tools and trailers	
Safety rules - Instructional seat	
Safety rules - Wheels and tires	
Safety rules - Fire prevention	
·	
Safety rules - Fire extinguisher	
Safety rules - PTO operation	
Safety rules - General maintenance	
Safety rules - Basic operating	
Safety rules - Hazardous chemicals	
Safety rules - Air conditioning system	
Safety rules - Operator presence system	
Safety rules - Roll over and tip over	
Safety rules - Electrical storm safety	
Safety rules - Driving on public roads	
Safety rules - Utility power lines	
Safety rules - Hydraulic system safety	
FRAME - Foreword - Ecology and the environment	
Noise levelVehicle vibration levels	2-10 2-17
ROPS and FOPS	
Hazardous substances	
Emergency exit	
Safety signs	2-21
Articulation cylinder locking blocks	2-30
Wheel chocks (Germany only)	2-31
3 CONTROLS/INSTRUMENTS	
ACCESS TO OPERATOR'S PLATFORM	
Tractor access	3-1

OPERATOR'S SEAT	
Overview	
Control Identification	0 4
INSTRUCTOR'S SEAT	
Overview	3-7
FORWARD CONTROLS	
Steering column	
Front console	
Ventilation	
Front sun shade	3-15
RIGHT-HAND SIDE CONTROLS	2.46
Armrest console	
Throttle control	3-21
Control panel	
Remote valve controlsJoystick	
Armrest compartment	
Hitch controls	3-31
Adjusting the armrest console	3-32
DEADWARD CONTROL O	
REARWARD CONTROLS Rear sun shade	2 22
Real Sull Stlaue	ა-აა
OVERHEAD CONTROLS	
Overview	3-34
Automatic temperature controls	3-36
Automatic temperature control system	
Center panel controls	
Radio (if equipped)	
The not and decess lights	0-47
EXTERIOR CONTROLS	
Exterior hitch control	3-49
INSTRUMENT CLUSTER	
Overview	
Gauges Status and warning icons	
Upper display	
Lower display	
Keypad	
Instrumentation - setup menu	3-59

Instrumentation - adjust menu	
4 OPERATING INSTRUCTIONS	
COMMISSIONING THE UNIT Before starting the engine	-1
STARTING THE UNIT Normal engine starting	
STOPPING THE UNIT Stopping the engine 4	-9
MOVING THE UNIT Powershift transmission 4-7 Ground speed management (GSM) 4-7 Differential lock system 4-2 Constant engine speed 4-2 Headland management system 4-3 Engine compression brake (if equipped) 4-4	18 27 28 31
5 TRANSPORT OPERATIONS	
ROAD TRANSPORT Tractor warning lamps 5 Operating the tractor warning lamps 5 Safe transport speed 5 Implement warning lamps 5 Safety chain 5	-2 -3 -4
SHIPPING TRANSPORT Securing the tractor for shipping	-6
RECOVERY TRANSPORT Safety rules	-7 -8
6 WORKING OPERATIONS GENERAL INFORMATION Product overview	-1

REAR PTO	
Safety rules	
Connecting the PTO	
PTO operation	6-5
THREE POINT HITCH	0.0
Identification	
Link adjustmentSway block adjustment	
Mechanical float adjustment	
Hitch quick coupler - Category IVN	
Transport lock	
Hitch operation	
Rear remote hitch switch	
Position control operation	
Slip control operation	
DRAWBARS AND TOWING ATTACHMENTS	
Safety rules	
Rear towing - Capacities	
Scraper operation	6-32
TRAILER BRAKE COUPLER	0.00
Safety rules	
Trailer brake connections	6-33
AUXILIARY POWER CONNECTIONS	
External power and lighting connections	6-34
Cab power connections	
Cab power connections	0-30
HYDRAULIC REMOTE CONTROL VALVES	
Valve couplers and connections	6-39
Optional circuits	
Hydraulic remote valve transport lock	
Operating the controls	
Remote valve display screens	
Joystick operation	
Auto auxiliary mode operation	
Auto depth control operation	
BALLASTING THE TRACTOR	
Guidelines	6-65
Weights, cast metal and liquid Front Ballast	
Wheel slip and power hop	b-/5
EDONIT AND DEAD AVILE	
FRONT AND REAR AXLE	

	Tire safety	6-76
	Pressure and load ratings	6-77
	Wheel installation	6-84
	Wheel tread settings on flange axles	6-92
	Wheel tread settings on bar axles	6-93
	· · · · · · · · · · · · · · · · · · ·	
7	MAINTENANCE	
1	WAINTENANCE	
	GENERAL INFORMATION	
	Safety rules	. 7-1
	Engine hood	
	Removing the engine side shields	
	Opening the right-hand service door	
	Power cut-off switch	
	Filling the fuel tank	
	Fuel tank capacity	
	Tire and rim service	
	Tractor jacking points	
	, , ,	
	Capacities	
	Consumables - Engine oil	
	Consumables - Diesel fuel	7-15
	Consumables - Biodiesel fuels	
	Electrical specifications and service	
	Fuse and relay locations	
	Maintenance chart notes	
	Maintenance chart notes	1-29
	MAINITENIANIOE OLIABT	
	MAINTENANCE CHART	
	Maintenance Chart	7-30
	AT WARNING MESSAGE DISPLAY	
	Air cleaner	7-32
	Primary fuel filter	
	EVEDY 40 HOURS OF EACH DAY	
	EVERY 10 HOURS OR EACH DAY	7 0 4
	Engine oil level	
	Wheel bolt torque	
	Wheel weight bolt torque	
	Transmission oil level	
	Hydraulic/axle oil level	
	Engine coolant level	
	Fuel level	
	General tractor inspection (see Note 1)	7-39
	EVERY 50 HOURS	
	Fuel tank and fuel filter	7-40
	Articulation hinge - upper front	
	Oscillation hinge - rear	
	•	

Articulation hinge - lower	
Articulation cylinder - front, left-hand, right-hand	7-43
Articulation cylinder - rear, left-hand and right-hand	7-43
Hitch cylinder pin - upper, left-hand and right-hand	7-44
Hitch cylinder pin - lower, left-hand and right-hand	7-44
Hitch rockshaft - left-hand and right-hand	7-45
Hitch lift links and top link	7-45
EVERY 250 HOURS	7.46
Cab air filter, outside (see Note 2)	
Cab recirculation filter	
Driveshaft carrier bearing	
Dividend Carrier Scaring	, ,
EVERY 500 HOURS	
Air tubing - engine	
Alternator - water pump belt	
Battery electrolyte level	
PTO carrier bearing	
PTO slip joint	
Radiator and coolers	7-54
EVERY 600 HOURS	
Engine oil and filter (see note 5)	7-56
Engine fuel filter (see note 6)	
Engine fuel pre-filter	
Fuel tank vent (see note 8)	
	. 00
EVEDV 4000 HOUDO	
EVERY 1200 HOURS	7.00
Engine crankcase breather filter	7-69
EVERY 1500 HOURS	
Engine air tubing	7-71
Engine air filters (see Note 3)	
Hydraulic oil and filters (see note 6)	
Hydraulic reservoir breather	
Transmission oil and filter (see note 6)	
Transmission vent	
Cab air filter, outside (see Note 2)	
Door lock and hinges (see Note 4)	
EVEDY 2000 HOLIDS OD 2 VEADS	
EVERY 2000 HOURS OR 2 YEARS Engine coolant drain and flush	7 95
Lityine wolan uran and nustri	1-00
AS REQUIRED	
Vehicle fire prevention	7-88

Pressure cooling system hoses	
Hydraulic system hoses	
Tire pressure	
Engine fan belt	7-89
Viscous fan drive	
Cab fabric and carpet	
Seat belt	7-91
STORAGE	
Placing in storage	7-92
Removing from storage	7-93
ELECTRICAL SYSTEM	
Battery removal and installation	7-94
Auxiliary battery connections	
Flood and work lamp replacement	
Rotating beacon lamp replacement	
Interior lights lamp replacement	
Road lamps	
Front amber turn and position lamps	
Marker/position lamp	
Rear amber turn/tail/stop lamps	
License plate lamp	
8 TROUBLESHOOTING FAULT CODE RESOLUTION Fault code retrieval	8-1
ALARM(S)	
Display warnings	8-4
Bioplay warrings	
9 SPECIFICATIONS	
Engine specifications	9_1
Power train and hydraulics	
Speed charts	
Vehicle dimensions and shipping weight	
Maximum tractor operating weights	
10 ACCESSORIES	
Farming system Monitor - Install	1∩_1
Chemical tank mounting	
Onemical tank mounting	
General accessories	

1 - GENERAL INFORMATION

Read the Operators Manual



Improper operation of this vehicle can cause death or serious injury. Before using the vehicle, make certain that every operator:

- Is instructed in safe and proper use of the machine.
- Reads and understands the manual(s) pertaining to the machine.
- Reads and understands all safety decals on the machine.
- Clears the area of other persons.
- Learns and practices safe use of machine controls in a safe, clear area before operating this machine on a job site.

It is your responsibility to observe pertinent laws and regulations and follow CNH America LLC instructions on machine operation and maintenance.

Electro-Magnetic Compatibility (EMC)

This machine complies strictly with the European Regulations on electro-magnetic emissions. However, interference may arise as a result of add-on equipment which may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:

- Ensure that each piece of non- NEW HOLLAND AGRICULTURE equipment fitted to the machine bears the CE mark.
- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the machine.
- The electro-magnetic field generated by the add-on system should not exceed 24 V/m at any time and at any location in the proximity of electronic components.

Failure to comply with these rules will render the NEW HOLLAND AGRICULTURE warranty null and void.

CNH America LLC technical manuals

Manuals are available from your dealer for your machine. Your dealer can expedite your order for operator manuals and parts catalogs.

Always give the machine name, model and S.N. (serial number) of your machine so your dealer can provide the correct manuals for your machine.

The company is continually striving to improve its products and therefore reserves the right to make improvements and changes when it becomes practical and possible to do so, without incurring any obligation to make changes or additions to the equipment sold previously. All data given in this manual is subject to production variations.

NOTICE: Operating and service messages displayed on the electronic operating panel may vary from what is shown in the manual. If this occurs, heed the latest instructions on the electronic operating panel.

Dimensions and weights are approximate only and the illustrations do not necessarily show the machine in standard condition. For exact information about any particular machine, please consult your dealer.

Manual scope and required training level

This manual provides information on the intended use of your tractor under the conditions foreseen by the manufacturer during normal operation, routine service and maintenance and periodic service and maintenance.

Normal operation is use of the tractor for the purpose intended by the manufacturer by an owner/operator who is familiar with the tractor and the mounted or towed equipment, and who is complying with the information on operation and safe practices, provided in this manual and by the decals on the tractor and the equipment.

Normal operation includes such actions as preparing the tractor for storage and removing the tractor from storage, adding or removing ballast, connecting and disconnecting mounted or towed equipment, raising and lowering components into or out of work position, adjusting tractor settings for specific field or crop settings, etc.

Routine service and maintenance are those actions which must be performed daily to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on routine service and safe practices in this manual and in the decals on the tractor.

Routine service and maintenance includes such actions as fueling, cleaning, washing, topping off fluid levels, greasing, and replacing consumable articles such as lamp bulbs.

Periodic service and maintenance are those actions which must be performed at regularly defined intervals

to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on periodic service and safe practices in this manual and in the decals on the tractor.

Periodic service and maintenance includes such actions as checking, cleaning and changing air filters, changing engine oil and filters, changing transmission oil and filters, changing front axle and wheel hub fluids, changing coolant, etc.


Some actions in the periodic service and maintenance chart are beyond the knowledge and skills of the owner/operator: for example, engine valve adjustment, fuel injector nozzles. For these actions, the manual instructs the owner/operator to have the action performed by their authorized dealer.

This manual does not contain all the information related to periodical service and maintenance, converting and repairs to be carried out by professional service personnel. These actions require special facilities, technical skills, and/or tools which are not supplied with the machine.

Converting is changing the tractor configuration for a specific crop or soil condition and requires rebuilding or adding components to the vehicle: for example, installation of dual wheels. Repairing is the disassembly and assembly of the tractor to restore proper operation after a component failure or degradation of performance.

Your tractor


This manual covers tractors with EC CoC certification covered by directive 2009/64/EC and tractors without CoC certification covered by directive 2004/108/EC. Refer to your Certificate of Conformity supplied with your tractor for proper identification.



RCPH11FWD316EAM

The customer is required to ensure suitable jobsite organization in respect of acceptable visibility and operation of this tractor.





Note to the Owner

This manual contains important information about the safe operation, adjustment and routine maintenance of your tractor. The manual is divided into ten chapters as outlined in the table of contents. Refer to the index at the end of this manual for locating specific items about your tractor.

Do NOT operate or permit anyone to operate or service this machine until you or the other persons have read this manual. Use only trained operators who have demonstrated the ability to operate and service this machine correctly and safely.

This Operator's Manual is to be stored in the manual compartment behind the operator's seat in the vehicle. Make

sure this manual is in good condition. Contact your dealer to obtain additional manuals. Contact your dealer for any further information or assistance about your machine. Your dealer has approved service parts. Your dealer has technicians with special training that know the best methods of repair and maintenance for your tractor.

ATTENTION: The engine on your machine is designed and built to government emissions standards. Tampering by dealer, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is completed. Engine repairs must be done by a certified technician only.

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com