


# 54-Inch Front Blade

(Serial No. 030001 – )



## OPERATOR'S MANUAL

John Deere  
Lawn & Grounds Care Division  
OMM123433 I4

North American Version  
Litho in U.S.A  
English

## INTRODUCTION

---

---

### **THANK YOU for purchasing a John Deere product.**

This 54-Inch Blade can be used on the 318, 322, 332, 420, 425, 430, 445, and 455 Tractors.

It can also be used on the F911, F925, and F935 Front Mowers.



**Throughout this manual the words 300 Series, 400 Series, and F900 Series will be referred to as:**

- **Whenever you see 300 Series: This refers to models 318, 322, and 332 Tractors.**
- **Whenever you see 400 Series: This refers to models 425, 445, and 455 Tractors.**
- **Whenever you see F900 Series: This refers to models F911, F925, and F935 Front Mowers.**
- **420 and 430 Tractors will be spelled out as such.**

Read this manual and your vehicle manual thoroughly. Failure to do so could result in personal injury or equipment damage.

This manual should be considered a permanent part of your machine and should remain with the machine when you sell it.

Measurements in this manual are U.S. customary units and their metric equivalents. RIGHT-HAND and LEFT-HAND sides are determined by facing in the direction the machine will travel when going forward.

Product warranty is provided as part of John Deere's support program for customers who operate and maintain their equipment as described in this manual. The product warranty is explained on the warranty certificate you received from your dealer.

---


## INTRODUCTION

Record identification numbers below. Be sure to record all the numbers to help in tracing the machine if it is stolen. You also need to give these numbers to your dealer when you order parts.

|                                   |
|-----------------------------------|
| <b>Date of Purchase:</b><br>_____ |
|-----------------------------------|

|                              |                        |
|------------------------------|------------------------|
| <b>Dealer Name:</b><br>_____ | <b>Phone:</b><br>_____ |
|------------------------------|------------------------|

|   |
|---|
| <b>Serial Number:</b><br>□□□□□□□□□□□□□□ |
|---|



## TABLE OF CONTENTS

---

---

|   | Page |
|---|------|
| <b>Safety Signs</b>                       |      |
| Safety-Alert Symbol.....                  | 1    |
| Machine Safety Labels .....               | 1    |
| <br><b>Preparing The Vehicle</b>          |      |
| Preparing The Tractor/Front Mower .....   | 2    |
| <br><b>Installing—400 Series</b>          |      |
| Park Vehicle Safely.....                  | 6    |
| Avoid High Pressure Fluids .....          | 6    |
| Cable Assembly .....                      | 7    |
| Installing Blade .....                    | 8    |
| <br><b>Installing—F900 Series</b>         |      |
| Park Vehicle Safely.....                  | 9    |
| Avoid High Pressure Fluids .....          | 9    |
| Cable Assembly .....                      | 10   |
| Installing Blade .....                    | 10   |
| <br><b>Installing—300 Series</b>          |      |
| Park Vehicle Safely.....                  | 12   |
| Avoid High Pressure Fluids .....          | 12   |
| Cable Assembly .....                      | 13   |
| Installing Blade .....                    | 13   |
| <br><b>Installing—420 And 430 Tractor</b> |      |
| Park Vehicle Safely.....                  | 15   |
| Avoid High Pressure Fluids .....          | 15   |
| Cable Assembly .....                      | 16   |
| Installing Blade .....                    | 16   |

## TABLE OF CONTENTS

---

---

|  | Page |
|--|------|
| <b>Removing</b>  |      |
| Park Vehicle Safely .....                                    | 18   |
| Avoid High Pressure Fluids.....                              | 18   |
| Removing Blade.....  | 19   |
| <b>Operating</b>   |      |
| Operate Safely .....   | 20   |
| Wear Appropriate Clothing .....                              | 21   |
| Operating Tips.....  | 21   |
| Before Operating Blade.....                                  | 22   |
| Adjusting Skid Shoes .....                                   | 23   |
| Adjusting Blade For Digging.....                             | 23   |
| Adjusting Blade For Clearing Or Leveling .....               | 24   |
| Removing Objects Between Blade And<br>Mounting Bracket ..... | 24   |
| <b>Operating—400 Series</b>                                  |      |
| Operating Blade .....  | 26   |
| Using Differential.....                                      | 27   |
| Stopping Tractor And Blade .....                             | 28   |
| <b>Operating—F900 Series</b>                                 |      |
| Operating Blade .....  | 29   |
| Using Differential.....                                      | 30   |
| Stopping Front Mower And Blade .....                         | 30   |
| <b>Operating—420 And 430 Tractor</b>                         |      |
| Operating Blade .....  | 32   |
| Using Differential.....                                      | 34   |
| Stopping Tractor And Blade .....                             | 34   |

Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.

You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:

[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)