

JOHN DEERE
WORLDWIDE COMMERCIAL & CONSUMER
EQUIPMENT DIVISION

Mower
8000 E-Cut Hybrid

OMTCU23701 K9

OPERATOR'S MANUAL



JOHN DEERE

⚠ WARNING: Diesel engine exhaust and some of its constituents are known to the State of California to cause cancer, birth defects, and other reproductive harm.

California Proposition 65 Warning

North American Version
Litho in U.S.A.

INTRODUCTION

Thank You for Purchasing a John Deere Product

We appreciate having you as a customer and wish you many years of safe and satisfied use of your machine.

Using Your Operator's Manual

This manual is an important part of your machine and should remain with the machine when you sell it.

Reading your operator's manual will help you and others avoid personal injury or damage to the machine. Information given in this manual will provide the operator with the safest and most effective use of the machine. Knowing how to operate this machine safely and correctly will allow you to train others who may operate this machine.

If you have an attachment, use the safety and operating information in the attachment operator's manual along with the machine operator's manual to operate the attachment safely and correctly.

This manual and safety signs on your machine may also be available in other languages (see your authorized dealer to order).

Sections in your operator's manual are placed in a specific order to help you understand all the safety messages and learn the controls so you can operate this machine safely. You can also use this manual to answer any specific operating or servicing questions. A convenient index located at the end of this book will help you to find needed information quickly.

The machine shown in this manual may differ slightly from your machine, but will be similar enough to help you understand our instructions.

RIGHT-HAND and LEFT-HAND sides are determined by facing in the direction the machine will travel when going forward. When you see a broken line (-----), the item referred to is hidden from view.

Before delivering this machine, your dealer performed a predelivery inspection to ensure best performance.

Special Messages

Your manual contains special messages to bring attention to potential safety concerns, machine damage as well as helpful operating and servicing information. Please read all the information carefully to avoid injury and machine damage.



CAUTION: Avoid injury! This symbol and text highlight potential hazards or death to the operator or bystanders that may occur if the hazards or procedures are ignored.

IMPORTANT: Avoid damage! This text is used to tell the operator of actions or conditions that might result in damage to the machine.

NOTE: General information is given throughout the manual that may help the operator in the operation or service of the machine.

PRODUCT IDENTIFICATION

Record Identification Numbers

8000 E-Cut Hybrid Mower PIN (010001-)


If you need to contact an Authorized Service Center for information on servicing, always provide the product model and identification numbers.

You will need to locate the identification numbers for the product. Record the information in the spaces provided below.

DATE OF PURCHASE:


DEALER NAME:

DEALER PHONE:



MX41587

PRODUCT IDENTIFICATION NUMBER (A):



MX41588

ENGINE SERIAL NUMBER (B):

TABLE OF CONTENTS

Safety Labels	1
Safety	6
Operating Controls	12
Operating - Machine	13
Operating - Cutting Units	25
Replacement Parts	29
Service Intervals	30
Service Lubrication	32
Service Engine	35
Service Transmission	45
Service - Cutting Units	51
Service Electrical	66
Service Miscellaneous	70
Troubleshooting	75
Storage	83
Specifications	85
Warranty	87
Index	90

Original Instruction

All information, illustrations and specifications in this manual are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice.

COPYRIGHT© 2009

Deere & Co.

John Deere Worldwide Commercial and Consumer Equipment Division

All rights reserved

Previous Editions

COPYRIGHT©

OMTCU23701 K9 - English

SAFETY LABELS

Safety Label Location

A

B

C

D

E

F

G

H

I

CAUTION
HELP AVOID INJURY

• Read operator's manual
• Do not operate the machine without guards, shields, and safety devices in place and working
• Do not operate this machine when children and/or others are around
• Do not operate the machine unless you are trained
• Look behind before backing
• Keep people at safe distance away
• Stay clear of power driven parts
• Do not operate where machine could tip
• Never carry riders
• Before leaving machine:
• Stop engine - Set park brake - Remove key

ATTENTION
EVITAR LAS LESIONES

• Use la llave al trabajar
• No sea utilizar la máquina sino que las protecciones y dispositivos de seguridad estén en su lugar y en buen estado de funcionamiento
• No sea utilizar esta máquina a proximidad d'edificios ni d'otras personas
• No sea utilizar la máquina sino estar bien formado
• Registrar siempre el nivel de ruido
• No llevar personas al tractor
• De tener freno de parada de pines extrañados
• No sea utilizar siempre la máquina riesgo de bascular
• No permita que otros conduzcan
• Antes de salir la máquina:
• Apagar el motor - Bajar la leva de estacionamiento
• Retirar la llave

ESTRUCTURA PROTECTORA CONTRA VUELCOS
Para mantener la protección del operador y la certificación de la ROPS:
• Sustituir una ROPS dañada; no repararla ni modificarla
• Toda modificación de una ROPS deberá contar con la aprobación del fabricante

Satisfice los requisitos de la norma con aprobación pendiente:
ISO/CD 21299.3
Peso máximo de máquina con ROPS:
1290 kg

Para uso en cortacéspedes John Deere series 7000/8000
Deere & Company
Moline, Illinois, EE.UU.

ROLL-OVER PROTECTIVE STRUCTURE
To maintain operator protection and ROPS certification:
• Replace damaged ROPS, do not repair or revise
• Any alteration of ROPS must be approved by manufacturer

Meets requirements of pending standard:
ISO/CD 21299.3
ROPS Maximum Machine Weight:
1290 Kg

For use on John Deere 7000/8000 Series Mowers
Deere & Company
Moline, Illinois, U.S.A.

CAUTION
Prestando atención a los ruidos que se producen al trabajar, usar protección auditiva.
Wear suitable hearing protection.

ATENCIÓN
La exposición prolongada a ruidos puede causar la pérdida del oído.
Usar protección adecuada para el oído.

WARNING **ADVERTENCIA**
Operation of This Equipment May Create Sparks That Can Start Fires Around Dry Vegetation. A Spark Arrestor May be Required. The Operator Should Contact Local Fire Agencies for Laws or Regulations Relating to Fire Prevention Requirements.
El uso de este equipo puede crear chispas capaces de iniciar incendios en vegetación seca. Podría ser necesario usar un parachispas. El operador deberá comunicarse con cuerpos de bomberos locales para informarse de leyes o reglamentos relacionados con los requisitos exigidos para la prevención de incendios.
TCU26800

DANGER **PELIGRO**
• Use extreme caution on hills, slopes, and rough terrain
• The operator must not get out and land traction like conventional tractors
• If operated on a steep slope, rollover will occur before losing traction
• Do not operate on a slope until a site survey has been completed as outlined in the operator's manual
• When possible, mow up and down a hill rather than across it
• Do not turn on hills
• Avoid sudden stops, sudden turns, holes, drop offs, or hidden hazards in the terrain
• Avoid wet or loose turf conditions that may cause the machine to slide
• Always wear seat belt!

PELIGRO
• Tener mucho cuidado en linderos, pendientes y terrenos accidentados
• La salida en el lado opuesto de la pendiente en patina y tierra la tracción como sucede con los tractores de tracción convencional
• Si se tiene que bajar en una pendiente empinada, la máquina se volteará antes de perder la tracción
• No bregar en una pendiente sin haber completado una inspección del sitio tal como se indica en el manual del operador
• Siempre que sea posible, cortar subiendo y bajando una pendiente, en lugar de en sentido transversal
• No hacer virajes en las linderos
• Evitar las paradas repentinas, virajes abruptos, frenos, frenazos y los peligros asociados en el terreno
• Evitar las condiciones húmedas o de suelo suelto que puedan hacer que la máquina resbale
• Siempre abrocharse el cinturón de seguridad

DANGER
To avoid injury or death from rotating blades, stay clear of reel.
Shut off engine before servicing, lubricating or removing cutting unit.

PELIGRO
Para evitar sufrir lesiones causadas por las cuchillas, mantenerse alejado del molinete. Apagar el motor antes de dar mantenimiento, lubricar o retirar la unidad de corte.

DANGER
To avoid injury or death from contact, always wear seat belt. Do not jump from machine.

USE SEAT BELT
ABROCHARSE EL CINTURÓN DE SEGURIDAD

PELIGRO
Para evitar las lesiones o la muerte por ser aplastado por la máquina, abrocharse siempre el cinturón de seguridad. No saltar de la máquina.

MX41589

Picture Note: Use label number listed in table below to locate complete text of safety label message following this illustration.

- A - CAUTION TCU23845
- B - DANGER POISON M97300
- C - WARNING TCU27738
- D - ROPS PROTECTION TCU27487 (Spanish)

- E - ROPS PROTECTION TCU27485 (English)
- F - DANGER TCU22761
- G - DANGER TCU20639
- H - DANGER TCU25613
- I - WARNING TCU26800

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com