270 Rotary Disk Mower (Identification No. 840001-)

John Deere Ottumwa Works
OME87628 Issue G5
(This manual replaces OME82777 L2)
LITHO IN U.S.A.
ENGLISH

Introduction

READ THIS MANUAL carefully to learn how to operate and service your machine correctly. Failure to do so could result in personal injury or equipment damage. This manual and safety signs on your machine may also be available in other languages. (See your John Deere dealer to order.)

THIS MANUAL SHOULD BE CONSIDERED a permanent part of your machine and should remain with the machine when you sell it.

MEASUREMENTS in this manual are given in both metric and customary U.S. unit equivalents. Use only correct replacement parts and fasteners. Metric and inch fasteners may require a specific metric or inch wrench.

RIGHT-HAND AND LEFT-HAND sides are determined by facing in the direction the implement will travel when going forward.

WRITE PRODUCT IDENTIFICATION NUMBERS (P.I.N.) in the Specification section. Accurately record

all the numbers to help in tracing the machine should it be stolen. Your dealer also needs these numbers when you order parts. File the identification numbers in a secure place off the machine.

WARRANTY is provided as part of John Deere's support program for customers who operate and maintain their equipment as described in this manual. The warranty is explained on the warranty certificate which you should have received from your dealer.

This warranty provides you the assurance that John Deere will back its products where defects appear within the warranty period. In some circumstances, John Deere also provides field improvements, often without charge to the customer, even if the product is out of warranty. Should the equipment be abused, or modified to change its performance beyond the original factory specifications, the warranty will become void and field improvements may be denied. Setting fuel delivery above specifications or otherwise overpowering machines will result in such action.



270 Rotary Disk Mower

EX,270RDM,IFCAA-19-14JUL95

270 Rotary Disk Mower Checklists

DELIVERY CHECKLIST	
The following checklist is a reminder of very important it to the customer when delivering the machine.	nformation which should be conveyed directly
 Advise customer that the life expectancy of this or any other machine depends on regular lubrication as described in the operator's manual. Advise customer to drain and refill the cutterbar after the first 10 hours of operation. Give operator's manual to the customer and explain fully all operating adjustments and lubrication. Advise customer to check the torque of disk nuts and knife bolts after the first 10 hours if operation. 	 ☐ Inform customer about John Deere warranty. ☐ Inform customer about John Deere parts and service. ☐ Inform customer on safety precautions to be taken when using the mower. ☐ Tell customer to record the serial number of the mower in the space provided in the Specification section. ☐ Advise customer of optional attachments. ☐ Advise customer on storing machine correctly.
(Signature of Set-Up Technician)	(Signature) EX,270RDMU,B -19-16NOV92

270 Rotary Disk Mower Checklists

AFTER-SALE CHECKLIST		
The following items should be checked sometime during the first season of operation.		
☐ Inspect the entire machine and check for loose or missing bolts.☐ Make sure all shields are in place and fastened.	Check for broken or damaged parts.If possible, run the mower to make sure that it is functioning properly.	
Check drive belt for proper tension. Make sure belts are adjusted correctly.Check tightness of disks and knives.	Review the entire operator's manual together with your customer and stress the importance of proper and regular lubrication, as well as safety precautions.	
Check operating adjustments.		
(Date Delivered)	(Signautre)	
	EX,270RDMU,C -19-12FEB92	



Contents

Page	Page
Safety 1	Service
Safety Signs	Practice Safe Maintenance
Attaching and DetachingAttaching Mower to Tractor12Attaching PTO Driveline13Attaching Hydraulic Lift Hose13Raising the Cutterbar14Detaching Mower15	Knife Bolts33Checking33Replacing33Checking Knife Nuts33Replacing Cutterbar Knives34Toolbox35Rotating Disks35
Transporting	Adjusting Drive Belts
Operating the Mower	Storage
Tractor Requirements	Assembly
Adjusting Cutting Height	Specifications 52 Mower Specifications 52 Record Product Identification Number 52 Bolt and Cap Screw Torque Value Charts
Conditions22Breakaway Latch23Adjusting Outer Shoe Spring Assist23	Metric 53 Inch 54 Crime Prevention Tips 55
Attachments	Index
Lubrication and Maintenance 26 Observe Lubrication Symbols 26 Perform Lubrication and Maintenance 26 Cutterbar Drive Gear Case Lubricant 27 Grease 27 Gear Case 28 Cutterbar 29 PTO Driveline 30 Every 50 Hours 30 As Required 30	
Troubleshooting	

All information, illustrations and specifications in this manual are based on the latest information available at the time of publication. The right is reserved to make changes at any time without notice.

OME87628 G5-19-14JUL95

COPYRIGHT® 1995
DEERE & COMPANY
Moline, Illinois
All rights reserved
A John Deere ILLUSTRUCTION® Manual
Previous Editions
Copyright 1992, 1989 Deere & Company

Contents


ii

Safety

RECOGNIZE SAFETY INFORMATION

This is the safety-alert symbol. When you see this symbol on your machine or in this manual, be alert to the potential for personal injury.

Follow recommended precautions and safe operating practices.



UNDERSTAND SIGNAL WORDS

A signal word—DANGER, WARNING, or CAUTION—is used with the safety-alert symbol. DANGER identifies the most serious hazards.

DANGER or WARNING safety signs are located near specific hazards. General precautions are listed on CAUTION safety signs. CAUTION also calls attention to safety messages in this manual.

A DANGER

AWARNING

ACAUTION

DX,SIGNAL -19-03MAR93


FOLLOW SAFETY INSTRUCTIONS

Carefully read all safety messages in this manual and on your machine safety signs. Keep safety signs in good condition. Replace missing or damaged safety signs. Be sure new equipment components and repair parts include the current safety signs. Replacement safety signs are available from your John Deere dealer.

Learn how to operate the machine and how to use controls properly. Do not let anyone operate without instruction.

Keep your machine in proper working condition. Unauthorized modifications to the machine may impair the function and/or safety and affect machine life.

If you do not understand any part of this manual and need assistance, contact your John Deere dealer.



DX,READ

-19-03MAR93


1

-UN-23AUG88



OPERATE MOWER SAFELY

- 1. Inspect machine before each use. Before each use, check tightness of all nuts and bolts, particularly those securing the disks and knives.
- 2. Keep all shields and plastic cover in place.
- 3. Stop the tractor engine and wait until all moving parts have stopped before leaving operator's position to adjust, lubricate, clean or unclog machine.
- 4. Do not lean against, sit or stand on the cutterbar plastic cover or its supporting framework.
- 5. Make certain everyone is clear of machine before starting engine or beginning operation.
- 6. Do not operate mower with cutterbar raised to vertical position.



273

EX,270RDMA,A -19-02DEC92

AVOID INJURY FROM THROWN OBJECTS

Extreme care must be exercised to avoid injury from thrown objects. Do not, under any circumstances, operate mower when other people are in the vicinity. Stones and other objects can be thrown great distances by the rotating cutting blades.

The cutterbar cover is very important to reduce the potential for thrown objects. Always keep this cover down when operating the mower. Replace the cover, using genuine John Deere parts or their equivalent, if it should become worn or damaged.

For additional operator protection from thrown objects, it is recommended that the 270 Rotary Disk Mower be used with tractors having an operator enclosure.



-NN-2


EX,OM80053,SA2 -19-13NOV89



KEEP RIDERS OFF MACHINE

Only allow the operator on the machine. Keep riders off.

Riders on machine are subject to injury such as being struck by foreign objects and being thrown off of the machine. Riders also obstruct the operator's view resulting in the machine being operated in an unsafe manner.



DX,RIDER


-19-03MAR93

PREPARE FOR EMERGENCIES

Be prepared if a fire starts.

Keep a first aid kit and fire extinguisher handy.

Keep emergency numbers for doctors, ambulance service, hospital, and fire department near your telephone.



DX,FIRE2

-19-03MAR93


WEAR PROTECTIVE CLOTHING

Wear close fitting clothing and safety equipment appropriate to the job.

Prolonged exposure to loud noise can cause impairment or loss of hearing.

Wear a suitable hearing protective device such as earmuffs or earplugs to protect against objectionable or uncomfortable loud noises.

Operating equipment safely requires the full attention of the operator. Do not wear radio or music headphones while operating machine.






HANDLE CHEMICAL PRODUCTS SAFELY

Direct exposure to hazardous chemicals can cause serious injury. Potentially hazardous chemicals used with John Deere equipment include such items as lubricants, coolants, paints, and adhesives.

A Material Safety Data Sheet (MSDS) provides specific details on chemical products: physical and health hazards, safety procedures, and emergency response techniques.

Check the MSDS before you start any job using a hazardous chemical. That way you will know exactly what the risks are and how to do the job safely. Then follow procedures and recommended equipment.

(See your John Deere dealer for MSDS's on chemical products used with John Deere equipment.)



2112

-UN-26NOV90

DX,MSDS,NA -19-03MAR93

STAY CLEAR OF ROTATING DRIVELINES

Entanglement in rotating driveline can cause serious injury or death.

Keep tractor master shield and driveline shields in place at all times. Make sure rotating shields turn freely.

Wear close fitting clothing. Stop the engine and be sure PTO driveline is stopped before making adjustments, connections, or cleaning out PTO driven equipment.



X,PTO

19-03MAR93

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com